

The Vaccine Adverse Event Reporting System (VAERS) Results

Vaccine Manufacturer	Symptoms	Events Reported	Percent (of 9,794)
MODERNA	ABDOMINAL ADHESIONS	1	0.01%
MODERNA	ABDOMINAL DISCOMFORT	18	0.18%
MODERNA	ABDOMINAL DISTENSION	4	0.04%
MODERNA	ABDOMINAL PAIN	27	0.28%
MODERNA	ABDOMINAL PAIN LOWER	2	0.02%
MODERNA	ABDOMINAL PAIN UPPER	19	0.19%
MODERNA	ABNORMAL BEHAVIOUR	2	0.02%
MODERNA	ABSCESS NECK	1	0.01%
MODERNA	ACOUSTIC STIMULATION TESTS	1	0.01%
MODERNA	ACOUSTIC STIMULATION TESTS ABNORMAL	2	0.02%
MODERNA	ACTIVATED PARTIAL THROMBOPLASTIN TIME NORMAL	2	0.02%
MODERNA	ACTIVATED PARTIAL THROMBOPLASTIN TIME SHORTENED	1	0.01%
MODERNA	ACTIVATED PROTEIN C RESISTANCE TEST POSITIVE	1	0.01%
MODERNA	ACUTE ABDOMEN	1	0.01%
MODERNA	ACUTE CORONARY SYNDROME	1	0.01%
MODERNA	ACUTE KIDNEY INJURY	8	0.08%
MODERNA	ACUTE MYELOID LEUKAEMIA	1	0.01%
MODERNA	ACUTE MYOCARDIAL INFARCTION	1	0.01%
MODERNA	ACUTE RESPIRATORY DISTRESS SYNDROME	1	0.01%
MODERNA	ACUTE RESPIRATORY FAILURE	3	0.03%
MODERNA	ADJUSTED CALCIUM	1	0.01%
MODERNA	ADJUSTED CALCIUM INCREASED	1	0.01%
MODERNA	ADULT FAILURE TO THRIVE	1	0.01%
MODERNA	ADVERSE REACTION	1	0.01%
MODERNA	AGEUSIA	9	0.09%
MODERNA	AGGRESSION	1	0.01%
MODERNA	AGITATION	1	0.01%
MODERNA	AKATHISIA	1	0.01%
MODERNA	ALANINE AMINOTRANSFERASE INCREASED	2	0.02%
MODERNA	ALANINE AMINOTRANSFERASE NORMAL	6	0.06%
MODERNA	ALBUMIN URINE PRESENT	1	0.01%
MODERNA	ALLEN'S TEST	1	0.01%
MODERNA	ALLERGY TO VACCINE	1	0.01%
MODERNA	ALOPECIA	3	0.03%
MODERNA	AMNESIA	1	0.01%
MODERNA	AMPHETAMINES POSITIVE	1	0.01%
MODERNA	AMYLASE	1	0.01%
MODERNA	ANAEMIA OF CHRONIC DISEASE	1	0.01%
MODERNA	ANAL INCONTINENCE	4	0.04%
MODERNA	ANAPHYLACTIC REACTION	23	0.23%
MODERNA	ANAPHYLACTIC SHOCK	2	0.02%
MODERNA	ANAPHYLACTOID REACTION	1	0.01%
MODERNA	ANEURYSM RUPTURED	1	0.01%
MODERNA	ANGINA PECTORIS	1	0.01%
MODERNA	ANGINA UNSTABLE	1	0.01%
MODERNA	ANGIOEDEMA	8	0.08%
MODERNA	ANGIOGRAM	5	0.05%
MODERNA	ANGIOGRAM CEREBRAL	4	0.04%
MODERNA	ANGIOGRAM CEREBRAL ABNORMAL	1	0.01%
MODERNA	ANGIOGRAM CEREBRAL NORMAL	4	0.04%
MODERNA	ANGIOGRAM NORMAL	1	0.01%
MODERNA	ANGIOGRAM PULMONARY ABNORMAL	3	0.03%
MODERNA	ANION GAP	3	0.03%
MODERNA	ANION GAP DECREASED	2	0.02%
MODERNA	ANION GAP NORMAL	1	0.01%
MODERNA	ANISOCYTOSIS	1	0.01%
MODERNA	ANOSMIA	5	0.05%
MODERNA	ANTEROGRADE AMNESIA	1	0.01%
MODERNA	ANTIBODY TEST	1	0.01%

Vaccine Manufacturer	Symptoms	Events Reported	Percent (of 9,794)
MODERNA	ANTICOAGULANT THERAPY	1	0.01%
MODERNA	ANTIDEPRESSANT DRUG LEVEL	1	0.01%
MODERNA	ANTINUCLEAR ANTIBODY	1	0.01%
MODERNA	ANTINUCLEAR ANTIBODY POSITIVE	1	0.01%
MODERNA	ANTIPHOSPHOLIPID ANTIBODIES	1	0.01%
MODERNA	ANTIPHOSPHOLIPID ANTIBODIES NEGATIVE	1	0.01%
MODERNA	ANTITHROMBIN III	1	0.01%
MODERNA	ANXIETY	47	0.48%
MODERNA	AORTIC VALVE CALCIFICATION	1	0.01%
MODERNA	APHASIA	6	0.06%
MODERNA	APHONIA	1	0.01%
MODERNA	APNOEA	1	0.01%
MODERNA	APPENDICECTOMY	4	0.04%
MODERNA	APPENDICITIS	5	0.05%
MODERNA	ARRHYTHMIA	1	0.01%
MODERNA	ARTERIOGRAM CAROTID	4	0.04%
MODERNA	ARTERIOGRAM CAROTID ABNORMAL	1	0.01%
MODERNA	ARTERIOGRAM CAROTID NORMAL	3	0.03%
MODERNA	ARTERIOGRAM CORONARY NORMAL	1	0.01%
MODERNA	ARTERIOSCLEROSIS	1	0.01%
MODERNA	ARTERIOSCLEROSIS CORONARY ARTERY	2	0.02%
MODERNA	ARTHRALGIA	101	1.03%
MODERNA	ARTHRITIS	1	0.01%
MODERNA	ARTHRITIS BACTERIAL	1	0.01%
MODERNA	ARTHROPOD BITE	1	0.01%
MODERNA	ASCITES	2	0.02%
MODERNA	ASPARTATE AMINOTRANSFERASE INCREASED	1	0.01%
MODERNA	ASPARTATE AMINOTRANSFERASE NORMAL	5	0.05%
MODERNA	ASPIRATION BURSA	1	0.01%
MODERNA	ASTHENIA	87	0.89%
MODERNA	ASTHENOPIA	3	0.03%
MODERNA	ASTHMA	4	0.04%
MODERNA	ASYMPTOMATIC COVID-19	2	0.02%
MODERNA	ATELECTASIS	2	0.02%
MODERNA	ATOPY	1	0.01%
MODERNA	ATRIAL ENLARGEMENT	1	0.01%
MODERNA	ATRIAL FIBRILLATION	10	0.10%
MODERNA	ATRIAL FLUTTER	1	0.01%
MODERNA	ATYPICAL PNEUMONIA	1	0.01%
MODERNA	AURA	1	0.01%
MODERNA	AUTOANTIBODY POSITIVE	1	0.01%
MODERNA	AUTOPSY	4	0.04%
MODERNA	AXILLARY MASS	1	0.01%
MODERNA	AXILLARY PAIN	7	0.07%
MODERNA	BACK PAIN	36	0.37%
MODERNA	BACTERIAL INFECTION	1	0.01%
MODERNA	BACTERIAL TEST POSITIVE	2	0.02%
MODERNA	BALANCE DISORDER	9	0.09%
MODERNA	BAND NEUTROPHIL PERCENTAGE INCREASED	1	0.01%
MODERNA	BARBITURATES POSITIVE	1	0.01%
MODERNA	BASAL GANGLIA STROKE	1	0.01%
MODERNA	BASE EXCESS	1	0.01%
MODERNA	BASE EXCESS DECREASED	1	0.01%
MODERNA	BASOPHIL COUNT DECREASED	2	0.02%
MODERNA	BASOPHIL COUNT NORMAL	3	0.03%
MODERNA	BASOPHIL PERCENTAGE	2	0.02%
MODERNA	BASOPHIL PERCENTAGE DECREASED	3	0.03%
MODERNA	BETA-2 GLYCOPROTEIN ANTIBODY NEGATIVE	1	0.01%
MODERNA	BILEVEL POSITIVE AIRWAY PRESSURE	1	0.01%
MODERNA	BILIRUBIN CONJUGATED	1	0.01%
MODERNA	BILIRUBIN CONJUGATED INCREASED	1	0.01%
MODERNA	BINOCULAR EYE MOVEMENT DISORDER	1	0.01%

MODERNA Vaccine Manufacturer	BIOPSY BONE MARROW ABNORMAL Symptoms	Events Reported	Percent (of 9,794)
MODERNA	BLADDER CATHETER REPLACEMENT	1	0.01%
MODERNA	BLAST CELLS PRESENT	1	0.01%
MODERNA	BLEPHAROSPASM	2	0.02%
MODERNA	BLINDNESS	2	0.02%
MODERNA	BLINDNESS UNILATERAL	2	0.02%
MODERNA	BLISTER	3	0.03%
MODERNA	BLOOD ALBUMIN DECREASED	2	0.02%
MODERNA	BLOOD ALBUMIN NORMAL	4	0.04%
MODERNA	BLOOD ALKALINE PHOSPHATASE INCREASED	3	0.03%
MODERNA	BLOOD ALKALINE PHOSPHATASE NORMAL	3	0.03%
MODERNA	BLOOD BICARBONATE NORMAL	2	0.02%
MODERNA	BLOOD BILIRUBIN INCREASED	2	0.02%
MODERNA	BLOOD BILIRUBIN NORMAL	4	0.04%
MODERNA	BLOOD CALCIUM	1	0.01%
MODERNA	BLOOD CALCIUM DECREASED	1	0.01%
MODERNA	BLOOD CALCIUM INCREASED	1	0.01%
MODERNA	BLOOD CALCIUM NORMAL	9	0.09%
MODERNA	BLOOD CHLORIDE DECREASED	2	0.02%
MODERNA	BLOOD CHLORIDE INCREASED	3	0.03%
MODERNA	BLOOD CHLORIDE NORMAL	6	0.06%
MODERNA	BLOOD CHOLESTEROL INCREASED	1	0.01%
MODERNA	BLOOD CREATINE INCREASED	1	0.01%
MODERNA	BLOOD CREATINE PHOSPHOKINASE	1	0.01%
MODERNA	BLOOD CREATINE PHOSPHOKINASE ABNORMAL	1	0.01%
MODERNA	BLOOD CREATINE PHOSPHOKINASE INCREASED	1	0.01%
MODERNA	BLOOD CREATINE PHOSPHOKINASE NORMAL	1	0.01%
MODERNA	BLOOD CREATININE INCREASED	7	0.07%
MODERNA	BLOOD CREATININE NORMAL	8	0.08%
MODERNA	BLOOD CULTURE	1	0.01%
MODERNA	BLOOD CULTURE NEGATIVE	5	0.05%
MODERNA	BLOOD ELECTROLYTES	1	0.01%
MODERNA	BLOOD FOLATE	1	0.01%
MODERNA	BLOOD FOLATE NORMAL	1	0.01%
MODERNA	BLOOD GASES	3	0.03%
MODERNA	BLOOD GLUCOSE	1	0.01%
MODERNA	BLOOD GLUCOSE INCREASED	11	0.11%
MODERNA	BLOOD GLUCOSE NORMAL	19	0.19%
MODERNA	BLOOD HOMOCYSTEINE	1	0.01%
MODERNA	BLOOD LACTATE DEHYDROGENASE	1	0.01%
MODERNA	BLOOD LACTATE DEHYDROGENASE INCREASED	1	0.01%
MODERNA	BLOOD LACTIC ACID	2	0.02%
MODERNA	BLOOD LACTIC ACID INCREASED	3	0.03%
MODERNA	BLOOD LACTIC ACID NORMAL	3	0.03%
MODERNA	BLOOD MAGNESIUM	3	0.03%
MODERNA	BLOOD MAGNESIUM DECREASED	1	0.01%
MODERNA	BLOOD MAGNESIUM NORMAL	4	0.04%
MODERNA	BLOOD PH INCREASED	1	0.01%
MODERNA	BLOOD PH NORMAL	1	0.01%
MODERNA	BLOOD PHOSPHORUS DECREASED	2	0.02%
MODERNA	BLOOD POTASSIUM DECREASED	11	0.11%
MODERNA	BLOOD POTASSIUM INCREASED	2	0.02%
MODERNA	BLOOD POTASSIUM NORMAL	5	0.05%
MODERNA	BLOOD PRESSURE ABNORMAL	1	0.01%
MODERNA	BLOOD PRESSURE DECREASED	5	0.05%
MODERNA	BLOOD PRESSURE DIASTOLIC INCREASED	1	0.01%
MODERNA	BLOOD PRESSURE FLUCTUATION	2	0.02%
MODERNA	BLOOD PRESSURE IMMEASURABLE	2	0.02%
MODERNA	BLOOD PRESSURE INCREASED	46	0.47%
MODERNA	BLOOD PRESSURE ORTHOSTATIC ABNORMAL	1	0.01%
MODERNA	BLOOD PRESSURE SYSTOLIC ABNORMAL	2	0.02%
MODERNA	BLOOD PRESSURE SYSTOLIC DECREASED	1	0.01%
MODERNA	BLOOD SMEAR TEST ABNORMAL	2	0.02%

MODERNA Vaccine Manufacturer	BLOOD SODIUM DECREASED Symptoms	Events Reported	Percent (of 9,794)
MODERNA	BLOOD SODIUM DECREASED	2	0.02%
MODERNA	BLOOD SODIUM INCREASED	1	0.01%
MODERNA	BLOOD SODIUM NORMAL	8	0.08%
MODERNA	BLOOD TEST	24	0.25%
MODERNA	BLOOD TEST NORMAL	9	0.09%
MODERNA	BLOOD THYROID STIMULATING HORMONE	4	0.04%
MODERNA	BLOOD THYROID STIMULATING HORMONE NORMAL	3	0.03%
MODERNA	BLOOD UREA INCREASED	5	0.05%
MODERNA	BLOOD UREA NITROGEN/CREATININE RATIO	4	0.04%
MODERNA	BLOOD UREA NITROGEN/CREATININE RATIO INCREASED	1	0.01%
MODERNA	BLOOD UREA NORMAL	8	0.08%
MODERNA	BLOOD URINE PRESENT	2	0.02%
MODERNA	BODY TEMPERATURE DECREASED	1	0.01%
MODERNA	BODY TEMPERATURE INCREASED	59	0.60%
MODERNA	BONE PAIN	6	0.06%
MODERNA	BORRELIA TEST NEGATIVE	1	0.01%
MODERNA	BOWEL MOVEMENT IRREGULARITY	1	0.01%
MODERNA	BRADYCARDIA	3	0.03%
MODERNA	BRADYPHRENIA	1	0.01%
MODERNA	BRAIN NATRIURETIC PEPTIDE	3	0.03%
MODERNA	BRAIN NATRIURETIC PEPTIDE INCREASED	2	0.02%
MODERNA	BRAIN NATRIURETIC PEPTIDE NORMAL	2	0.02%
MODERNA	BREATH SOUNDS ABNORMAL	4	0.04%
MODERNA	BRONCHOSPASM	1	0.01%
MODERNA	BRUXISM	1	0.01%
MODERNA	BUNDLE BRANCH BLOCK RIGHT	1	0.01%
MODERNA	BURNING SENSATION	13	0.13%
MODERNA	BURSITIS	5	0.05%
MODERNA	C-REACTIVE PROTEIN	4	0.04%
MODERNA	C-REACTIVE PROTEIN DECREASED	1	0.01%
MODERNA	C-REACTIVE PROTEIN INCREASED	11	0.11%
MODERNA	CALCIUM IONISED NORMAL	1	0.01%
MODERNA	CARBON DIOXIDE DECREASED	7	0.07%
MODERNA	CARBON DIOXIDE INCREASED	1	0.01%
MODERNA	CARBON DIOXIDE NORMAL	3	0.03%
MODERNA	CARDIAC ARREST	10	0.10%
MODERNA	CARDIAC ASSISTANCE DEVICE USER	1	0.01%
MODERNA	CARDIAC DISCOMFORT	2	0.02%
MODERNA	CARDIAC DISORDER	1	0.01%
MODERNA	CARDIAC FAILURE CONGESTIVE	5	0.05%
MODERNA	CARDIAC FLUTTER	3	0.03%
MODERNA	CARDIAC FUNCTION TEST	1	0.01%
MODERNA	CARDIAC MONITORING	6	0.06%
MODERNA	CARDIAC STRESS TEST	1	0.01%
MODERNA	CARDIAC TELEMETRY	1	0.01%
MODERNA	CARDIAC VENTRICULOGRAM LEFT NORMAL	1	0.01%
MODERNA	CARDIO-RESPIRATORY ARREST	3	0.03%
MODERNA	CARDIOACTIVE DRUG LEVEL	1	0.01%
MODERNA	CARDIOLIPIN ANTIBODY NEGATIVE	1	0.01%
MODERNA	CARDIOMEGALY	1	0.01%
MODERNA	CARDIOVASCULAR EVALUATION	6	0.06%
MODERNA	CARDIOVASCULAR EXAMINATION	1	0.01%
MODERNA	CARDIOVERSION	2	0.02%
MODERNA	CAROTID ARTERIOSCLEROSIS	1	0.01%
MODERNA	CATATONIA	1	0.01%
MODERNA	CATHETERISATION CARDIAC	2	0.02%
MODERNA	CATHETERISATION CARDIAC ABNORMAL	2	0.02%
MODERNA	CATHETERISATION CARDIAC NORMAL	3	0.03%
MODERNA	CELLULITIS	2	0.02%
MODERNA	CEREBRAL DISORDER	1	0.01%
MODERNA	CEREBRAL HAEMORRHAGE	3	0.03%
MODERNA	CEREBRAL MICROANGIOPATHY	1	0.01%
MODERNA	CEREBRAL SMALL VESSEL ISCHAEMIC DISEASE	1	0.01%

MODERNA Vaccine Manufacturer	CEREBRAL VENOUS SINUS THROMBOSIS Symptoms	Events Reported	Percent (of 9,794)
MODERNA	CEREBRAL VENTRICLE DILATATION	1	0.01%
MODERNA	CEREBROVASCULAR ACCIDENT	6	0.06%
MODERNA	CHEILITIS	2	0.02%
MODERNA	CHEST DISCOMFORT	76	0.78%
MODERNA	CHEST PAIN	44	0.45%
MODERNA	CHEST X-RAY	33	0.34%
MODERNA	CHEST X-RAY ABNORMAL	15	0.15%
MODERNA	CHEST X-RAY NORMAL	20	0.20%
MODERNA	CHILLS	361	3.69%
MODERNA	CHOLECYSTECTOMY	1	0.01%
MODERNA	CHOLELITHIASIS	2	0.02%
MODERNA	CHROMATURIA	2	0.02%
MODERNA	CHRONIC OBSTRUCTIVE PULMONARY DISEASE	2	0.02%
MODERNA	COAGULATION TEST	1	0.01%
MODERNA	COAGULATION TIME	2	0.02%
MODERNA	COGNITIVE DISORDER	1	0.01%
MODERNA	COLD SWEAT	27	0.28%
MODERNA	COMA SCALE ABNORMAL	1	0.01%
MODERNA	COMPLICATED APPENDICITIS	1	0.01%
MODERNA	COMPLICATION ASSOCIATED WITH DEVICE	1	0.01%
MODERNA	COMPUTERISED TOMOGRAM	21	0.21%
MODERNA	COMPUTERISED TOMOGRAM ABDOMEN	7	0.07%
MODERNA	COMPUTERISED TOMOGRAM ABDOMEN ABNORMAL	7	0.07%
MODERNA	COMPUTERISED TOMOGRAM ABDOMEN NORMAL	1	0.01%
MODERNA	COMPUTERISED TOMOGRAM ABNORMAL	5	0.05%
MODERNA	COMPUTERISED TOMOGRAM CORONARY ARTERY	1	0.01%
MODERNA	COMPUTERISED TOMOGRAM HEAD	11	0.11%
MODERNA	COMPUTERISED TOMOGRAM HEAD ABNORMAL	6	0.06%
MODERNA	COMPUTERISED TOMOGRAM HEAD NORMAL	13	0.13%
MODERNA	COMPUTERISED TOMOGRAM NECK	1	0.01%
MODERNA	COMPUTERISED TOMOGRAM NORMAL	8	0.08%
MODERNA	COMPUTERISED TOMOGRAM PELVIS	3	0.03%
MODERNA	COMPUTERISED TOMOGRAM PELVIS ABNORMAL	1	0.01%
MODERNA	COMPUTERISED TOMOGRAM SPINE	2	0.02%
MODERNA	COMPUTERISED TOMOGRAM THORAX	6	0.06%
MODERNA	COMPUTERISED TOMOGRAM THORAX ABNORMAL	11	0.11%
MODERNA	COMPUTERISED TOMOGRAM THORAX NORMAL	1	0.01%
MODERNA	CONDITION AGGRAVATED	26	0.27%
MODERNA	CONFABULATION	1	0.01%
MODERNA	CONFUSIONAL STATE	20	0.20%
MODERNA	CONJUNCTIVAL HAEMORRHAGE	1	0.01%
MODERNA	CONJUNCTIVITIS	1	0.01%
MODERNA	CONSCIOUSNESS FLUCTUATING	1	0.01%
MODERNA	CONSTIPATION	2	0.02%
MODERNA	CONTRAINDICATION TO VACCINATION	1	0.01%
MODERNA	CONTUSION	10	0.10%
MODERNA	CORONARY ARTERIAL STENT INSERTION	2	0.02%
MODERNA	CORONARY ARTERY DISEASE	2	0.02%
MODERNA	CORONARY ARTERY STENOSIS	1	0.01%
MODERNA	COUGH	89	0.91%
MODERNA	COVID-19	10	0.10%
MODERNA	COVID-19 PNEUMONIA	10	0.10%
MODERNA	CRANIOTOMY	1	0.01%
MODERNA	CREPITATIONS	1	0.01%
MODERNA	CRITICAL ILLNESS	1	0.01%
MODERNA	CRYING	4	0.04%
MODERNA	CRYPTOCOCCUS TEST	1	0.01%
MODERNA	CSF CULTURE NEGATIVE	1	0.01%
MODERNA	CSF GLUCOSE NORMAL	1	0.01%
MODERNA	CSF MONONUCLEAR CELL COUNT INCREASED	1	0.01%
MODERNA	CSF POLYMORPHONUCLEAR CELL COUNT INCREASED	1	0.01%
MODERNA	CSF PROTEIN NORMAL	1	0.01%

MODERNA Vaccine Manufacturer	CSF RED BLOOD CELL COUNT POSITIVE Symptoms	Events Reported	Percent (of 9,794)
MODERNA	CSF TEST NORMAL	1	0.01%
MODERNA	CSF VIRUS NO ORGANISMS OBSERVED	1	0.01%
MODERNA	CSF WHITE BLOOD CELL COUNT INCREASED	1	0.01%
MODERNA	CULTURE	2	0.02%
MODERNA	CULTURE NEGATIVE	1	0.01%
MODERNA	CULTURE STOOL NEGATIVE	1	0.01%
MODERNA	CULTURE TISSUE SPECIMEN	1	0.01%
MODERNA	CULTURE URINE	3	0.03%
MODERNA	CULTURE URINE NEGATIVE	2	0.02%
MODERNA	CULTURE URINE POSITIVE	1	0.01%
MODERNA	CULTURE WOUND POSITIVE	1	0.01%
MODERNA	CYANOSIS	5	0.05%
MODERNA	CYTOKINE STORM	1	0.01%
MODERNA	DARK CIRCLES UNDER EYES	1	0.01%
MODERNA	DEAFNESS	1	0.01%
MODERNA	DEAFNESS NEUROSENSORY	2	0.02%
MODERNA	DEAFNESS UNILATERAL	4	0.04%
MODERNA	DEATH	95	0.97%
MODERNA	DECOMPRESSIVE CRANIECTOMY	1	0.01%
MODERNA	DECREASED APPETITE	28	0.29%
MODERNA	DEEP VEIN THROMBOSIS	3	0.03%
MODERNA	DEFAECATION URGENCY	1	0.01%
MODERNA	DEHYDRATION	8	0.08%
MODERNA	DELIRIUM	3	0.03%
MODERNA	DEMENCIA	1	0.01%
MODERNA	DEPRESSED LEVEL OF CONSCIOUSNESS	4	0.04%
MODERNA	DERMATITIS	1	0.01%
MODERNA	DERMATITIS EXFOLIATIVE GENERALISED	1	0.01%
MODERNA	DEVICE CONNECTION ISSUE	1	0.01%
MODERNA	DEVICE DEPENDENCE	1	0.01%
MODERNA	DIABETES MELLITUS	2	0.02%
MODERNA	DIABETIC KETOACIDOSIS	3	0.03%
MODERNA	DIALYSIS	3	0.03%
MODERNA	DIARRHOEA	67	0.68%
MODERNA	DIARRHOEA HAEMORRHAGIC	1	0.01%
MODERNA	DIET REFUSAL	2	0.02%
MODERNA	DIFFERENTIAL WHITE BLOOD CELL COUNT	7	0.07%
MODERNA	DIFFERENTIAL WHITE BLOOD CELL COUNT NORMAL	1	0.01%
MODERNA	DISCOMFORT	12	0.12%
MODERNA	DISORIENTATION	8	0.08%
MODERNA	DISSOCIATIVE DISORDER	1	0.01%
MODERNA	DISTURBANCE IN ATTENTION	2	0.02%
MODERNA	DIVERTICULUM INTESTINAL	1	0.01%
MODERNA	DIZZINESS	299	3.05%
MODERNA	DIZZINESS POSTURAL	1	0.01%
MODERNA	DROOLING	1	0.01%
MODERNA	DRUG SCREEN	1	0.01%
MODERNA	DRY MOUTH	7	0.07%
MODERNA	DRY THROAT	1	0.01%
MODERNA	DYSARTHRIA	11	0.11%
MODERNA	DYSGEUSIA	29	0.30%
MODERNA	DYSPEPSIA	3	0.03%
MODERNA	DYSPHAGIA	31	0.32%
MODERNA	DYSPHONIA	14	0.14%
MODERNA	DYSPNOEA	168	1.72%
MODERNA	DYSPNOEA EXERTIONAL	5	0.05%
MODERNA	DYSSTASIA	8	0.08%
MODERNA	DYSTONIC TREMOR	1	0.01%
MODERNA	DYSURIA	2	0.02%
MODERNA	EAR CONGESTION	1	0.01%
MODERNA	EAR DISCOMFORT	6	0.06%
MODERNA	EAR PAIN	8	0.08%

MODERNA Vaccine Manufacturer	EAR PRURITUS Symptoms	Events Reported	Percent (of 9,794)
MODERNA	EAR SWELLING	3	0.03%
MODERNA	ECHOCARDIOGRAM	14	0.14%
MODERNA	ECHOCARDIOGRAM ABNORMAL	4	0.04%
MODERNA	ECHOCARDIOGRAM NORMAL	4	0.04%
MODERNA	EJECTION FRACTION DECREASED	3	0.03%
MODERNA	EJECTION FRACTION NORMAL	1	0.01%
MODERNA	ELECTROCARDIOGRAM	47	0.48%
MODERNA	ELECTROCARDIOGRAM ABNORMAL	16	0.16%
MODERNA	ELECTROCARDIOGRAM AMBULATORY	1	0.01%
MODERNA	ELECTROCARDIOGRAM CHANGE	2	0.02%
MODERNA	ELECTROCARDIOGRAM NORMAL	31	0.32%
MODERNA	ELECTROCARDIOGRAM PR SHORTENED	1	0.01%
MODERNA	ELECTROCARDIOGRAM Q WAVE ABNORMAL	1	0.01%
MODERNA	ELECTROCARDIOGRAM QRS COMPLEX ABNORMAL	1	0.01%
MODERNA	ELECTROCARDIOGRAM ST SEGMENT ABNORMAL	1	0.01%
MODERNA	ELECTROCARDIOGRAM ST SEGMENT ELEVATION	1	0.01%
MODERNA	ELECTROCARDIOGRAM T WAVE ABNORMAL	1	0.01%
MODERNA	ELECTROENCEPHALOGRAM	5	0.05%
MODERNA	ELECTROENCEPHALOGRAM NORMAL	1	0.01%
MODERNA	ELECTROLYTE IMBALANCE	1	0.01%
MODERNA	EMOTIONAL DISTRESS	2	0.02%
MODERNA	ENCEPHALITIS	1	0.01%
MODERNA	ENDOSCOPIC RETROGRADE CHOLANGIOPANCREATOGRAPHY	1	0.01%
MODERNA	ENDOTRACHEAL INTUBATION	8	0.08%
MODERNA	ENLARGED UVULA	3	0.03%
MODERNA	EOSINOPHIL COUNT DECREASED	3	0.03%
MODERNA	EOSINOPHIL COUNT INCREASED	1	0.01%
MODERNA	EOSINOPHIL COUNT NORMAL	2	0.02%
MODERNA	EOSINOPHIL PERCENTAGE	2	0.02%
MODERNA	EOSINOPHIL PERCENTAGE DECREASED	3	0.03%
MODERNA	EOSINOPHILIA	1	0.01%
MODERNA	EPISTAXIS	4	0.04%
MODERNA	EPSTEIN-BARR VIRUS ANTIBODY	1	0.01%
MODERNA	ERUCTATION	2	0.02%
MODERNA	ERYTHEMA	69	0.70%
MODERNA	EXPOSURE DURING PREGNANCY	4	0.04%
MODERNA	EXPOSURE TO SARS-COV-2	4	0.04%
MODERNA	EXPOSURE VIA BREAST MILK	1	0.01%
MODERNA	EXPOSURE VIA SKIN CONTACT	2	0.02%
MODERNA	EXTRA DOSE ADMINISTERED	1	0.01%
MODERNA	EXTRASYSTOLES	1	0.01%
MODERNA	EYE CONTUSION	1	0.01%
MODERNA	EYE DISCHARGE	2	0.02%
MODERNA	EYE DISORDER	1	0.01%
MODERNA	EYE HAEMORRHAGE	1	0.01%
MODERNA	EYE INFECTION	1	0.01%
MODERNA	EYE IRRITATION	4	0.04%
MODERNA	EYE MOVEMENT DISORDER	2	0.02%
MODERNA	EYE PAIN	7	0.07%
MODERNA	EYE PRURITUS	3	0.03%
MODERNA	EYE SWELLING	11	0.11%
MODERNA	EYELID FUNCTION DISORDER	1	0.01%
MODERNA	EYELID IRRITATION	1	0.01%
MODERNA	EYELID MARGIN CRUSTING	1	0.01%
MODERNA	EYELID PTOSIS	2	0.02%
MODERNA	FACIAL BONES FRACTURE	1	0.01%
MODERNA	FACIAL DISCOMFORT	1	0.01%
MODERNA	FACIAL NERVE DISORDER	1	0.01%
MODERNA	FACIAL PAIN	3	0.03%
MODERNA	FACIAL PARALYSIS	22	0.22%
MODERNA	FACIAL PARESIS	4	0.04%
MODERNA	FAECALOMA	1	0.01%

MODERNA Vaccine Manufacturer	Faeces Discoloured Symptoms	Events Reported	Percent (of 9,794)
MODERNA	FALL	8	0.08%
MODERNA	FATIGUE	312	3.19%
MODERNA	FEAR	1	0.01%
MODERNA	FEEDING DISORDER	3	0.03%
MODERNA	FEELING ABNORMAL	55	0.56%
MODERNA	FEELING COLD	17	0.17%
MODERNA	FEELING DRUNK	1	0.01%
MODERNA	FEELING HOT	57	0.58%
MODERNA	FEELING JITTERY	5	0.05%
MODERNA	FEELING OF BODY TEMPERATURE CHANGE	11	0.11%
MODERNA	FIBRIN D DIMER	3	0.03%
MODERNA	FIBRIN D DIMER INCREASED	4	0.04%
MODERNA	FIBRIN D DIMER NORMAL	3	0.03%
MODERNA	FLANK PAIN	7	0.07%
MODERNA	FLATULENCE	3	0.03%
MODERNA	FLUID OVERLOAD	1	0.01%
MODERNA	FLUID RETENTION	1	0.01%
MODERNA	FLUSHING	90	0.92%
MODERNA	FOAMING AT MOUTH	2	0.02%
MODERNA	FOETAL HEART RATE ABNORMAL	1	0.01%
MODERNA	FOETAL MONITORING	1	0.01%
MODERNA	FOOD POISONING	1	0.01%
MODERNA	FREQUENT BOWEL MOVEMENTS	1	0.01%
MODERNA	FRUSTRATION TOLERANCE DECREASED	1	0.01%
MODERNA	FULL BLOOD COUNT	35	0.36%
MODERNA	FULL BLOOD COUNT NORMAL	20	0.20%
MODERNA	GAIT DISTURBANCE	16	0.16%
MODERNA	GAIT INABILITY	5	0.05%
MODERNA	GASTROENTERITIS VIRAL	1	0.01%
MODERNA	GASTROINTESTINAL DISORDER	3	0.03%
MODERNA	GASTROINTESTINAL HAEMORRHAGE	1	0.01%
MODERNA	GASTROINTESTINAL OEDEMA	1	0.01%
MODERNA	GASTROESOPHAGEAL REFLUX DISEASE	4	0.04%
MODERNA	GASTROSTOMY	1	0.01%
MODERNA	GAZE PALSY	2	0.02%
MODERNA	GENERAL PHYSICAL CONDITION ABNORMAL	1	0.01%
MODERNA	GENERAL PHYSICAL HEALTH DETERIORATION	2	0.02%
MODERNA	GENERALISED TONIC-CLONIC SEIZURE	1	0.01%
MODERNA	GENITAL BURNING SENSATION	1	0.01%
MODERNA	GLASSY EYES	1	0.01%
MODERNA	GLOMERULAR FILTRATION RATE	3	0.03%
MODERNA	GLOMERULAR FILTRATION RATE DECREASED	1	0.01%
MODERNA	GLOMERULAR FILTRATION RATE NORMAL	3	0.03%
MODERNA	GLOSSODYNIA	1	0.01%
MODERNA	GLUCOSE TOLERANCE IMPAIRED	1	0.01%
MODERNA	GLUCOSE URINE ABSENT	1	0.01%
MODERNA	GLYCOSYLATED HAEMOGLOBIN	1	0.01%
MODERNA	GLYCOSYLATED HAEMOGLOBIN DECREASED	1	0.01%
MODERNA	GLYCOSYLATED HAEMOGLOBIN INCREASED	2	0.02%
MODERNA	GLYCOSYLATED HAEMOGLOBIN NORMAL	1	0.01%
MODERNA	GRAM STAIN NEGATIVE	1	0.01%
MODERNA	GRANULOCYTE COUNT	1	0.01%
MODERNA	GRANULOCYTE COUNT DECREASED	1	0.01%
MODERNA	GRANULOCYTE PERCENTAGE	2	0.02%
MODERNA	GRIP STRENGTH DECREASED	2	0.02%
MODERNA	GRUNTING	1	0.01%
MODERNA	GUILLAIN-BARRE SYNDROME	2	0.02%
MODERNA	HAEMATOCRIT DECREASED	6	0.06%
MODERNA	HAEMATOCRIT INCREASED	1	0.01%
MODERNA	HAEMATOCRIT NORMAL	7	0.07%
MODERNA	HAEMATOLOGY TEST NORMAL	1	0.01%
MODERNA	HAEMOGLOBIN DECREASED	8	0.08%

MODERNA Vaccine Manufacturer	HAEMOGLOBIN NORMAL Symptoms	Events Reported	Percent (of 9,794)
		13	0.13%
MODERNA	HAEMORRHAGE	1	0.01%
MODERNA	HAEMORRHAGIC STROKE	2	0.02%
MODERNA	HALLUCINATION	2	0.02%
MODERNA	HALO VISION	2	0.02%
MODERNA	HEAD DISCOMFORT	7	0.07%
MODERNA	HEAD INJURY	1	0.01%
MODERNA	HEAD TITUBATION	1	0.01%
MODERNA	HEADACHE	482	4.92%
MODERNA	HEART RATE DECREASED	3	0.03%
MODERNA	HEART RATE INCREASED	64	0.65%
MODERNA	HEART RATE IRREGULAR	4	0.04%
MODERNA	HEART SOUNDS ABNORMAL	1	0.01%
MODERNA	HEMIANOPIA	1	0.01%
MODERNA	HEMIPARESIS	6	0.06%
MODERNA	HEMIPLEGIA	1	0.01%
MODERNA	HEPATIC CIRRHOSIS	1	0.01%
MODERNA	HEPATIC ENZYME INCREASED	3	0.03%
MODERNA	HEPATITIS A VIRUS TEST	1	0.01%
MODERNA	HEPATITIS B TEST NEGATIVE	2	0.02%
MODERNA	HEPATITIS C TEST NEGATIVE	2	0.02%
MODERNA	HERPES OPHTHALMIC	1	0.01%
MODERNA	HERPES SIMPLEX TEST NEGATIVE	1	0.01%
MODERNA	HERPES ZOSTER	4	0.04%
MODERNA	HIATUS HERNIA	1	0.01%
MODERNA	HIP FRACTURE	1	0.01%
MODERNA	HIV TEST NEGATIVE	3	0.03%
MODERNA	HOSPICE CARE	2	0.02%
MODERNA	HOT FLUSH	19	0.19%
MODERNA	HUMAN CHORIONIC GONADOTROPIN	1	0.01%
MODERNA	HUMAN CHORIONIC GONADOTROPIN NEGATIVE	2	0.02%
MODERNA	HYDROPS FOETALIS	1	0.01%
MODERNA	HYPERAESTHESIA	2	0.02%
MODERNA	HYPERAESTHESIA TEETH	1	0.01%
MODERNA	HYPERBILIRUBINAEMIA	1	0.01%
MODERNA	HYPERCALCAEMIA	1	0.01%
MODERNA	HYPERCOAGULATION	1	0.01%
MODERNA	HYPERGLYCAEMIA	2	0.02%
MODERNA	HYPERHIDROSIS	74	0.76%
MODERNA	HYPERKALAEMIA	1	0.01%
MODERNA	HYPERNATRAEMIA	2	0.02%
MODERNA	HYPERSENSITIVITY	13	0.13%
MODERNA	HYPERSONMIA	7	0.07%
MODERNA	HYPERTENSION	20	0.20%
MODERNA	HYPERTONIA	1	0.01%
MODERNA	HYPERVENTILATION	6	0.06%
MODERNA	HYPOACUSIS	3	0.03%
MODERNA	HYPOAESTHESIA	98	1.00%
MODERNA	HYPOAESTHESIA EYE	3	0.03%
MODERNA	HYPOAESTHESIA ORAL	40	0.41%
MODERNA	HYPOKALAEMIA	2	0.02%
MODERNA	HYPOKINESIA	1	0.01%
MODERNA	HYPOMAGNESAEMIA	1	0.01%
MODERNA	HYPONATRAEMIA	1	0.01%
MODERNA	HYPOPHAGIA	3	0.03%
MODERNA	HYPOPHOSPHATAEMIA	2	0.02%
MODERNA	HYPOPNOEA	3	0.03%
MODERNA	HYPORESPONSIVE TO STIMULI	2	0.02%
MODERNA	HYPOTENSION	17	0.17%
MODERNA	HYPOTONIA	3	0.03%
MODERNA	HYPOVOLAEMIA	1	0.01%
MODERNA	HYPOXIA	14	0.14%
MODERNA	ILLNESS	1	0.01%

MODERNA Vaccine Manufacturer	ILLUSION Symptoms	Events Reported	Percent (of 9,794)
		1	0.01%
MODERNA	IMMATURE GRANULOCYTE COUNT INCREASED	2	0.02%
MODERNA	IMMATURE GRANULOCYTE PERCENTAGE INCREASED	2	0.02%
MODERNA	IMMEDIATE POST-INJECTION REACTION	39	0.40%
MODERNA	IMMUNE THROMBOCYTOPENIA	3	0.03%
MODERNA	IMMUNOGLOBULIN THERAPY	6	0.06%
MODERNA	IMPAIRED DRIVING ABILITY	2	0.02%
MODERNA	IMPAIRED WORK ABILITY	19	0.19%
MODERNA	INAPPROPRIATE AFFECT	1	0.01%
MODERNA	INCOHERENT	4	0.04%
MODERNA	INCORRECT DOSE ADMINISTERED	3	0.03%
MODERNA	INCREASED TENDENCY TO BRUISE	1	0.01%
MODERNA	INCREASED UPPER AIRWAY SECRETION	1	0.01%
MODERNA	INDURATION	6	0.06%
MODERNA	INFLAMMATION	4	0.04%
MODERNA	INFLUENZA	2	0.02%
MODERNA	INFLUENZA A VIRUS TEST NEGATIVE	4	0.04%
MODERNA	INFLUENZA B VIRUS TEST	4	0.04%
MODERNA	INFLUENZA LIKE ILLNESS	15	0.15%
MODERNA	INFLUENZA VIRUS TEST	4	0.04%
MODERNA	INFLUENZA VIRUS TEST NEGATIVE	13	0.13%
MODERNA	INJECTED LIMB MOBILITY DECREASED	27	0.28%
MODERNA	INJECTION SITE BRUISING	5	0.05%
MODERNA	INJECTION SITE COLDNESS	1	0.01%
MODERNA	INJECTION SITE DISCOMFORT	8	0.08%
MODERNA	INJECTION SITE ERYTHEMA	87	0.89%
MODERNA	INJECTION SITE EXTRAVASATION	1	0.01%
MODERNA	INJECTION SITE HAEMATOMA	1	0.01%
MODERNA	INJECTION SITE HYPERSENSITIVITY	1	0.01%
MODERNA	INJECTION SITE HYPOAESTHESIA	7	0.07%
MODERNA	INJECTION SITE INDURATION	24	0.25%
MODERNA	INJECTION SITE INFLAMMATION	3	0.03%
MODERNA	INJECTION SITE LYMPHADENOPATHY	2	0.02%
MODERNA	INJECTION SITE MASS	14	0.14%
MODERNA	INJECTION SITE MOVEMENT IMPAIRMENT	1	0.01%
MODERNA	INJECTION SITE MUSCLE WEAKNESS	1	0.01%
MODERNA	INJECTION SITE NODULE	3	0.03%
MODERNA	INJECTION SITE OEDEMA	3	0.03%
MODERNA	INJECTION SITE PAIN	228	2.33%
MODERNA	INJECTION SITE PARAESTHESIA	3	0.03%
MODERNA	INJECTION SITE PRURITUS	41	0.42%
MODERNA	INJECTION SITE RASH	12	0.12%
MODERNA	INJECTION SITE REACTION	15	0.15%
MODERNA	INJECTION SITE STREAKING	1	0.01%
MODERNA	INJECTION SITE SWELLING	90	0.92%
MODERNA	INJECTION SITE URTICARIA	8	0.08%
MODERNA	INJECTION SITE VESICLES	1	0.01%
MODERNA	INJECTION SITE WARMTH	39	0.40%
MODERNA	INSOMNIA	12	0.12%
MODERNA	INTENSIVE CARE	17	0.17%
MODERNA	INTERNATIONAL NORMALISED RATIO	1	0.01%
MODERNA	INTERNATIONAL NORMALISED RATIO INCREASED	2	0.02%
MODERNA	INTERNATIONAL NORMALISED RATIO NORMAL	1	0.01%
MODERNA	INTERSTITIAL LUNG DISEASE	1	0.01%
MODERNA	INTERVERTEBRAL DISC DEGENERATION	2	0.02%
MODERNA	INTRACRANIAL ANEURYSM	1	0.01%
MODERNA	INTRADUCTAL PAPILLARY MUCINOUS NEOPLASM	1	0.01%
MODERNA	INTRANASAL HYPOAESTHESIA	1	0.01%
MODERNA	IRRITABILITY	2	0.02%
MODERNA	ISCHAEMIC STROKE	1	0.01%
MODERNA	JOINT RANGE OF MOTION DECREASED	8	0.08%
MODERNA	JOINT STIFFNESS	4	0.04%
MODERNA	JOINT SWELLING	2	0.02%

MODERNA Vaccine Manufacturer	KETONURIA Symptoms	Events Reported	Percent (of 9,794)
MODERNA	LABORATORY TEST	34	0.35%
MODERNA	LABORATORY TEST NORMAL	13	0.13%
MODERNA	LACRIMATION INCREASED	5	0.05%
MODERNA	LACUNAR INFARCTION	1	0.01%
MODERNA	LARYNGEAL TREMOR	1	0.01%
MODERNA	LEFT VENTRICULAR DYSFUNCTION	1	0.01%
MODERNA	LEFT VENTRICULAR END-DIASTOLIC PRESSURE INCREASED	1	0.01%
MODERNA	LEFT VENTRICULAR HYPERTROPHY	1	0.01%
MODERNA	LEGIONELLA TEST	1	0.01%
MODERNA	LETHARGY	21	0.21%
MODERNA	LEUKOCYTOSIS	1	0.01%
MODERNA	LEUKOPENIA	1	0.01%
MODERNA	LIGAMENT RUPTURE	1	0.01%
MODERNA	LIMB DISCOMFORT	7	0.07%
MODERNA	LIMB MASS	1	0.01%
MODERNA	LIP ERYTHEMA	1	0.01%
MODERNA	LIP OEDEMA	1	0.01%
MODERNA	LIP PRURITUS	1	0.01%
MODERNA	LIP SWELLING	31	0.32%
MODERNA	LIPASE	2	0.02%
MODERNA	LIPASE INCREASED	1	0.01%
MODERNA	LIPASE NORMAL	3	0.03%
MODERNA	LIPIDS	1	0.01%
MODERNA	LIVEDO RETICULARIS	2	0.02%
MODERNA	LIVER FUNCTION TEST	4	0.04%
MODERNA	LIVER FUNCTION TEST INCREASED	2	0.02%
MODERNA	LIVER FUNCTION TEST NORMAL	2	0.02%
MODERNA	LOCAL REACTION	6	0.06%
MODERNA	LOCALISED OEDEMA	2	0.02%
MODERNA	LOSS OF CONSCIOUSNESS	19	0.19%
MODERNA	LOSS OF PERSONAL INDEPENDENCE IN DAILY ACTIVITIES	15	0.15%
MODERNA	LOW DENSITY LIPOPROTEIN INCREASED	1	0.01%
MODERNA	LUMBAR PUNCTURE	3	0.03%
MODERNA	LUMBAR PUNCTURE ABNORMAL	2	0.02%
MODERNA	LUMBAR PUNCTURE NORMAL	3	0.03%
MODERNA	LUNG CONSOLIDATION	1	0.01%
MODERNA	LUNG DISORDER	1	0.01%
MODERNA	LUNG HYPERINFLATION	1	0.01%
MODERNA	LUNG INFILTRATION	5	0.05%
MODERNA	LUNG OPACITY	6	0.06%
MODERNA	LYMPH NODE PAIN	13	0.13%
MODERNA	LYMPH NODE PALPABLE	1	0.01%
MODERNA	LYMPHADENITIS	1	0.01%
MODERNA	LYMPHADENOPATHY	36	0.37%
MODERNA	LYMPHOCYTE COUNT DECREASED	6	0.06%
MODERNA	LYMPHOCYTE COUNT INCREASED	1	0.01%
MODERNA	LYMPHOCYTE COUNT NORMAL	1	0.01%
MODERNA	LYMPHOCYTE PERCENTAGE DECREASED	5	0.05%
MODERNA	MAGNETIC RESONANCE CHOLANGIOPANCREATOGRAPHY	1	0.01%
MODERNA	MAGNETIC RESONANCE IMAGING	12	0.12%
MODERNA	MAGNETIC RESONANCE IMAGING ABDOMINAL ABNORMAL	1	0.01%
MODERNA	MAGNETIC RESONANCE IMAGING ABNORMAL	2	0.02%
MODERNA	MAGNETIC RESONANCE IMAGING BRAIN	7	0.07%
MODERNA	MAGNETIC RESONANCE IMAGING BRAIN ABNORMAL	3	0.03%
MODERNA	MAGNETIC RESONANCE IMAGING BRAIN NORMAL	6	0.06%
MODERNA	MAGNETIC RESONANCE IMAGING HEART	1	0.01%
MODERNA	MAGNETIC RESONANCE IMAGING NECK	2	0.02%
MODERNA	MAGNETIC RESONANCE IMAGING NORMAL	2	0.02%
MODERNA	MAGNETIC RESONANCE IMAGING SPINAL	1	0.01%
MODERNA	MALaise	65	0.66%
MODERNA	MASS	1	0.01%
MODERNA	MAY-THURNER SYNDROME	1	0.01%

MODERNA Vaccine Manufacturer	MEAN CELL HAEMOGLOBIN Symptoms	Events Reported	Percent (of 9,794)
MODERNA	MEAN CELL HAEMOGLOBIN CONCENTRATION DECREASED	1	0.01%
MODERNA	MEAN CELL HAEMOGLOBIN CONCENTRATION NORMAL	7	0.07%
MODERNA	MEAN CELL HAEMOGLOBIN DECREASED	2	0.02%
MODERNA	MEAN CELL HAEMOGLOBIN INCREASED	2	0.02%
MODERNA	MEAN CELL HAEMOGLOBIN NORMAL	3	0.03%
MODERNA	MEAN CELL VOLUME INCREASED	2	0.02%
MODERNA	MEAN CELL VOLUME NORMAL	6	0.06%
MODERNA	MEAN PLATELET VOLUME INCREASED	2	0.02%
MODERNA	MEAN PLATELET VOLUME NORMAL	2	0.02%
MODERNA	MECHANICAL VENTILATION	5	0.05%
MODERNA	MEDIASTINAL DISORDER	1	0.01%
MODERNA	MEMORY IMPAIRMENT	5	0.05%
MODERNA	MENINGITIS	1	0.01%
MODERNA	MENINGITIS ASEPTIC	2	0.02%
MODERNA	MENINGITIS VIRAL	1	0.01%
MODERNA	MENORRHAGIA	1	0.01%
MODERNA	MENTAL IMPAIRMENT	2	0.02%
MODERNA	MENTAL STATUS CHANGES	6	0.06%
MODERNA	METABOLIC FUNCTION TEST	33	0.34%
MODERNA	METABOLIC FUNCTION TEST ABNORMAL	1	0.01%
MODERNA	METABOLIC FUNCTION TEST NORMAL	14	0.14%
MODERNA	METRORRHAGIA	3	0.03%
MODERNA	MICTURITION URGENCY	1	0.01%
MODERNA	MIGRAINE	23	0.23%
MODERNA	MIGRAINE WITH AURA	1	0.01%
MODERNA	MIOSIS	1	0.01%
MODERNA	MOANING	1	0.01%
MODERNA	MOBILITY DECREASED	20	0.20%
MODERNA	MONOCYTE COUNT NORMAL	5	0.05%
MODERNA	MONOCYTE PERCENTAGE	2	0.02%
MODERNA	MONOCYTE PERCENTAGE DECREASED	3	0.03%
MODERNA	MONONUCLEOSIS HETEROPHILE TEST NEGATIVE	1	0.01%
MODERNA	MONOPLÉGIA	1	0.01%
MODERNA	MOTOR DYSFUNCTION	1	0.01%
MODERNA	MOUTH HAEMORRHAGE	1	0.01%
MODERNA	MOUTH SWELLING	3	0.03%
MODERNA	MULTIPATHOGEN PCR TEST	1	0.01%
MODERNA	MUSCLE CONTRACTIONS INVOLUNTARY	1	0.01%
MODERNA	MUSCLE FATIGUE	2	0.02%
MODERNA	MUSCLE RIGIDITY	2	0.02%
MODERNA	MUSCLE SPASMS	14	0.14%
MODERNA	MUSCLE STRAIN	2	0.02%
MODERNA	MUSCLE SWELLING	1	0.01%
MODERNA	MUSCLE TIGHTNESS	11	0.11%
MODERNA	MUSCLE TWITCHING	4	0.04%
MODERNA	MUSCULAR WEAKNESS	18	0.18%
MODERNA	MUSCULOSKELETAL CHEST PAIN	1	0.01%
MODERNA	MUSCULOSKELETAL DISCOMFORT	2	0.02%
MODERNA	MUSCULOSKELETAL DISORDER	2	0.02%
MODERNA	MUSCULOSKELETAL PAIN	1	0.01%
MODERNA	MUSCULOSKELETAL STIFFNESS	13	0.13%
MODERNA	MYALGIA	142	1.45%
MODERNA	MYCOBACTERIUM TUBERCULOSIS COMPLEX TEST NEGATIVE	1	0.01%
MODERNA	MYDRIASIS	2	0.02%
MODERNA	MYOCARDIAL INFARCTION	6	0.06%
MODERNA	MYOCARDIAL NECROSIS MARKER	3	0.03%
MODERNA	MYOCARDIAL NECROSIS MARKER NORMAL	1	0.01%
MODERNA	MYOSCLEROSIS	1	0.01%
MODERNA	NASAL CONGESTION	15	0.15%
MODERNA	NASAL DISCOMFORT	3	0.03%
MODERNA	NASAL DRYNESS	1	0.01%
MODERNA	NASAL PRURITUS	1	0.01%

MODERNA Vaccine Manufacturer	NASAL SEPTUM DEVIATION Symptoms	Events Reported	Percent (of 9,794)
MODERNA	NASOPHARYNGITIS	5	0.05%
MODERNA	NAUSEA	300	3.06%
MODERNA	NECK MASS	1	0.01%
MODERNA	NECK PAIN	31	0.32%
MODERNA	NECROSIS	1	0.01%
MODERNA	NEEDLE ISSUE	2	0.02%
MODERNA	NEPHROLITHIASIS	2	0.02%
MODERNA	NERVE INJURY	1	0.01%
MODERNA	NERVOUSNESS	5	0.05%
MODERNA	NEURALGIA	2	0.02%
MODERNA	NEUROLOGIC NEGLECT SYNDROME	1	0.01%
MODERNA	NEUROLOGICAL EXAMINATION	3	0.03%
MODERNA	NEUROLOGICAL SYMPTOM	2	0.02%
MODERNA	NEUTROPENIA	1	0.01%
MODERNA	NEUTROPHIL COUNT DECREASED	1	0.01%
MODERNA	NEUTROPHIL COUNT INCREASED	3	0.03%
MODERNA	NEUTROPHIL COUNT NORMAL	5	0.05%
MODERNA	NEUTROPHIL PERCENTAGE INCREASED	6	0.06%
MODERNA	NIGHT SWEATS	8	0.08%
MODERNA	NITRITE URINE ABSENT	1	0.01%
MODERNA	NO ADVERSE EVENT	6	0.06%
MODERNA	NON-CARDIAC CHEST PAIN	1	0.01%
MODERNA	OBSTRUCTIVE AIRWAYS DISORDER	5	0.05%
MODERNA	OCCULT BLOOD	2	0.02%
MODERNA	OCULAR DISCOMFORT	1	0.01%
MODERNA	OCULAR HYPERAEMIA	6	0.06%
MODERNA	ODYNOPHAGIA	1	0.01%
MODERNA	OEDEMA	4	0.04%
MODERNA	OEDEMA MOUTH	1	0.01%
MODERNA	OEDEMA PERIPHERAL	12	0.12%
MODERNA	OPHTHALMIC HERPES SIMPLEX	1	0.01%
MODERNA	OPHTHALMOLOGICAL EXAMINATION	4	0.04%
MODERNA	OPIATES NEGATIVE	1	0.01%
MODERNA	OPISTHOTONUS	1	0.01%
MODERNA	ORAL CONTUSION	1	0.01%
MODERNA	ORAL DISCOMFORT	2	0.02%
MODERNA	ORAL HERPES	4	0.04%
MODERNA	ORAL MUCOSAL BLISTERING	2	0.02%
MODERNA	ORAL MUCOSAL ERYTHEMA	1	0.01%
MODERNA	ORAL PRURITUS	5	0.05%
MODERNA	OROPHARYNGEAL DISCOMFORT	9	0.09%
MODERNA	OROPHARYNGEAL PAIN	34	0.35%
MODERNA	ORTHOSIS USER	1	0.01%
MODERNA	ORTHOSTATIC HYPOTENSION	1	0.01%
MODERNA	OSTEOARTHRITIS	1	0.01%
MODERNA	OXYGEN SATURATION DECREASED	10	0.10%
MODERNA	OXYGEN SATURATION NORMAL	4	0.04%
MODERNA	OXYGEN THERAPY	2	0.02%
MODERNA	PAIN	319	3.26%
MODERNA	PAIN IN EXTREMITY	209	2.13%
MODERNA	PAIN IN JAW	7	0.07%
MODERNA	PAIN OF SKIN	4	0.04%
MODERNA	PALATAL OEDEMA	2	0.02%
MODERNA	PALATAL SWELLING	2	0.02%
MODERNA	PALLOR	27	0.28%
MODERNA	PALPITATIONS	75	0.77%
MODERNA	PANCREATITIS	1	0.01%
MODERNA	PANCREATITIS ACUTE	2	0.02%
MODERNA	PANIC ATTACK	1	0.01%
MODERNA	PANIC REACTION	3	0.03%
MODERNA	PARAESTHESIA	119	1.22%
MODERNA	PARAESTHESIA EAR	1	0.01%

MODERNA Vaccine Manufacturer	PARAESTHESIA ORAL Symptoms	Events Reported	Percent (of 9,794)
		62	0.63%
MODERNA	PARANASAL CYST	1	0.01%
MODERNA	PARANASAL SINUS DISCOMFORT	5	0.05%
MODERNA	PARANASAL SINUS HYPERSECRETION	2	0.02%
MODERNA	PARANOIA	1	0.01%
MODERNA	PCO2 DECREASED	2	0.02%
MODERNA	PELVIC PAIN	1	0.01%
MODERNA	PERCUTANEOUS CORONARY INTERVENTION	1	0.01%
MODERNA	PERFUSION BRAIN SCAN	1	0.01%
MODERNA	PERIORBITAL OEDEMA	1	0.01%
MODERNA	PERIORBITAL PAIN	1	0.01%
MODERNA	PERIORBITAL SWELLING	7	0.07%
MODERNA	PERIPHERAL COLDNESS	11	0.11%
MODERNA	PERIPHERAL SWELLING	36	0.37%
MODERNA	PETECHIAE	2	0.02%
MODERNA	PH URINE NORMAL	1	0.01%
MODERNA	PHARYNGEAL ERYTHEMA	4	0.04%
MODERNA	PHARYNGEAL HYPOAESTHESIA	4	0.04%
MODERNA	PHARYNGEAL OEDEMA	2	0.02%
MODERNA	PHARYNGEAL PARAESTHESIA	7	0.07%
MODERNA	PHARYNGEAL SWELLING	31	0.32%
MODERNA	PHOTOPHOBIA	7	0.07%
MODERNA	PLATELET COUNT	1	0.01%
MODERNA	PLATELET COUNT DECREASED	10	0.10%
MODERNA	PLATELET COUNT NORMAL	10	0.10%
MODERNA	PLATELET TRANSFUSION	3	0.03%
MODERNA	PLEURAL EFFUSION	2	0.02%
MODERNA	PLEURISY	1	0.01%
MODERNA	PLEURITIC PAIN	1	0.01%
MODERNA	PNEUMONIA	9	0.09%
MODERNA	PNEUMONITIS	1	0.01%
MODERNA	PO2 DECREASED	2	0.02%
MODERNA	PO2 NORMAL	1	0.01%
MODERNA	POLLAKIURIA	2	0.02%
MODERNA	POLYCHROMASIA	1	0.01%
MODERNA	POLYMERASE CHAIN REACTION	3	0.03%
MODERNA	POOR PERIPHERAL CIRCULATION	1	0.01%
MODERNA	POOR QUALITY SLEEP	1	0.01%
MODERNA	PORTAL HYPERTENSION	1	0.01%
MODERNA	POSTERIOR REVERSIBLE ENCEPHALOPATHY SYNDROME	1	0.01%
MODERNA	POSTURAL ORTHOSTATIC TACHYCARDIA SYNDROME	1	0.01%
MODERNA	POSTURE ABNORMAL	5	0.05%
MODERNA	POSTURING	1	0.01%
MODERNA	PREGNANCY TEST	1	0.01%
MODERNA	PREGNANCY TEST NEGATIVE	1	0.01%
MODERNA	PREGNANCY TEST URINE	1	0.01%
MODERNA	PREMATURE LABOUR	1	0.01%
MODERNA	PRESYNCOPE	19	0.19%
MODERNA	PROCALCITONIN INCREASED	1	0.01%
MODERNA	PRODUCT ADMINISTERED AT INAPPROPRIATE SITE	6	0.06%
MODERNA	PRODUCT ADMINISTERED TO PATIENT OF INAPPROPRIATE AGE	7	0.07%
MODERNA	PRODUCT CONTAINER ISSUE	1	0.01%
MODERNA	PRODUCT LABEL ISSUE	1	0.01%
MODERNA	PRODUCT PREPARATION ERROR	1	0.01%
MODERNA	PRODUCTIVE COUGH	5	0.05%
MODERNA	PROHORMONE BRAIN NATRIURETIC PEPTIDE	1	0.01%
MODERNA	PROTEIN C	1	0.01%
MODERNA	PROTEIN S NORMAL	1	0.01%
MODERNA	PROTEIN TOTAL NORMAL	5	0.05%
MODERNA	PROTEIN URINE ABSENT	1	0.01%
MODERNA	PROTHROMBIN LEVEL INCREASED	1	0.01%
MODERNA	PROTHROMBIN TIME	2	0.02%
MODERNA	PROTHROMBIN TIME NORMAL	1	0.01%

Vaccine Manufacturer	Symptoms	Events Reported	Percent (of 9,794)
MODERNA	PROTHROMBIN TIME PROLONGED	1	0.01%
MODERNA	PRURITUS	121	1.24%
MODERNA	PULMONARY EMBOLISM	6	0.06%
MODERNA	PULMONARY OEDEMA	4	0.04%
MODERNA	PULMONARY PAIN	1	0.01%
MODERNA	PULMONARY VASCULAR DISORDER	1	0.01%
MODERNA	PULSE ABNORMAL	2	0.02%
MODERNA	PULSE ABSENT	11	0.11%
MODERNA	PURPURA	1	0.01%
MODERNA	PYREXIA	372	3.80%
MODERNA	QUARANTINE	1	0.01%
MODERNA	RALES	1	0.01%
MODERNA	RASH	105	1.07%
MODERNA	RASH ERYTHEMATOUS	27	0.28%
MODERNA	RASH MACULAR	21	0.21%
MODERNA	RASH MACULO-PAPULAR	1	0.01%
MODERNA	RASH PAPULAR	9	0.09%
MODERNA	RASH PRURITIC	14	0.14%
MODERNA	RAYNAUD'S PHENOMENON	1	0.01%
MODERNA	RED BLOOD CELL COUNT DECREASED	4	0.04%
MODERNA	RED BLOOD CELL COUNT NORMAL	8	0.08%
MODERNA	RED BLOOD CELL NUCLEATED MORPHOLOGY	3	0.03%
MODERNA	RED BLOOD CELL SEDIMENTATION RATE	4	0.04%
MODERNA	RED BLOOD CELL SEDIMENTATION RATE INCREASED	3	0.03%
MODERNA	RED BLOOD CELL SEDIMENTATION RATE NORMAL	1	0.01%
MODERNA	RED BLOOD CELLS URINE NEGATIVE	1	0.01%
MODERNA	RED CELL DISTRIBUTION WIDTH	1	0.01%
MODERNA	RED CELL DISTRIBUTION WIDTH INCREASED	3	0.03%
MODERNA	RED CELL DISTRIBUTION WIDTH NORMAL	4	0.04%
MODERNA	REFLEXES ABNORMAL	1	0.01%
MODERNA	RENAL CYST	3	0.03%
MODERNA	RENAL FUNCTION TEST	1	0.01%
MODERNA	RENAL PAIN	2	0.02%
MODERNA	REPETITIVE SPEECH	1	0.01%
MODERNA	RESPIRATION ABNORMAL	3	0.03%
MODERNA	RESPIRATORY ARREST	5	0.05%
MODERNA	RESPIRATORY DEPRESSION	2	0.02%
MODERNA	RESPIRATORY DISORDER	1	0.01%
MODERNA	RESPIRATORY DISTRESS	6	0.06%
MODERNA	RESPIRATORY FAILURE	6	0.06%
MODERNA	RESPIRATORY RATE INCREASED	6	0.06%
MODERNA	RESPIRATORY SYNCYTIAL VIRUS TEST NEGATIVE	2	0.02%
MODERNA	RESPIRATORY TRACT CONGESTION	9	0.09%
MODERNA	RESPIRATORY VIRAL PANEL	1	0.01%
MODERNA	RESTLESSNESS	4	0.04%
MODERNA	RESUSCITATION	11	0.11%
MODERNA	RETCHING	8	0.08%
MODERNA	RETROPERITONEAL OEDEMA	1	0.01%
MODERNA	RHINORRHOEA	21	0.21%
MODERNA	ROAD TRAFFIC ACCIDENT	1	0.01%
MODERNA	SALIVA ALTERED	1	0.01%
MODERNA	SALMONELLA TEST POSITIVE	1	0.01%
MODERNA	SARS-COV-2 ANTIBODY TEST	1	0.01%
MODERNA	SARS-COV-2 ANTIBODY TEST NEGATIVE	3	0.03%
MODERNA	SARS-COV-2 TEST	20	0.20%
MODERNA	SARS-COV-2 TEST NEGATIVE	49	0.50%
MODERNA	SARS-COV-2 TEST POSITIVE	48	0.49%
MODERNA	SCAN MYOCARDIAL PERFUSION	1	0.01%
MODERNA	SCAN WITH CONTRAST	5	0.05%
MODERNA	SCAN WITH CONTRAST ABNORMAL	3	0.03%
MODERNA	SCAN WITH CONTRAST NORMAL	3	0.03%
MODERNA	SCRATCH	1	0.01%

MODERNA Vaccine Manufacturer	SECRETION DISCHARGE Symptoms	Events Reported	Percent (of 9,794)
MODERNA	SECRETION DISCHARGE	3	0.03%
MODERNA	SEDATION	1	0.01%
MODERNA	SEIZURE	15	0.15%
MODERNA	SEIZURE LIKE PHENOMENA	2	0.02%
MODERNA	SENSATION OF FOREIGN BODY	16	0.16%
MODERNA	SENSITIVE SKIN	1	0.01%
MODERNA	SENSORY DISTURBANCE	6	0.06%
MODERNA	SENSORY LOSS	1	0.01%
MODERNA	SEPSIS	5	0.05%
MODERNA	SEPTIC SHOCK	1	0.01%
MODERNA	SERUM FERRITIN INCREASED	2	0.02%
MODERNA	SHOULDER INJURY RELATED TO VACCINE ADMINISTRATION	3	0.03%
MODERNA	SINUS CONGESTION	5	0.05%
MODERNA	SINUS DISORDER	1	0.01%
MODERNA	SINUS HEADACHE	1	0.01%
MODERNA	SINUS PAIN	1	0.01%
MODERNA	SINUS TACHYCARDIA	8	0.08%
MODERNA	SINUSITIS	1	0.01%
MODERNA	SKIN BURNING SENSATION	2	0.02%
MODERNA	SKIN DISCOLOURATION	4	0.04%
MODERNA	SKIN DISCOMFORT	1	0.01%
MODERNA	SKIN DISORDER	1	0.01%
MODERNA	SKIN HYPERPIGMENTATION	1	0.01%
MODERNA	SKIN INDURATION	1	0.01%
MODERNA	SKIN IRRITATION	2	0.02%
MODERNA	SKIN LESION	2	0.02%
MODERNA	SKIN MASS	1	0.01%
MODERNA	SKIN REACTION	3	0.03%
MODERNA	SKIN TIGHTNESS	4	0.04%
MODERNA	SKIN WARM	33	0.34%
MODERNA	SLEEP DISORDER	28	0.29%
MODERNA	SLUGGISHNESS	6	0.06%
MODERNA	SNEEZING	6	0.06%
MODERNA	SOCIAL AVOIDANT BEHAVIOUR	1	0.01%
MODERNA	SOMNOLENCE	16	0.16%
MODERNA	SPECIFIC GRAVITY URINE NORMAL	1	0.01%
MODERNA	SPEECH DISORDER	17	0.17%
MODERNA	SPEECH SOUND DISORDER	1	0.01%
MODERNA	SPINAL DISORDER	1	0.01%
MODERNA	SPINAL PAIN	3	0.03%
MODERNA	SPLENIC GRANULOMA	1	0.01%
MODERNA	SPLENOMEGALY	1	0.01%
MODERNA	STAPHYLOCOCCUS TEST NEGATIVE	1	0.01%
MODERNA	STAPHYLOCOCCUS TEST POSITIVE	1	0.01%
MODERNA	STARING	1	0.01%
MODERNA	STENT PLACEMENT	1	0.01%
MODERNA	STREPTOCOCCUS TEST	1	0.01%
MODERNA	STREPTOCOCCUS TEST NEGATIVE	2	0.02%
MODERNA	STREPTOCOCCUS TEST POSITIVE	1	0.01%
MODERNA	STRESS CARDIOMYOPATHY	2	0.02%
MODERNA	STRIDOR	3	0.03%
MODERNA	SUBARACHNOID HAEMORRHAGE	1	0.01%
MODERNA	SUDDEN DEATH	3	0.03%
MODERNA	SUDDEN HEARING LOSS	4	0.04%
MODERNA	SUDDEN VISUAL LOSS	1	0.01%
MODERNA	SUPERIOR SAGITTAL SINUS THROMBOSIS	1	0.01%
MODERNA	SUPPRESSED LACTATION	2	0.02%
MODERNA	SUPRAPUBIC PAIN	1	0.01%
MODERNA	SUPRAVENTRICULAR EXTRASYSTOLES	1	0.01%
MODERNA	SUPRAVENTRICULAR TACHYCARDIA	7	0.07%
MODERNA	SURGERY	3	0.03%
MODERNA	SWELLING	26	0.27%
MODERNA	SWELLING FACE	29	0.30%

MODERNA Vaccine Manufacturer	SWELLING OF EYELID Symptoms	Events Reported	Percent (of 9,794)
		5	0.05%
MODERNA	SWOLLEN TONGUE	30	0.31%
MODERNA	SYNCOPE	31	0.32%
MODERNA	SYNOVITIS	3	0.03%
MODERNA	TACHYARRHYTHMIA	1	0.01%
MODERNA	TACHYCARDIA	82	0.84%
MODERNA	TACHYPNOEA	10	0.10%
MODERNA	TASTE DISORDER	4	0.04%
MODERNA	TEMPERATURE INTOLERANCE	1	0.01%
MODERNA	TENDERNESS	20	0.20%
MODERNA	TENDON DISORDER	1	0.01%
MODERNA	TENSION	1	0.01%
MODERNA	TENSION HEADACHE	1	0.01%
MODERNA	THALAMIC INFARCTION	1	0.01%
MODERNA	THINKING ABNORMAL	3	0.03%
MODERNA	THIRST	5	0.05%
MODERNA	THROAT CLEARING	7	0.07%
MODERNA	THROAT IRRITATION	48	0.49%
MODERNA	THROAT TIGHTNESS	53	0.54%
MODERNA	THROMBECTOMY	1	0.01%
MODERNA	THROMBOCYTOPENIA	3	0.03%
MODERNA	THROMBOLYSIS	1	0.01%
MODERNA	THROMBOSIS	4	0.04%
MODERNA	THROMBOTIC STROKE	1	0.01%
MODERNA	THYROID HORMONES INCREASED	1	0.01%
MODERNA	TIC	1	0.01%
MODERNA	TINNITUS	17	0.17%
MODERNA	TONGUE COATED	1	0.01%
MODERNA	TONGUE DISCOMFORT	2	0.02%
MODERNA	TONGUE DISORDER	4	0.04%
MODERNA	TONGUE OEDEMA	1	0.01%
MODERNA	TONGUE PRURITUS	4	0.04%
MODERNA	TONSILLAR ERYTHEMA	2	0.02%
MODERNA	TONSILLAR HYPERTROPHY	2	0.02%
MODERNA	TONSILLAR INFLAMMATION	1	0.01%
MODERNA	TOOTHACHE	4	0.04%
MODERNA	TOXIC ENCEPHALOPATHY	1	0.01%
MODERNA	TOXICOLOGIC TEST	1	0.01%
MODERNA	TOXICOLOGIC TEST NORMAL	1	0.01%
MODERNA	TRANSIENT ISCHAEMIC ATTACK	4	0.04%
MODERNA	TRANSVERSE SINUS THROMBOSIS	1	0.01%
MODERNA	TREMOR	66	0.67%
MODERNA	TREPONEMA TEST NEGATIVE	1	0.01%
MODERNA	TROPONIN	5	0.05%
MODERNA	TROPONIN I	2	0.02%
MODERNA	TROPONIN I INCREASED	1	0.01%
MODERNA	TROPONIN I NORMAL	2	0.02%
MODERNA	TROPONIN INCREASED	8	0.08%
MODERNA	TROPONIN NORMAL	9	0.09%
MODERNA	TRYPTASE	2	0.02%
MODERNA	TUNNEL VISION	3	0.03%
MODERNA	TYPE 1 DIABETES MELLITUS	1	0.01%
MODERNA	ULTRASOUND ABDOMEN	2	0.02%
MODERNA	ULTRASOUND ABDOMEN ABNORMAL	1	0.01%
MODERNA	ULTRASOUND ANTENATAL SCREEN	1	0.01%
MODERNA	ULTRASOUND DOPPLER ABNORMAL	1	0.01%
MODERNA	ULTRASOUND DOPPLER NORMAL	1	0.01%
MODERNA	ULTRASOUND EYE	1	0.01%
MODERNA	ULTRASOUND KIDNEY	1	0.01%
MODERNA	ULTRASOUND PELVIS	2	0.02%
MODERNA	ULTRASOUND SCAN	3	0.03%
MODERNA	ULTRASOUND SCAN NORMAL	1	0.01%
MODERNA	UNDERDOSE	4	0.04%

MODERNA Vaccine Manufacturer	UNEVALUABLE EVENT Symptoms	Events Reported	Percent (of 9,794)
		26	0.27%
MODERNA	UNRESPONSIVE TO STIMULI	30	0.31%
MODERNA	UPPER-AIRWAY COUGH SYNDROME	2	0.02%
MODERNA	URINARY INCONTINENCE	1	0.01%
MODERNA	URINARY RETENTION	1	0.01%
MODERNA	URINARY TRACT INFECTION	1	0.01%
MODERNA	URINE ABNORMALITY	2	0.02%
MODERNA	URINE ANALYSIS	6	0.06%
MODERNA	URINE ANALYSIS NORMAL	8	0.08%
MODERNA	URINE BILIRUBIN DECREASED	1	0.01%
MODERNA	URINE KETONE BODY PRESENT	2	0.02%
MODERNA	URINE LEUKOCYTE ESTERASE	2	0.02%
MODERNA	URINE LEUKOCYTE ESTERASE POSITIVE	1	0.01%
MODERNA	UROBILINOGEN URINE	1	0.01%
MODERNA	URTICARIA	91	0.93%
MODERNA	UTERINE SPASM	2	0.02%
MODERNA	VACCINATION COMPLICATION	4	0.04%
MODERNA	VACCINATION SITE DISCOMFORT	1	0.01%
MODERNA	VACCINATION SITE SWELLING	1	0.01%
MODERNA	VAGINAL HAEMORRHAGE	1	0.01%
MODERNA	VARICELLA VIRUS TEST NEGATIVE	1	0.01%
MODERNA	VARICELLA ZOSTER VIRUS INFECTION	1	0.01%
MODERNA	VASCULAR TEST	1	0.01%
MODERNA	VEIN DISCOLOURATION	1	0.01%
MODERNA	VENOGRAM	2	0.02%
MODERNA	VENOGRAM ABNORMAL	1	0.01%
MODERNA	VENOUS STENT INSERTION	1	0.01%
MODERNA	VENTRICULAR ARRHYTHMIA	1	0.01%
MODERNA	VENTRICULAR EXTRASYSTOLES	2	0.02%
MODERNA	VENTRICULAR FIBRILLATION	1	0.01%
MODERNA	VENTRICULAR HYPOKINESIA	2	0.02%
MODERNA	VENTRICULAR TACHYCARDIA	2	0.02%
MODERNA	VERTIGO	12	0.12%
MODERNA	VISION BLURRED	13	0.13%
MODERNA	VISUAL ACUITY REDUCED	1	0.01%
MODERNA	VISUAL FIELD DEFECT	1	0.01%
MODERNA	VISUAL IMPAIRMENT	15	0.15%
MODERNA	VITAL FUNCTIONS ABNORMAL	2	0.02%
MODERNA	VITAMIN B12	1	0.01%
MODERNA	VITAMIN B12 NORMAL	1	0.01%
MODERNA	VITAMIN D DECREASED	1	0.01%
MODERNA	VOMITING	137	1.40%
MODERNA	WEIGHT BEARING DIFFICULTY	3	0.03%
MODERNA	WEIGHT DECREASED	2	0.02%
MODERNA	WHEEZING	12	0.12%
MODERNA	WHITE BLOOD CELL COUNT DECREASED	3	0.03%
MODERNA	WHITE BLOOD CELL COUNT INCREASED	16	0.16%
MODERNA	WHITE BLOOD CELL COUNT NORMAL	16	0.16%
MODERNA	WHITE BLOOD CELL MORPHOLOGY ABNORMAL	1	0.01%
MODERNA	WHITE BLOOD CELLS URINE NEGATIVE	1	0.01%
MODERNA	WHITE BLOOD CELLS URINE POSITIVE	1	0.01%
MODERNA	WOUND COMPLICATION	1	0.01%
MODERNA	X-RAY	1	0.01%
MODERNA	X-RAY ABNORMAL	2	0.02%
MODERNA	X-RAY LIMB	1	0.01%
MODERNA	X-RAY LIMB ABNORMAL	1	0.01%
MODERNA	X-RAY LIMB NORMAL	2	0.02%
MODERNA	X-RAY NORMAL	3	0.03%
MODERNA	X-RAY WITH CONTRAST	1	0.01%
MODERNA	Total	10,288	105.04%
PFIZER\BIONTECH	ABDOMINAL DISCOMFORT	54	0.55%
PFIZER\BIONTECH	ABDOMINAL DISTENSION	9	0.09%
PFIZER\BIONTECH	ABDOMINAL PAIN	98	1.00%

PFIZER\BIONTECH Vaccine Manufacturer	ABDOMINAL PAIN LOWER Symptoms	Events Reported	Percent (of 9,794)
PFIZER\BIONTECH	ABDOMINAL PAIN LOWER	13	0.13%
PFIZER\BIONTECH	ABDOMINAL PAIN UPPER	59	0.60%
PFIZER\BIONTECH	ABDOMINAL RIGIDITY	1	0.01%
PFIZER\BIONTECH	ABDOMINAL TENDERNESS	1	0.01%
PFIZER\BIONTECH	ABDOMINAL X-RAY	1	0.01%
PFIZER\BIONTECH	ABNORMAL BEHAVIOUR	7	0.07%
PFIZER\BIONTECH	ABNORMAL DREAMS	3	0.03%
PFIZER\BIONTECH	ABNORMAL SENSATION IN EYE	2	0.02%
PFIZER\BIONTECH	ABORTION SPONTANEOUS	6	0.06%
PFIZER\BIONTECH	ABSENCE OF IMMEDIATE TREATMENT RESPONSE	2	0.02%
PFIZER\BIONTECH	ACCIDENTAL EXPOSURE TO PRODUCT	1	0.01%
PFIZER\BIONTECH	ACNE	1	0.01%
PFIZER\BIONTECH	ACOUSTIC NEURITIS	1	0.01%
PFIZER\BIONTECH	ACOUSTIC STIMULATION TESTS	2	0.02%
PFIZER\BIONTECH	ACOUSTIC STIMULATION TESTS ABNORMAL	3	0.03%
PFIZER\BIONTECH	ACTIVATED PARTIAL THROMBOPLASTIN TIME	5	0.05%
PFIZER\BIONTECH	ACTIVATED PARTIAL THROMBOPLASTIN TIME NORMAL	1	0.01%
PFIZER\BIONTECH	ACTIVATED PARTIAL THROMBOPLASTIN TIME PROLONGED	2	0.02%
PFIZER\BIONTECH	ACTIVATED PARTIAL THROMBOPLASTIN TIME SHORTENED	3	0.03%
PFIZER\BIONTECH	ACUTE CORONARY SYNDROME	1	0.01%
PFIZER\BIONTECH	ACUTE DISSEMINATED ENCEPHALOMYELITIS	2	0.02%
PFIZER\BIONTECH	ACUTE GENERALISED EXANTHEMATOUS PUSTULOSIS	2	0.02%
PFIZER\BIONTECH	ACUTE KIDNEY INJURY	6	0.06%
PFIZER\BIONTECH	ACUTE MYOCARDIAL INFARCTION	6	0.06%
PFIZER\BIONTECH	ACUTE RESPIRATORY FAILURE	1	0.01%
PFIZER\BIONTECH	ADENOVIRUS TEST	1	0.01%
PFIZER\BIONTECH	ADJUSTED CALCIUM	1	0.01%
PFIZER\BIONTECH	ADMINISTRATION SITE PAIN	1	0.01%
PFIZER\BIONTECH	ADVERSE DRUG REACTION	1	0.01%
PFIZER\BIONTECH	ADVERSE EVENT	28	0.29%
PFIZER\BIONTECH	ADVERSE REACTION	2	0.02%
PFIZER\BIONTECH	AGEUSIA	73	0.75%
PFIZER\BIONTECH	AGITATION	7	0.07%
PFIZER\BIONTECH	ALANINE AMINOTRANSFERASE INCREASED	13	0.13%
PFIZER\BIONTECH	ALANINE AMINOTRANSFERASE NORMAL	9	0.09%
PFIZER\BIONTECH	ALBUMIN GLOBULIN RATIO	1	0.01%
PFIZER\BIONTECH	ALBUMIN GLOBULIN RATIO NORMAL	1	0.01%
PFIZER\BIONTECH	ALCOHOL USE	1	0.01%
PFIZER\BIONTECH	ALLERGIC RESPIRATORY SYMPTOM	1	0.01%
PFIZER\BIONTECH	ALLERGY TEST	1	0.01%
PFIZER\BIONTECH	ALLERGY TEST POSITIVE	1	0.01%
PFIZER\BIONTECH	ALLERGY TO SYNTHETIC FABRIC	1	0.01%
PFIZER\BIONTECH	ALPHA 1 GLOBULIN NORMAL	1	0.01%
PFIZER\BIONTECH	ALTERED STATE OF CONSCIOUSNESS	5	0.05%
PFIZER\BIONTECH	ALVEOLAR LUNG DISEASE	1	0.01%
PFIZER\BIONTECH	AMNESIA	2	0.02%
PFIZER\BIONTECH	ANAEMIA	5	0.05%
PFIZER\BIONTECH	ANAESTHESIA ORAL	1	0.01%
PFIZER\BIONTECH	ANAL INCONTINENCE	3	0.03%
PFIZER\BIONTECH	ANAPHYLACTIC REACTION	92	0.94%
PFIZER\BIONTECH	ANAPHYLACTIC SHOCK	3	0.03%
PFIZER\BIONTECH	ANAPHYLACTOID REACTION	4	0.04%
PFIZER\BIONTECH	ANEURYSM	1	0.01%
PFIZER\BIONTECH	ANGINA PECTORIS	4	0.04%
PFIZER\BIONTECH	ANGIOEDEMA	26	0.27%
PFIZER\BIONTECH	ANGIOGRAM	9	0.09%
PFIZER\BIONTECH	ANGIOGRAM ABNORMAL	1	0.01%
PFIZER\BIONTECH	ANGIOGRAM CEREBRAL	7	0.07%
PFIZER\BIONTECH	ANGIOGRAM CEREBRAL ABNORMAL	3	0.03%
PFIZER\BIONTECH	ANGIOGRAM CEREBRAL NORMAL	8	0.08%
PFIZER\BIONTECH	ANGIOGRAM NORMAL	2	0.02%
PFIZER\BIONTECH	ANGIOGRAM PULMONARY ABNORMAL	2	0.02%
PFIZER\BIONTECH	ANGIOPATHY	1	0.01%

PFIZER\BIONTECH Vaccine Manufacturer	ANGIOPLASTY Symptoms	Events Reported	Percent (of 9,794)
PFIZER\BIONTECH	ANION GAP	6	0.06%
PFIZER\BIONTECH	ANION GAP INCREASED	1	0.01%
PFIZER\BIONTECH	ANION GAP NORMAL	2	0.02%
PFIZER\BIONTECH	ANOSMIA	73	0.75%
PFIZER\BIONTECH	ANTI-NMDA ANTIBODY NEGATIVE	1	0.01%
PFIZER\BIONTECH	ANTIBODY TEST	1	0.01%
PFIZER\BIONTECH	ANTIBODY TEST ABNORMAL	1	0.01%
PFIZER\BIONTECH	ANTIBODY TEST NEGATIVE	1	0.01%
PFIZER\BIONTECH	ANTICONVULSANT DRUG LEVEL	1	0.01%
PFIZER\BIONTECH	ANTINEUTROPHIL CYTOPLASMIC ANTIBODY	1	0.01%
PFIZER\BIONTECH	ANTINUCLEAR ANTIBODY	2	0.02%
PFIZER\BIONTECH	ANTINUCLEAR ANTIBODY NEGATIVE	1	0.01%
PFIZER\BIONTECH	ANTINUCLEAR ANTIBODY POSITIVE	1	0.01%
PFIZER\BIONTECH	ANTIPHOSPHOLIPID ANTIBODIES POSITIVE	1	0.01%
PFIZER\BIONTECH	ANTIPSYCHOTIC DRUG LEVEL	1	0.01%
PFIZER\BIONTECH	ANXIETY	142	1.45%
PFIZER\BIONTECH	AORTIC ARTERIOSCLEROSIS	1	0.01%
PFIZER\BIONTECH	AORTIC VALVE INCOMPETENCE	1	0.01%
PFIZER\BIONTECH	APHASIA	12	0.12%
PFIZER\BIONTECH	APHONIA	9	0.09%
PFIZER\BIONTECH	APHTHOUS ULCER	3	0.03%
PFIZER\BIONTECH	APNOEIC ATTACK	1	0.01%
PFIZER\BIONTECH	APPENDICECTOMY	13	0.13%
PFIZER\BIONTECH	APPENDICITIS	13	0.13%
PFIZER\BIONTECH	APPENDICITIS PERFORATED	3	0.03%
PFIZER\BIONTECH	APPENDICOLITH	1	0.01%
PFIZER\BIONTECH	AREFLEXIA	2	0.02%
PFIZER\BIONTECH	ARRHYTHMIA	4	0.04%
PFIZER\BIONTECH	ARTERIOGRAM CAROTID	7	0.07%
PFIZER\BIONTECH	ARTERIOGRAM CAROTID ABNORMAL	1	0.01%
PFIZER\BIONTECH	ARTERIOGRAM CAROTID NORMAL	7	0.07%
PFIZER\BIONTECH	ARTERIOGRAM CORONARY ABNORMAL	1	0.01%
PFIZER\BIONTECH	ARTERIOGRAM CORONARY NORMAL	1	0.01%
PFIZER\BIONTECH	ARTERIOSPASM CORONARY	1	0.01%
PFIZER\BIONTECH	ARTERIOVENOUS FISTULA ANEURYSM	1	0.01%
PFIZER\BIONTECH	ARTHRALGIA	392	4.00%
PFIZER\BIONTECH	ARTHRITIS	6	0.06%
PFIZER\BIONTECH	ARTHROPATHY	2	0.02%
PFIZER\BIONTECH	ARTHROPOD BITE	1	0.01%
PFIZER\BIONTECH	ASCITES	1	0.01%
PFIZER\BIONTECH	ASPARTATE AMINOTRANSFERASE INCREASED	13	0.13%
PFIZER\BIONTECH	ASPARTATE AMINOTRANSFERASE NORMAL	9	0.09%
PFIZER\BIONTECH	ASPIRATION	1	0.01%
PFIZER\BIONTECH	ASPIRATION JOINT	1	0.01%
PFIZER\BIONTECH	ASTHENIA	254	2.59%
PFIZER\BIONTECH	ASTHENOPIA	8	0.08%
PFIZER\BIONTECH	ASTHMA	16	0.16%
PFIZER\BIONTECH	ASYMPTOMATIC COVID-19	4	0.04%
PFIZER\BIONTECH	ATAXIA	4	0.04%
PFIZER\BIONTECH	ATELECTASIS	4	0.04%
PFIZER\BIONTECH	ATRIAL FIBRILLATION	14	0.14%
PFIZER\BIONTECH	ATRIAL FLUTTER	1	0.01%
PFIZER\BIONTECH	ATRIAL TACHYCARDIA	1	0.01%
PFIZER\BIONTECH	AUDIOGRAM	1	0.01%
PFIZER\BIONTECH	AUDIOGRAM ABNORMAL	4	0.04%
PFIZER\BIONTECH	AUDITORY DISORDER	2	0.02%
PFIZER\BIONTECH	AURA	4	0.04%
PFIZER\BIONTECH	AUTOIMMUNE DISORDER	3	0.03%
PFIZER\BIONTECH	AUTOPSY	6	0.06%
PFIZER\BIONTECH	AUTOSCOPY	1	0.01%
PFIZER\BIONTECH	AXILLARY MASS	9	0.09%
PFIZER\BIONTECH	AXILLARY PAIN	30	0.31%

PFIZER\BIONTECH Vaccine Manufacturer	AZOTAEMIA Symptoms	Events Reported	Percent (of 9,794)
PFIZER\BIONTECH	BACK PAIN	116	1.18%
PFIZER\BIONTECH	BACTERAEMIA	1	0.01%
PFIZER\BIONTECH	BACTERIAL TEST NEGATIVE	1	0.01%
PFIZER\BIONTECH	BALANCE DISORDER	30	0.31%
PFIZER\BIONTECH	BAND NEUTROPHIL PERCENTAGE DECREASED	1	0.01%
PFIZER\BIONTECH	BAND NEUTROPHIL PERCENTAGE INCREASED	1	0.01%
PFIZER\BIONTECH	BASAL GANGLIA HAEMORRHAGE	2	0.02%
PFIZER\BIONTECH	BASE EXCESS DECREASED	1	0.01%
PFIZER\BIONTECH	BASILAR ARTERY OCCLUSION	1	0.01%
PFIZER\BIONTECH	BASOPHIL COUNT DECREASED	1	0.01%
PFIZER\BIONTECH	BASOPHIL COUNT NORMAL	6	0.06%
PFIZER\BIONTECH	BASOPHIL PERCENTAGE	3	0.03%
PFIZER\BIONTECH	BASOPHIL PERCENTAGE DECREASED	4	0.04%
PFIZER\BIONTECH	BED REST	2	0.02%
PFIZER\BIONTECH	BEDRIDDEN	4	0.04%
PFIZER\BIONTECH	BETA-2 GLYCOPROTEIN ANTIBODY NEGATIVE	1	0.01%
PFIZER\BIONTECH	BILE DUCT STONE	1	0.01%
PFIZER\BIONTECH	BILEVEL POSITIVE AIRWAY PRESSURE	4	0.04%
PFIZER\BIONTECH	BILIARY DILATATION	1	0.01%
PFIZER\BIONTECH	BILIRUBIN CONJUGATED INCREASED	1	0.01%
PFIZER\BIONTECH	BILIRUBIN URINE PRESENT	1	0.01%
PFIZER\BIONTECH	BIOPSY SKIN	1	0.01%
PFIZER\BIONTECH	BLEPHAROSPASM	9	0.09%
PFIZER\BIONTECH	BLINDNESS	5	0.05%
PFIZER\BIONTECH	BLINDNESS TRANSIENT	1	0.01%
PFIZER\BIONTECH	BLISTER	8	0.08%
PFIZER\BIONTECH	BLOOD ALBUMIN	1	0.01%
PFIZER\BIONTECH	BLOOD ALBUMIN DECREASED	1	0.01%
PFIZER\BIONTECH	BLOOD ALBUMIN INCREASED	1	0.01%
PFIZER\BIONTECH	BLOOD ALBUMIN NORMAL	11	0.11%
PFIZER\BIONTECH	BLOOD ALKALINE PHOSPHATASE INCREASED	7	0.07%
PFIZER\BIONTECH	BLOOD ALKALINE PHOSPHATASE NORMAL	9	0.09%
PFIZER\BIONTECH	BLOOD BICARBONATE DECREASED	1	0.01%
PFIZER\BIONTECH	BLOOD BICARBONATE NORMAL	2	0.02%
PFIZER\BIONTECH	BLOOD BILIRUBIN DECREASED	2	0.02%
PFIZER\BIONTECH	BLOOD BILIRUBIN INCREASED	6	0.06%
PFIZER\BIONTECH	BLOOD BILIRUBIN NORMAL	10	0.10%
PFIZER\BIONTECH	BLOOD CALCIUM	1	0.01%
PFIZER\BIONTECH	BLOOD CALCIUM DECREASED	7	0.07%
PFIZER\BIONTECH	BLOOD CALCIUM INCREASED	1	0.01%
PFIZER\BIONTECH	BLOOD CALCIUM NORMAL	6	0.06%
PFIZER\BIONTECH	BLOOD CHLORIDE DECREASED	5	0.05%
PFIZER\BIONTECH	BLOOD CHLORIDE INCREASED	2	0.02%
PFIZER\BIONTECH	BLOOD CHLORIDE NORMAL	12	0.12%
PFIZER\BIONTECH	BLOOD CHOLESTEROL	2	0.02%
PFIZER\BIONTECH	BLOOD CHOLESTEROL INCREASED	2	0.02%
PFIZER\BIONTECH	BLOOD CHOLESTEROL NORMAL	1	0.01%
PFIZER\BIONTECH	BLOOD COUNT NORMAL	1	0.01%
PFIZER\BIONTECH	BLOOD CREATINE INCREASED	2	0.02%
PFIZER\BIONTECH	BLOOD CREATINE PHOSPHOKINASE	2	0.02%
PFIZER\BIONTECH	BLOOD CREATINE PHOSPHOKINASE DECREASED	1	0.01%
PFIZER\BIONTECH	BLOOD CREATINE PHOSPHOKINASE INCREASED	1	0.01%
PFIZER\BIONTECH	BLOOD CREATINE PHOSPHOKINASE NORMAL	5	0.05%
PFIZER\BIONTECH	BLOOD CREATININE	1	0.01%
PFIZER\BIONTECH	BLOOD CREATININE INCREASED	9	0.09%
PFIZER\BIONTECH	BLOOD CREATININE NORMAL	19	0.19%
PFIZER\BIONTECH	BLOOD CULTURE	6	0.06%
PFIZER\BIONTECH	BLOOD CULTURE NEGATIVE	5	0.05%
PFIZER\BIONTECH	BLOOD ELECTROLYTES	1	0.01%
PFIZER\BIONTECH	BLOOD ELECTROLYTES NORMAL	4	0.04%
PFIZER\BIONTECH	BLOOD GASES NORMAL	1	0.01%
PFIZER\BIONTECH	BLOOD GLUCOSE	9	0.09%

PFIZER\BIONTECH Vaccine Manufacturer	BLOOD GLUCOSE DECREASED Symptoms	Events Reported	Percent (of 9,794)
PFIZER\BIONTECH	BLOOD GLUCOSE DECREASED	7	0.07%
PFIZER\BIONTECH	BLOOD GLUCOSE INCREASED	24	0.25%
PFIZER\BIONTECH	BLOOD GLUCOSE NORMAL	66	0.67%
PFIZER\BIONTECH	BLOOD HIV RNA BELOW ASSAY LIMIT	1	0.01%
PFIZER\BIONTECH	BLOOD IMMUNOGLOBULIN G	1	0.01%
PFIZER\BIONTECH	BLOOD IMMUNOGLOBULIN G INCREASED	2	0.02%
PFIZER\BIONTECH	BLOOD INSULIN INCREASED	1	0.01%
PFIZER\BIONTECH	BLOOD LACTATE DEHYDROGENASE	1	0.01%
PFIZER\BIONTECH	BLOOD LACTATE DEHYDROGENASE INCREASED	2	0.02%
PFIZER\BIONTECH	BLOOD LACTIC ACID	4	0.04%
PFIZER\BIONTECH	BLOOD LACTIC ACID DECREASED	5	0.05%
PFIZER\BIONTECH	BLOOD LACTIC ACID INCREASED	4	0.04%
PFIZER\BIONTECH	BLOOD LACTIC ACID NORMAL	1	0.01%
PFIZER\BIONTECH	BLOOD MAGNESIUM	7	0.07%
PFIZER\BIONTECH	BLOOD MAGNESIUM DECREASED	2	0.02%
PFIZER\BIONTECH	BLOOD MAGNESIUM INCREASED	2	0.02%
PFIZER\BIONTECH	BLOOD MAGNESIUM NORMAL	9	0.09%
PFIZER\BIONTECH	BLOOD OSMOLARITY DECREASED	1	0.01%
PFIZER\BIONTECH	BLOOD OSMOLARITY INCREASED	1	0.01%
PFIZER\BIONTECH	BLOOD PARATHYROID HORMONE INCREASED	1	0.01%
PFIZER\BIONTECH	BLOOD PH INCREASED	2	0.02%
PFIZER\BIONTECH	BLOOD PHOSPHORUS	1	0.01%
PFIZER\BIONTECH	BLOOD PHOSPHORUS DECREASED	1	0.01%
PFIZER\BIONTECH	BLOOD PHOSPHORUS INCREASED	1	0.01%
PFIZER\BIONTECH	BLOOD PHOSPHORUS NORMAL	1	0.01%
PFIZER\BIONTECH	BLOOD POTASSIUM DECREASED	18	0.18%
PFIZER\BIONTECH	BLOOD POTASSIUM INCREASED	2	0.02%
PFIZER\BIONTECH	BLOOD POTASSIUM NORMAL	12	0.12%
PFIZER\BIONTECH	BLOOD PRESSURE ABNORMAL	9	0.09%
PFIZER\BIONTECH	BLOOD PRESSURE DECREASED	18	0.18%
PFIZER\BIONTECH	BLOOD PRESSURE DIASTOLIC INCREASED	2	0.02%
PFIZER\BIONTECH	BLOOD PRESSURE FLUCTUATION	3	0.03%
PFIZER\BIONTECH	BLOOD PRESSURE IMMEASURABLE	2	0.02%
PFIZER\BIONTECH	BLOOD PRESSURE INCREASED	210	2.14%
PFIZER\BIONTECH	BLOOD PRESSURE MEASUREMENT	2	0.02%
PFIZER\BIONTECH	BLOOD PRESSURE NORMAL	2	0.02%
PFIZER\BIONTECH	BLOOD PRESSURE ORTHOSTATIC	1	0.01%
PFIZER\BIONTECH	BLOOD PRESSURE ORTHOSTATIC INCREASED	1	0.01%
PFIZER\BIONTECH	BLOOD PRESSURE SYSTOLIC	1	0.01%
PFIZER\BIONTECH	BLOOD PRESSURE SYSTOLIC DECREASED	1	0.01%
PFIZER\BIONTECH	BLOOD PRESSURE SYSTOLIC INCREASED	3	0.03%
PFIZER\BIONTECH	BLOOD SODIUM DECREASED	9	0.09%
PFIZER\BIONTECH	BLOOD SODIUM INCREASED	1	0.01%
PFIZER\BIONTECH	BLOOD SODIUM NORMAL	11	0.11%
PFIZER\BIONTECH	BLOOD TEST	63	0.64%
PFIZER\BIONTECH	BLOOD TEST ABNORMAL	1	0.01%
PFIZER\BIONTECH	BLOOD TEST NORMAL	18	0.18%
PFIZER\BIONTECH	BLOOD THYROID STIMULATING HORMONE	5	0.05%
PFIZER\BIONTECH	BLOOD THYROID STIMULATING HORMONE DECREASED	3	0.03%
PFIZER\BIONTECH	BLOOD THYROID STIMULATING HORMONE INCREASED	2	0.02%
PFIZER\BIONTECH	BLOOD THYROID STIMULATING HORMONE NORMAL	8	0.08%
PFIZER\BIONTECH	BLOOD TRIGLYCERIDES INCREASED	1	0.01%
PFIZER\BIONTECH	BLOOD TRIGLYCERIDES NORMAL	3	0.03%
PFIZER\BIONTECH	BLOOD UREA	1	0.01%
PFIZER\BIONTECH	BLOOD UREA DECREASED	2	0.02%
PFIZER\BIONTECH	BLOOD UREA INCREASED	5	0.05%
PFIZER\BIONTECH	BLOOD UREA NITROGEN/CREATININE RATIO	4	0.04%
PFIZER\BIONTECH	BLOOD UREA NORMAL	13	0.13%
PFIZER\BIONTECH	BLOOD URIC ACID	1	0.01%
PFIZER\BIONTECH	BLOOD URINE PRESENT	3	0.03%
PFIZER\BIONTECH	BODY TEMPERATURE	4	0.04%
PFIZER\BIONTECH	BODY TEMPERATURE ABNORMAL	2	0.02%
PFIZER\BIONTECH	BODY TEMPERATURE DECREASED	6	0.06%

PFIZER\BIONTECH Vaccine Manufacturer	BODY TEMPERATURE INCREASED Symptoms	Events Reported	Percent (of 9,794)
		118	1.20%
PFIZER\BIONTECH	BONE PAIN	19	0.19%
PFIZER\BIONTECH	BONE SWELLING	1	0.01%
PFIZER\BIONTECH	BORDETELLA TEST NEGATIVE	1	0.01%
PFIZER\BIONTECH	BORRELIA TEST	1	0.01%
PFIZER\BIONTECH	BORRELIA TEST NEGATIVE	1	0.01%
PFIZER\BIONTECH	BOWEL MOVEMENT IRREGULARITY	1	0.01%
PFIZER\BIONTECH	BRACHIAL PLEXUS INJURY	1	0.01%
PFIZER\BIONTECH	BRADYCARDIA	7	0.07%
PFIZER\BIONTECH	BRADYKINESIA	2	0.02%
PFIZER\BIONTECH	BRAIN DEATH	3	0.03%
PFIZER\BIONTECH	BRAIN HERNIATION	1	0.01%
PFIZER\BIONTECH	BRAIN NATRIURETIC PEPTIDE	2	0.02%
PFIZER\BIONTECH	BRAIN NATRIURETIC PEPTIDE INCREASED	3	0.03%
PFIZER\BIONTECH	BRAIN NATRIURETIC PEPTIDE NORMAL	6	0.06%
PFIZER\BIONTECH	BRAIN OEDEMA	2	0.02%
PFIZER\BIONTECH	BREAKTHROUGH PAIN	1	0.01%
PFIZER\BIONTECH	BREAST MASS	2	0.02%
PFIZER\BIONTECH	BREAST MILK DISCOLOURATION	1	0.01%
PFIZER\BIONTECH	BREAST OEDEMA	2	0.02%
PFIZER\BIONTECH	BREAST PAIN	8	0.08%
PFIZER\BIONTECH	BREAST SWELLING	5	0.05%
PFIZER\BIONTECH	BREAST TENDERNESS	1	0.01%
PFIZER\BIONTECH	BREATH SOUNDS	1	0.01%
PFIZER\BIONTECH	BREATH SOUNDS ABNORMAL	6	0.06%
PFIZER\BIONTECH	BRONCHIAL HYPERREACTIVITY	1	0.01%
PFIZER\BIONTECH	BRONCHIAL SECRETION RETENTION	1	0.01%
PFIZER\BIONTECH	BRONCHIAL WALL THICKENING	1	0.01%
PFIZER\BIONTECH	BRONCHITIS	3	0.03%
PFIZER\BIONTECH	BRONCHOSPASM	2	0.02%
PFIZER\BIONTECH	BRUXISM	1	0.01%
PFIZER\BIONTECH	BUNDLE BRANCH BLOCK RIGHT	3	0.03%
PFIZER\BIONTECH	BURNING SENSATION	76	0.78%
PFIZER\BIONTECH	BURSITIS	2	0.02%
PFIZER\BIONTECH	BUTTERFLY RASH	1	0.01%
PFIZER\BIONTECH	C-REACTIVE PROTEIN	4	0.04%
PFIZER\BIONTECH	C-REACTIVE PROTEIN INCREASED	12	0.12%
PFIZER\BIONTECH	C-REACTIVE PROTEIN NORMAL	5	0.05%
PFIZER\BIONTECH	CALCIUM IONISED NORMAL	1	0.01%
PFIZER\BIONTECH	CANDIDA INFECTION	1	0.01%
PFIZER\BIONTECH	CAPILLARY NAIL REFILL TEST ABNORMAL	2	0.02%
PFIZER\BIONTECH	CARBON DIOXIDE DECREASED	5	0.05%
PFIZER\BIONTECH	CARBON DIOXIDE INCREASED	1	0.01%
PFIZER\BIONTECH	CARBON DIOXIDE NORMAL	6	0.06%
PFIZER\BIONTECH	CARDIAC ABLATION	1	0.01%
PFIZER\BIONTECH	CARDIAC ARREST	20	0.20%
PFIZER\BIONTECH	CARDIAC ASSISTANCE DEVICE USER	1	0.01%
PFIZER\BIONTECH	CARDIAC DISCOMFORT	4	0.04%
PFIZER\BIONTECH	CARDIAC DISORDER	4	0.04%
PFIZER\BIONTECH	CARDIAC FAILURE	3	0.03%
PFIZER\BIONTECH	CARDIAC FAILURE CHRONIC	1	0.01%
PFIZER\BIONTECH	CARDIAC FAILURE CONGESTIVE	1	0.01%
PFIZER\BIONTECH	CARDIAC FLUTTER	10	0.10%
PFIZER\BIONTECH	CARDIAC FUNCTION TEST NORMAL	1	0.01%
PFIZER\BIONTECH	CARDIAC MONITORING	10	0.10%
PFIZER\BIONTECH	CARDIAC MONITORING ABNORMAL	4	0.04%
PFIZER\BIONTECH	CARDIAC MONITORING NORMAL	1	0.01%
PFIZER\BIONTECH	CARDIAC MURMUR	1	0.01%
PFIZER\BIONTECH	CARDIAC PACEMAKER EVALUATION	1	0.01%
PFIZER\BIONTECH	CARDIAC STRESS TEST NORMAL	1	0.01%
PFIZER\BIONTECH	CARDIAC TELEMETRY	3	0.03%
PFIZER\BIONTECH	CARDIAC TELEMETRY ABNORMAL	2	0.02%
PFIZER\BIONTECH	CARDIAC TELEMETRY NORMAL	3	0.03%

PFIZER\BIONTECH Vaccine Manufacturer	CARDIAC VENTRICULOGRAM LEFT Symptoms	Events Reported	Percent (of 9,794)
PFIZER\BIONTECH	CARDIO-RESPIRATORY ARREST	6	0.06%
PFIZER\BIONTECH	CARDIOGENIC SHOCK	1	0.01%
PFIZER\BIONTECH	CARDIOLIPIN ANTIBODY NEGATIVE	1	0.01%
PFIZER\BIONTECH	CARDIOMEGALY	2	0.02%
PFIZER\BIONTECH	CARDIOMYOPATHY	1	0.01%
PFIZER\BIONTECH	CARDIOVASCULAR EVALUATION	5	0.05%
PFIZER\BIONTECH	CARDIOVERSION	8	0.08%
PFIZER\BIONTECH	CAROTID ARTERIOSCLEROSIS	1	0.01%
PFIZER\BIONTECH	CAROTID PULSE ABNORMAL	1	0.01%
PFIZER\BIONTECH	CATHETER PLACEMENT	1	0.01%
PFIZER\BIONTECH	CATHETERISATION CARDIAC	3	0.03%
PFIZER\BIONTECH	CATHETERISATION CARDIAC ABNORMAL	3	0.03%
PFIZER\BIONTECH	CATHETERISATION CARDIAC NORMAL	1	0.01%
PFIZER\BIONTECH	CD4 LYMPHOCYTE PERCENTAGE DECREASED	1	0.01%
PFIZER\BIONTECH	CELLULITIS	5	0.05%
PFIZER\BIONTECH	CENTRAL NERVOUS SYSTEM LESION	3	0.03%
PFIZER\BIONTECH	CENTRAL VENOUS CATHETERISATION	1	0.01%
PFIZER\BIONTECH	CEREBELLAR HAEMORRHAGE	1	0.01%
PFIZER\BIONTECH	CEREBRAL ARTERY OCCLUSION	1	0.01%
PFIZER\BIONTECH	CEREBRAL ARTERY STENOSIS	1	0.01%
PFIZER\BIONTECH	CEREBRAL ATROPHY	1	0.01%
PFIZER\BIONTECH	CEREBRAL HAEMORRHAGE	2	0.02%
PFIZER\BIONTECH	CEREBRAL INFARCTION	4	0.04%
PFIZER\BIONTECH	CEREBRAL SMALL VESSEL ISCHAEMIC DISEASE	1	0.01%
PFIZER\BIONTECH	CEREBROVASCULAR ACCIDENT	13	0.13%
PFIZER\BIONTECH	CHAPPED LIPS	2	0.02%
PFIZER\BIONTECH	CHEILITIS	3	0.03%
PFIZER\BIONTECH	CHEST DISCOMFORT	254	2.59%
PFIZER\BIONTECH	CHEST PAIN	166	1.69%
PFIZER\BIONTECH	CHEST X-RAY	53	0.54%
PFIZER\BIONTECH	CHEST X-RAY ABNORMAL	20	0.20%
PFIZER\BIONTECH	CHEST X-RAY NORMAL	37	0.38%
PFIZER\BIONTECH	CHILLS	1,024	10.46%
PFIZER\BIONTECH	CHLAMYDIA TEST NEGATIVE	1	0.01%
PFIZER\BIONTECH	CHOKING	6	0.06%
PFIZER\BIONTECH	CHOLELITHIASIS	1	0.01%
PFIZER\BIONTECH	CHROMATURIA	6	0.06%
PFIZER\BIONTECH	CHRONIC KIDNEY DISEASE	1	0.01%
PFIZER\BIONTECH	CHRONIC RESPIRATORY FAILURE	1	0.01%
PFIZER\BIONTECH	CHRONIC SPONTANEOUS URTICARIA	1	0.01%
PFIZER\BIONTECH	CIRCUMORAL SWELLING	2	0.02%
PFIZER\BIONTECH	CIRCUMSTANCE OR INFORMATION CAPABLE OF LEADING TO MEDICATION ERROR	2	0.02%
PFIZER\BIONTECH	CLAUSTROPHOBIA	1	0.01%
PFIZER\BIONTECH	CLONIC CONVULSION	1	0.01%
PFIZER\BIONTECH	CLUMSINESS	2	0.02%
PFIZER\BIONTECH	COAGULATION TEST	2	0.02%
PFIZER\BIONTECH	COAGULATION TEST NORMAL	1	0.01%
PFIZER\BIONTECH	COAGULOPATHY	2	0.02%
PFIZER\BIONTECH	COCCYDYNIA	1	0.01%
PFIZER\BIONTECH	COGNITIVE DISORDER	2	0.02%
PFIZER\BIONTECH	COLD SWEAT	58	0.59%
PFIZER\BIONTECH	COLITIS	1	0.01%
PFIZER\BIONTECH	COLOSTOMY	1	0.01%
PFIZER\BIONTECH	COMA	1	0.01%
PFIZER\BIONTECH	COMA SCALE NORMAL	1	0.01%
PFIZER\BIONTECH	COMMINUTED FRACTURE	1	0.01%
PFIZER\BIONTECH	COMPLEMENT FACTOR	1	0.01%
PFIZER\BIONTECH	COMPLEMENT FACTOR C4	1	0.01%
PFIZER\BIONTECH	COMPLEMENT FACTOR NORMAL	1	0.01%
PFIZER\BIONTECH	COMPLETED SUICIDE	2	0.02%
PFIZER\BIONTECH	COMPLEX REGIONAL PAIN SYNDROME	1	0.01%
PFIZER\BIONTECH	COMPLICATED APPENDICITIS	2	0.02%

Vaccine Manufacturer	Symptoms	Events Reported	Percent (of 9,794)
PFIZER\BIONTECH	COMPUTERISED TOMOGRAM	43	0.44%
PFIZER\BIONTECH	COMPUTERISED TOMOGRAM ABDOMEN	9	0.09%
PFIZER\BIONTECH	COMPUTERISED TOMOGRAM ABDOMEN ABNORMAL	8	0.08%
PFIZER\BIONTECH	COMPUTERISED TOMOGRAM ABDOMEN NORMAL	1	0.01%
PFIZER\BIONTECH	COMPUTERISED TOMOGRAM ABNORMAL	11	0.11%
PFIZER\BIONTECH	COMPUTERISED TOMOGRAM CORONARY ARTERY NORMAL	1	0.01%
PFIZER\BIONTECH	COMPUTERISED TOMOGRAM HEAD	22	0.22%
PFIZER\BIONTECH	COMPUTERISED TOMOGRAM HEAD ABNORMAL	5	0.05%
PFIZER\BIONTECH	COMPUTERISED TOMOGRAM HEAD NORMAL	29	0.30%
PFIZER\BIONTECH	COMPUTERISED TOMOGRAM NECK	6	0.06%
PFIZER\BIONTECH	COMPUTERISED TOMOGRAM NORMAL	17	0.17%
PFIZER\BIONTECH	COMPUTERISED TOMOGRAM PANCREAS ABNORMAL	1	0.01%
PFIZER\BIONTECH	COMPUTERISED TOMOGRAM PELVIS	3	0.03%
PFIZER\BIONTECH	COMPUTERISED TOMOGRAM PELVIS ABNORMAL	2	0.02%
PFIZER\BIONTECH	COMPUTERISED TOMOGRAM SPINE	3	0.03%
PFIZER\BIONTECH	COMPUTERISED TOMOGRAM THORAX	7	0.07%
PFIZER\BIONTECH	COMPUTERISED TOMOGRAM THORAX ABNORMAL	5	0.05%
PFIZER\BIONTECH	COMPUTERISED TOMOGRAM THORAX NORMAL	9	0.09%
PFIZER\BIONTECH	CONDITION AGGRAVATED	146	1.49%
PFIZER\BIONTECH	CONFUSIONAL STATE	37	0.38%
PFIZER\BIONTECH	CONJUNCTIVAL HAEMORRHAGE	4	0.04%
PFIZER\BIONTECH	CONJUNCTIVAL HYPERAEMIA	1	0.01%
PFIZER\BIONTECH	CONJUNCTIVITIS	3	0.03%
PFIZER\BIONTECH	CONJUNCTIVITIS ALLERGIC	1	0.01%
PFIZER\BIONTECH	CONSCIOUSNESS FLUCTUATING	1	0.01%
PFIZER\BIONTECH	CONSTIPATION	7	0.07%
PFIZER\BIONTECH	CONTRAINDICATED PRODUCT ADMINISTERED	2	0.02%
PFIZER\BIONTECH	CONTRAINDICATION TO VACCINATION	1	0.01%
PFIZER\BIONTECH	CONTUSION	14	0.14%
PFIZER\BIONTECH	COORDINATION ABNORMAL	2	0.02%
PFIZER\BIONTECH	CORONARY ARTERIAL STENT INSERTION	1	0.01%
PFIZER\BIONTECH	CORONARY ARTERY BYPASS	1	0.01%
PFIZER\BIONTECH	CORONARY ARTERY DISEASE	1	0.01%
PFIZER\BIONTECH	CORONARY ARTERY OCCLUSION	3	0.03%
PFIZER\BIONTECH	CORONAVIRUS TEST POSITIVE	16	0.16%
PFIZER\BIONTECH	CORRECTIVE LENS USER	1	0.01%
PFIZER\BIONTECH	COUGH	350	3.57%
PFIZER\BIONTECH	COVID-19	104	1.06%
PFIZER\BIONTECH	COVID-19 PNEUMONIA	8	0.08%
PFIZER\BIONTECH	COXSACKIE VIRUS TEST POSITIVE	1	0.01%
PFIZER\BIONTECH	CRANIAL NERVE DISORDER	1	0.01%
PFIZER\BIONTECH	CRANIOTOMY	1	0.01%
PFIZER\BIONTECH	CREATININE RENAL CLEARANCE DECREASED	1	0.01%
PFIZER\BIONTECH	CREPITATIONS	1	0.01%
PFIZER\BIONTECH	CRITICAL ILLNESS	1	0.01%
PFIZER\BIONTECH	CRYING	10	0.10%
PFIZER\BIONTECH	CRYPTOCOCCUS TEST	1	0.01%
PFIZER\BIONTECH	CRYSTAL URINE PRESENT	1	0.01%
PFIZER\BIONTECH	CSF CELL COUNT INCREASED	1	0.01%
PFIZER\BIONTECH	CSF CELL COUNT NORMAL	1	0.01%
PFIZER\BIONTECH	CSF CULTURE	1	0.01%
PFIZER\BIONTECH	CSF CULTURE NEGATIVE	1	0.01%
PFIZER\BIONTECH	CSF GLUCOSE NORMAL	1	0.01%
PFIZER\BIONTECH	CSF LACTATE DEHYDROGENASE NORMAL	1	0.01%
PFIZER\BIONTECH	CSF LYMPHOCYTE COUNT ABNORMAL	1	0.01%
PFIZER\BIONTECH	CSF NEUTROPHIL COUNT INCREASED	1	0.01%
PFIZER\BIONTECH	CSF PROTEIN INCREASED	1	0.01%
PFIZER\BIONTECH	CSF PROTEIN NORMAL	1	0.01%
PFIZER\BIONTECH	CSF RED BLOOD CELL COUNT POSITIVE	1	0.01%
PFIZER\BIONTECH	CSF TEST NORMAL	1	0.01%
PFIZER\BIONTECH	CULTURE NEGATIVE	5	0.05%
PFIZER\BIONTECH	CULTURE POSITIVE	1	0.01%

PFIZER\BIONTECH Vaccine Manufacturer	CULTURE STOOL Symptoms	Events Reported	Percent (of 9,794)
PFIZER\BIONTECH	CULTURE THROAT POSITIVE	1	0.01%
PFIZER\BIONTECH	CULTURE URINE	7	0.07%
PFIZER\BIONTECH	CULTURE URINE NEGATIVE	3	0.03%
PFIZER\BIONTECH	CYANOSIS	7	0.07%
PFIZER\BIONTECH	CYTOKINE STORM	1	0.01%
PFIZER\BIONTECH	CYTOMEGALOVIRUS TEST	1	0.01%
PFIZER\BIONTECH	CYTOMEGALOVIRUS TEST NEGATIVE	1	0.01%
PFIZER\BIONTECH	DEAFNESS	8	0.08%
PFIZER\BIONTECH	DEAFNESS BILATERAL	1	0.01%
PFIZER\BIONTECH	DEAFNESS NEUROSENSORY	5	0.05%
PFIZER\BIONTECH	DEAFNESS UNILATERAL	10	0.10%
PFIZER\BIONTECH	DEATH	139	1.42%
PFIZER\BIONTECH	DECREASED ACTIVITY	1	0.01%
PFIZER\BIONTECH	DECREASED APPETITE	92	0.94%
PFIZER\BIONTECH	DECUBITUS ULCER	1	0.01%
PFIZER\BIONTECH	DEEP VEIN THROMBOSIS	10	0.10%
PFIZER\BIONTECH	DEFAECATION URGENCY	4	0.04%
PFIZER\BIONTECH	DEHYDRATION	26	0.27%
PFIZER\BIONTECH	DEJA VU	1	0.01%
PFIZER\BIONTECH	DELIRIUM	3	0.03%
PFIZER\BIONTECH	DELUSION	1	0.01%
PFIZER\BIONTECH	DEMENCIA	2	0.02%
PFIZER\BIONTECH	DEMENCIA WITH LEWY BODIES	1	0.01%
PFIZER\BIONTECH	DEMYELINATION	1	0.01%
PFIZER\BIONTECH	DENTAL PARAESTHESIA	2	0.02%
PFIZER\BIONTECH	DEPRESSED LEVEL OF CONSCIOUSNESS	4	0.04%
PFIZER\BIONTECH	DEPRESSED MOOD	1	0.01%
PFIZER\BIONTECH	DEPRESSION	1	0.01%
PFIZER\BIONTECH	DERMATITIS	2	0.02%
PFIZER\BIONTECH	DERMATITIS ACNEIFORM	1	0.01%
PFIZER\BIONTECH	DERMATITIS ALLERGIC	2	0.02%
PFIZER\BIONTECH	DERMATITIS EXFOLIATIVE GENERALISED	1	0.01%
PFIZER\BIONTECH	DERMATITIS PSORIASIFORM	1	0.01%
PFIZER\BIONTECH	DEVICE CONNECTION ISSUE	1	0.01%
PFIZER\BIONTECH	DEVICE MALFUNCTION	1	0.01%
PFIZER\BIONTECH	DIABETES MELLITUS	2	0.02%
PFIZER\BIONTECH	DIABETIC KETOACIDOSIS	1	0.01%
PFIZER\BIONTECH	DIAGNOSTIC PROCEDURE	3	0.03%
PFIZER\BIONTECH	DIALYSIS	1	0.01%
PFIZER\BIONTECH	DIARRHOEA	274	2.80%
PFIZER\BIONTECH	DIASTOLIC DYSFUNCTION	2	0.02%
PFIZER\BIONTECH	DIFFERENTIAL WHITE BLOOD CELL COUNT	10	0.10%
PFIZER\BIONTECH	DIFFERENTIAL WHITE BLOOD CELL COUNT ABNORMAL	2	0.02%
PFIZER\BIONTECH	DIFFERENTIAL WHITE BLOOD CELL COUNT NORMAL	4	0.04%
PFIZER\BIONTECH	DIPLOPIA	5	0.05%
PFIZER\BIONTECH	DISABILITY	1	0.01%
PFIZER\BIONTECH	DISCOMFORT	51	0.52%
PFIZER\BIONTECH	DISORGANISED SPEECH	1	0.01%
PFIZER\BIONTECH	DISORIENTATION	19	0.19%
PFIZER\BIONTECH	DISSOCIATION	3	0.03%
PFIZER\BIONTECH	DISTURBANCE IN ATTENTION	28	0.29%
PFIZER\BIONTECH	DIVERTICULITIS	1	0.01%
PFIZER\BIONTECH	DIZZINESS	1,115	11.38%
PFIZER\BIONTECH	DIZZINESS POSTURAL	11	0.11%
PFIZER\BIONTECH	DRAIN PLACEMENT	1	0.01%
PFIZER\BIONTECH	DRAINAGE	5	0.05%
PFIZER\BIONTECH	DROOLING	2	0.02%
PFIZER\BIONTECH	DRUG ERUPTION	1	0.01%
PFIZER\BIONTECH	DRUG INEFFECTIVE	1	0.01%
PFIZER\BIONTECH	DRUG SCREEN	1	0.01%
PFIZER\BIONTECH	DRUG SCREEN NEGATIVE	1	0.01%
PFIZER\BIONTECH	DRUG SCREEN POSITIVE	1	0.01%

PFIZER\BIONTECH Vaccine Manufacturer	DRY EYE Symptoms	Events Reported	Percent (of 9,794)
PFIZER\BIONTECH	DRY MOUTH	58	0.59%
PFIZER\BIONTECH	DRY SKIN	3	0.03%
PFIZER\BIONTECH	DRY THROAT	30	0.31%
PFIZER\BIONTECH	DYSACUSIS	1	0.01%
PFIZER\BIONTECH	DYSARTHRIA	17	0.17%
PFIZER\BIONTECH	DYSCHIZIA	1	0.01%
PFIZER\BIONTECH	DYSGEUSIA	139	1.42%
PFIZER\BIONTECH	DYSGRAPHIA	2	0.02%
PFIZER\BIONTECH	DYSKINESIA	15	0.15%
PFIZER\BIONTECH	DYSLEXIA	1	0.01%
PFIZER\BIONTECH	DYSMENORRHOEA	1	0.01%
PFIZER\BIONTECH	DYSPEPSIA	17	0.17%
PFIZER\BIONTECH	DYSPHAGIA	114	1.16%
PFIZER\BIONTECH	DYSPHEMIA	2	0.02%
PFIZER\BIONTECH	DYSPHONIA	73	0.75%
PFIZER\BIONTECH	DYSPNOEA	516	5.27%
PFIZER\BIONTECH	DYSPNOEA EXERTIONAL	12	0.12%
PFIZER\BIONTECH	DYSSTASIA	18	0.18%
PFIZER\BIONTECH	DYSURIA	3	0.03%
PFIZER\BIONTECH	EAR CONGESTION	3	0.03%
PFIZER\BIONTECH	EAR DISCOMFORT	29	0.30%
PFIZER\BIONTECH	EAR DISORDER	1	0.01%
PFIZER\BIONTECH	EAR INFECTION	2	0.02%
PFIZER\BIONTECH	EAR PAIN	38	0.39%
PFIZER\BIONTECH	EAR PRURITUS	8	0.08%
PFIZER\BIONTECH	EAR SWELLING	9	0.09%
PFIZER\BIONTECH	EATING DISORDER	1	0.01%
PFIZER\BIONTECH	ECCHYMOSIS	1	0.01%
PFIZER\BIONTECH	ECHOCARDIOGRAM	17	0.17%
PFIZER\BIONTECH	ECHOCARDIOGRAM ABNORMAL	9	0.09%
PFIZER\BIONTECH	ECHOCARDIOGRAM NORMAL	9	0.09%
PFIZER\BIONTECH	ECZEMA	1	0.01%
PFIZER\BIONTECH	EJECTION FRACTION DECREASED	6	0.06%
PFIZER\BIONTECH	EJECTION FRACTION NORMAL	1	0.01%
PFIZER\BIONTECH	ELECTROCARDIOGRAM	104	1.06%
PFIZER\BIONTECH	ELECTROCARDIOGRAM ABNORMAL	40	0.41%
PFIZER\BIONTECH	ELECTROCARDIOGRAM AMBULATORY	5	0.05%
PFIZER\BIONTECH	ELECTROCARDIOGRAM AMBULATORY ABNORMAL	1	0.01%
PFIZER\BIONTECH	ELECTROCARDIOGRAM CHANGE	3	0.03%
PFIZER\BIONTECH	ELECTROCARDIOGRAM NORMAL	93	0.95%
PFIZER\BIONTECH	ELECTROCARDIOGRAM PR PROLONGATION	1	0.01%
PFIZER\BIONTECH	ELECTROCARDIOGRAM QRS COMPLEX ABNORMAL	1	0.01%
PFIZER\BIONTECH	ELECTROCARDIOGRAM QRS COMPLEX NORMAL	1	0.01%
PFIZER\BIONTECH	ELECTROCARDIOGRAM QT PROLONGED	5	0.05%
PFIZER\BIONTECH	ELECTROCARDIOGRAM ST SEGMENT ABNORMAL	1	0.01%
PFIZER\BIONTECH	ELECTROCARDIOGRAM ST SEGMENT DEPRESSION	2	0.02%
PFIZER\BIONTECH	ELECTROCARDIOGRAM ST SEGMENT ELEVATION	4	0.04%
PFIZER\BIONTECH	ELECTROCARDIOGRAM ST SEGMENT NORMAL	1	0.01%
PFIZER\BIONTECH	ELECTROCARDIOGRAM T WAVE ABNORMAL	1	0.01%
PFIZER\BIONTECH	ELECTROCARDIOGRAM T WAVE INVERSION	2	0.02%
PFIZER\BIONTECH	ELECTROCARDIOGRAM T WAVE PEAKED	1	0.01%
PFIZER\BIONTECH	ELECTROENCEPHALOGRAM	5	0.05%
PFIZER\BIONTECH	ELECTROENCEPHALOGRAM ABNORMAL	1	0.01%
PFIZER\BIONTECH	ELECTROENCEPHALOGRAM NORMAL	6	0.06%
PFIZER\BIONTECH	ELECTROMYOGRAM	1	0.01%
PFIZER\BIONTECH	ELECTROMYOGRAM NORMAL	1	0.01%
PFIZER\BIONTECH	EMOTIONAL DISTRESS	8	0.08%
PFIZER\BIONTECH	ENCEPHALITIS	2	0.02%
PFIZER\BIONTECH	ENDOSCOPIC ULTRASOUND	1	0.01%
PFIZER\BIONTECH	ENDOTHELIAL DYSFUNCTION	1	0.01%
PFIZER\BIONTECH	ENDOTRACHEAL INTUBATION	11	0.11%
PFIZER\BIONTECH	ENERGY INCREASED	1	0.01%

PFIZER\BIONTECH Vaccine Manufacturer	ENLARGED UVULA Symptoms	Events Reported	Percent (of 9,794)
PFIZER\BIONTECH	ENTEROVIRUS TEST NEGATIVE	1	0.01%
PFIZER\BIONTECH	EOSINOPHIL COUNT INCREASED	1	0.01%
PFIZER\BIONTECH	EOSINOPHIL COUNT NORMAL	9	0.09%
PFIZER\BIONTECH	EOSINOPHIL PERCENTAGE	6	0.06%
PFIZER\BIONTECH	EOSINOPHIL PERCENTAGE DECREASED	2	0.02%
PFIZER\BIONTECH	EOSINOPHIL PERCENTAGE INCREASED	2	0.02%
PFIZER\BIONTECH	EPISTAXIS	13	0.13%
PFIZER\BIONTECH	EPSTEIN-BARR VIRUS ANTIBODY NEGATIVE	1	0.01%
PFIZER\BIONTECH	ERYTHEMA	239	2.44%
PFIZER\BIONTECH	ERYTHEMA OF EYELID	1	0.01%
PFIZER\BIONTECH	ESCHERICHIA INFECTION	1	0.01%
PFIZER\BIONTECH	EUPHORIC MOOD	2	0.02%
PFIZER\BIONTECH	EXERCISE TOLERANCE DECREASED	3	0.03%
PFIZER\BIONTECH	EXPOSURE DURING PREGNANCY	32	0.33%
PFIZER\BIONTECH	EXPOSURE TO EXTREME TEMPERATURE	1	0.01%
PFIZER\BIONTECH	EXPOSURE TO SARS-COV-2	48	0.49%
PFIZER\BIONTECH	EXPOSURE VIA BREAST MILK	1	0.01%
PFIZER\BIONTECH	EXPOSURE VIA SKIN CONTACT	3	0.03%
PFIZER\BIONTECH	EXTENSIVE SWELLING OF VACCINATED LIMB	1	0.01%
PFIZER\BIONTECH	EXTRA DOSE ADMINISTERED	4	0.04%
PFIZER\BIONTECH	EXTRAOCULAR MUSCLE PARESIS	1	0.01%
PFIZER\BIONTECH	EXTRASYSTOLES	9	0.09%
PFIZER\BIONTECH	EYE CONTUSION	1	0.01%
PFIZER\BIONTECH	EYE DISCHARGE	5	0.05%
PFIZER\BIONTECH	EYE DISORDER	2	0.02%
PFIZER\BIONTECH	EYE HAEMORRHAGE	7	0.07%
PFIZER\BIONTECH	EYE INFLAMMATION	1	0.01%
PFIZER\BIONTECH	EYE IRRITATION	13	0.13%
PFIZER\BIONTECH	EYE MOVEMENT DISORDER	4	0.04%
PFIZER\BIONTECH	EYE PAIN	34	0.35%
PFIZER\BIONTECH	EYE PARAESTHESIA	1	0.01%
PFIZER\BIONTECH	EYE PRURITUS	18	0.18%
PFIZER\BIONTECH	EYE SWELLING	28	0.29%
PFIZER\BIONTECH	EYELID CONTUSION	1	0.01%
PFIZER\BIONTECH	EYELID DISORDER	2	0.02%
PFIZER\BIONTECH	EYELID FUNCTION DISORDER	9	0.09%
PFIZER\BIONTECH	EYELID IRRITATION	1	0.01%
PFIZER\BIONTECH	EYELID OEDEMA	1	0.01%
PFIZER\BIONTECH	EYELID PTOSIS	2	0.02%
PFIZER\BIONTECH	EYELID RASH	3	0.03%
PFIZER\BIONTECH	EYELID SENSORY DISORDER	1	0.01%
PFIZER\BIONTECH	EYELIDS PRURITUS	5	0.05%
PFIZER\BIONTECH	FACE INJURY	1	0.01%
PFIZER\BIONTECH	FACE OEDEMA	6	0.06%
PFIZER\BIONTECH	FACET JOINT SYNDROME	1	0.01%
PFIZER\BIONTECH	FACIAL ASYMMETRY	10	0.10%
PFIZER\BIONTECH	FACIAL BONES FRACTURE	1	0.01%
PFIZER\BIONTECH	FACIAL DISCOMFORT	5	0.05%
PFIZER\BIONTECH	FACIAL PAIN	23	0.23%
PFIZER\BIONTECH	FACIAL PARALYSIS	82	0.84%
PFIZER\BIONTECH	FACIAL PARESIS	12	0.12%
PFIZER\BIONTECH	FACIAL SPASM	1	0.01%
PFIZER\BIONTECH	FAECES DISCOLOURED	3	0.03%
PFIZER\BIONTECH	FAECES PALE	1	0.01%
PFIZER\BIONTECH	FALL	21	0.21%
PFIZER\BIONTECH	FASTING	1	0.01%
PFIZER\BIONTECH	FATIGUE	1,225	12.51%
PFIZER\BIONTECH	FEAR	9	0.09%
PFIZER\BIONTECH	FEAR OF INJECTION	2	0.02%
PFIZER\BIONTECH	FEBRILE NEUTROPENIA	1	0.01%
PFIZER\BIONTECH	FEEDING DISORDER	6	0.06%
PFIZER\BIONTECH	FEELING ABNORMAL	278	2.84%

PFIZER\BIONTECH Vaccine Manufacturer	FEELING COLD Symptoms	Events Reported	83	Percent (of 9,794)	0.85%
PFIZER\BIONTECH	FEELING DRUNK	7		0.07%	
PFIZER\BIONTECH	FEELING HOT	274		2.80%	
PFIZER\BIONTECH	FEELING JITTERY	16		0.16%	
PFIZER\BIONTECH	FEELING OF BODY TEMPERATURE CHANGE	21		0.21%	
PFIZER\BIONTECH	FIBRIN D DIMER	11		0.11%	
PFIZER\BIONTECH	FIBRIN D DIMER INCREASED	13		0.13%	
PFIZER\BIONTECH	FIBRIN D DIMER NORMAL	8		0.08%	
PFIZER\BIONTECH	FIBROMYALGIA	1		0.01%	
PFIZER\BIONTECH	FIBROSIS	1		0.01%	
PFIZER\BIONTECH	FINE MOTOR SKILL DYSFUNCTION	2		0.02%	
PFIZER\BIONTECH	FLANK PAIN	7		0.07%	
PFIZER\BIONTECH	FLAT AFFECT	1		0.01%	
PFIZER\BIONTECH	FLATULENCE	5		0.05%	
PFIZER\BIONTECH	FLUID INTAKE REDUCED	1		0.01%	
PFIZER\BIONTECH	FLUID OVERLOAD	1		0.01%	
PFIZER\BIONTECH	FLUID RETENTION	1		0.01%	
PFIZER\BIONTECH	FLUSHING	402		4.10%	
PFIZER\BIONTECH	FOCAL DYSCOGNITIVE SEIZURES	1		0.01%	
PFIZER\BIONTECH	FOCAL PERITONITIS	1		0.01%	
PFIZER\BIONTECH	FOETAL DEATH	2		0.02%	
PFIZER\BIONTECH	FOETAL HEART RATE ABNORMAL	1		0.01%	
PFIZER\BIONTECH	FOETAL HYPOKINESIA	1		0.01%	
PFIZER\BIONTECH	FOOD ALLERGY	1		0.01%	
PFIZER\BIONTECH	FOREIGN BODY SENSATION IN EYES	1		0.01%	
PFIZER\BIONTECH	FOREIGN TRAVEL	1		0.01%	
PFIZER\BIONTECH	FORMICATION	1		0.01%	
PFIZER\BIONTECH	FREQUENT BOWEL MOVEMENTS	4		0.04%	
PFIZER\BIONTECH	FRUSTRATION TOLERANCE DECREASED	3		0.03%	
PFIZER\BIONTECH	FULL BLOOD COUNT	76		0.78%	
PFIZER\BIONTECH	FULL BLOOD COUNT ABNORMAL	6		0.06%	
PFIZER\BIONTECH	FULL BLOOD COUNT NORMAL	60		0.61%	
PFIZER\BIONTECH	FUNGAL INFECTION	1		0.01%	
PFIZER\BIONTECH	GAIT DISTURBANCE	35		0.36%	
PFIZER\BIONTECH	GAIT INABILITY	8		0.08%	
PFIZER\BIONTECH	GALACTOSTASIS	1		0.01%	
PFIZER\BIONTECH	GALLBLADDER DISORDER	3		0.03%	
PFIZER\BIONTECH	GALLBLADDER OPERATION	1		0.01%	
PFIZER\BIONTECH	GASTRIC DILATATION	1		0.01%	
PFIZER\BIONTECH	GASTRIC DISORDER	5		0.05%	
PFIZER\BIONTECH	GASTRITIS	1		0.01%	
PFIZER\BIONTECH	GASTROINTESTINAL DISORDER	6		0.06%	
PFIZER\BIONTECH	GASTROINTESTINAL HAEMORRHAGE	1		0.01%	
PFIZER\BIONTECH	GASTROINTESTINAL INFLAMMATION	1		0.01%	
PFIZER\BIONTECH	GASTROINTESTINAL PAIN	5		0.05%	
PFIZER\BIONTECH	GASTROINTESTINAL PATHOGEN PANEL	1		0.01%	
PFIZER\BIONTECH	GASTROINTESTINAL SOUNDS ABNORMAL	2		0.02%	
PFIZER\BIONTECH	GASTROINTESTINAL WALL THICKENING	1		0.01%	
PFIZER\BIONTECH	GASTROESOPHAGEAL REFLUX DISEASE	6		0.06%	
PFIZER\BIONTECH	GAZE PALSY	4		0.04%	
PFIZER\BIONTECH	GENE MUTATION IDENTIFICATION TEST NEGATIVE	1		0.01%	
PFIZER\BIONTECH	GENERAL PHYSICAL HEALTH DETERIORATION	4		0.04%	
PFIZER\BIONTECH	GENERAL SYMPTOM	1		0.01%	
PFIZER\BIONTECH	GENERALISED OEDEMA	1		0.01%	
PFIZER\BIONTECH	GENERALISED TONIC-CLONIC SEIZURE	4		0.04%	
PFIZER\BIONTECH	GENITAL RASH	1		0.01%	
PFIZER\BIONTECH	GENITAL SWELLING	1		0.01%	
PFIZER\BIONTECH	GENITAL ULCERATION	1		0.01%	
PFIZER\BIONTECH	GINGIVAL BLEEDING	2		0.02%	
PFIZER\BIONTECH	GINGIVAL DISCOLOURATION	1		0.01%	
PFIZER\BIONTECH	GINGIVAL PAIN	4		0.04%	
PFIZER\BIONTECH	GINGIVAL PRURITUS	3		0.03%	
PFIZER\BIONTECH	GINGIVAL SWELLING	1		0.01%	

PFIZER\BIONTECH Vaccine Manufacturer	GLASSY EYES Symptoms	Events Reported	4	Percent (of 9,794)	0.04%
PFIZER\BIONTECH	GLOBULIN	2		0.02%	
PFIZER\BIONTECH	GLOBULINS INCREASED	1		0.01%	
PFIZER\BIONTECH	GLOMERULAR FILTRATION RATE	5		0.05%	
PFIZER\BIONTECH	GLOMERULAR FILTRATION RATE DECREASED	3		0.03%	
PFIZER\BIONTECH	GLOMERULAR FILTRATION RATE NORMAL	4		0.04%	
PFIZER\BIONTECH	GLOSSITIS	2		0.02%	
PFIZER\BIONTECH	GLOSSODYNIA	4		0.04%	
PFIZER\BIONTECH	GLYCOSYLATED HAEMOGLOBIN	6		0.06%	
PFIZER\BIONTECH	GLYCOSYLATED HAEMOGLOBIN INCREASED	1		0.01%	
PFIZER\BIONTECH	GLYCOSYLATED HAEMOGLOBIN NORMAL	1		0.01%	
PFIZER\BIONTECH	GOUT	2		0.02%	
PFIZER\BIONTECH	GRAM STAIN NEGATIVE	1		0.01%	
PFIZER\BIONTECH	GRAM STAIN POSITIVE	1		0.01%	
PFIZER\BIONTECH	GRIP STRENGTH DECREASED	7		0.07%	
PFIZER\BIONTECH	GROIN PAIN	1		0.01%	
PFIZER\BIONTECH	GRUNTING	1		0.01%	
PFIZER\BIONTECH	GUILLAIN-BARRE SYNDROME	2		0.02%	
PFIZER\BIONTECH	GUN SHOT WOUND	1		0.01%	
PFIZER\BIONTECH	HAEMATEMESIS	2		0.02%	
PFIZER\BIONTECH	HAEMATOCHESIA	7		0.07%	
PFIZER\BIONTECH	HAEMATOCRIT DECREASED	7		0.07%	
PFIZER\BIONTECH	HAEMATOCRIT INCREASED	1		0.01%	
PFIZER\BIONTECH	HAEMATOCRIT NORMAL	13		0.13%	
PFIZER\BIONTECH	HAEMATOLOGY TEST NORMAL	1		0.01%	
PFIZER\BIONTECH	HAEMATOMA	1		0.01%	
PFIZER\BIONTECH	HAEMATOMA MUSCLE	1		0.01%	
PFIZER\BIONTECH	HAEMATURIA	2		0.02%	
PFIZER\BIONTECH	HAEMODIALYSIS	1		0.01%	
PFIZER\BIONTECH	HAEMODYNAMIC TEST NORMAL	1		0.01%	
PFIZER\BIONTECH	HAEMOGLOBIN DECREASED	13		0.13%	
PFIZER\BIONTECH	HAEMOGLOBIN INCREASED	1		0.01%	
PFIZER\BIONTECH	HAEMOGLOBIN NORMAL	14		0.14%	
PFIZER\BIONTECH	HAEMOPTYSIS	2		0.02%	
PFIZER\BIONTECH	HAEMORRHAGE	11		0.11%	
PFIZER\BIONTECH	HAEMORRHAGE INTRACRANIAL	1		0.01%	
PFIZER\BIONTECH	HAEMORRHAGIC STROKE	2		0.02%	
PFIZER\BIONTECH	HALLUCINATION	3		0.03%	
PFIZER\BIONTECH	HALLUCINATION, AUDITORY	1		0.01%	
PFIZER\BIONTECH	HALLUCINATION, VISUAL	3		0.03%	
PFIZER\BIONTECH	HAND DERMATITIS	1		0.01%	
PFIZER\BIONTECH	HAND-EYE COORDINATION IMPAIRED	1		0.01%	
PFIZER\BIONTECH	HANGOVER	1		0.01%	
PFIZER\BIONTECH	HEAD DISCOMFORT	37		0.38%	
PFIZER\BIONTECH	HEAD INJURY	3		0.03%	
PFIZER\BIONTECH	HEADACHE	1,594		16.28%	
PFIZER\BIONTECH	HEART RATE ABNORMAL	5		0.05%	
PFIZER\BIONTECH	HEART RATE DECREASED	14		0.14%	
PFIZER\BIONTECH	HEART RATE INCREASED	285		2.91%	
PFIZER\BIONTECH	HEART RATE IRREGULAR	24		0.25%	
PFIZER\BIONTECH	HEART SOUNDS ABNORMAL	1		0.01%	
PFIZER\BIONTECH	HEMIPARAESTHESIA	1		0.01%	
PFIZER\BIONTECH	HEMIPARESIS	7		0.07%	
PFIZER\BIONTECH	HEPATIC PAIN	1		0.01%	
PFIZER\BIONTECH	HEPATITIS C ANTIBODY NEGATIVE	1		0.01%	
PFIZER\BIONTECH	HEPATITIS VIRAL TEST NEGATIVE	1		0.01%	
PFIZER\BIONTECH	HERPANGINA	1		0.01%	
PFIZER\BIONTECH	HERPES SIMPLEX	3		0.03%	
PFIZER\BIONTECH	HERPES SIMPLEX REACTIVATION	1		0.01%	
PFIZER\BIONTECH	HERPES SIMPLEX TEST NEGATIVE	2		0.02%	
PFIZER\BIONTECH	HERPES VIRUS INFECTION	2		0.02%	
PFIZER\BIONTECH	HERPES VIRUS TEST	1		0.01%	
PFIZER\BIONTECH	HERPES ZOSTER	18		0.18%	

PFIZER\BIONTECH Vaccine Manufacturer	HERPES ZOSTER CUTANEOUS DISSEMINATED Symptoms	Events Reported	Percent (of 9,794)
PFIZER\BIONTECH	HICCUPS	1	0.01%
PFIZER\BIONTECH	HIDRADENITIS	2	0.02%
PFIZER\BIONTECH	HIGH DENSITY LIPOPROTEIN DECREASED	2	0.02%
PFIZER\BIONTECH	HILAR LYMPHADENOPATHY	1	0.01%
PFIZER\BIONTECH	HISTAMINE INTOLERANCE	1	0.01%
PFIZER\BIONTECH	HISTAMINE LEVEL INCREASED	1	0.01%
PFIZER\BIONTECH	HIV ANTIBODY NEGATIVE	2	0.02%
PFIZER\BIONTECH	HIV TEST	2	0.02%
PFIZER\BIONTECH	HIV TEST POSITIVE	1	0.01%
PFIZER\BIONTECH	HOSPICE CARE	4	0.04%
PFIZER\BIONTECH	HOT FLUSH	79	0.81%
PFIZER\BIONTECH	HUMAN CHORIONIC GONADOTROPIN	5	0.05%
PFIZER\BIONTECH	HUMAN CHORIONIC GONADOTROPIN DECREASED	1	0.01%
PFIZER\BIONTECH	HUMAN CHORIONIC GONADOTROPIN NEGATIVE	6	0.06%
PFIZER\BIONTECH	HUMAN METAPNEUMOVIRUS TEST	1	0.01%
PFIZER\BIONTECH	HUMAN RHINOVIRUS TEST	1	0.01%
PFIZER\BIONTECH	HUNGER	1	0.01%
PFIZER\BIONTECH	HYPERACUSIS	9	0.09%
PFIZER\BIONTECH	HYPERAESTHESIA	7	0.07%
PFIZER\BIONTECH	HYPERGLYCAEMIA	3	0.03%
PFIZER\BIONTECH	HYPERHIDROSIS	272	2.78%
PFIZER\BIONTECH	HYPERKALAEMIA	2	0.02%
PFIZER\BIONTECH	HYPERPYREXIA	1	0.01%
PFIZER\BIONTECH	HYPERSENSITIVITY	69	0.70%
PFIZER\BIONTECH	HYPERSONMIA	28	0.29%
PFIZER\BIONTECH	HYPERTENSION	107	1.09%
PFIZER\BIONTECH	HYPERTENSIVE CRISIS	2	0.02%
PFIZER\BIONTECH	HYPERTENSIVE EMERGENCY	5	0.05%
PFIZER\BIONTECH	HYPERTENSIVE URGENCY	4	0.04%
PFIZER\BIONTECH	HYPERTONIA	1	0.01%
PFIZER\BIONTECH	HYPERTROPHY OF TONGUE PAPILLAE	1	0.01%
PFIZER\BIONTECH	HYPERVENTILATION	5	0.05%
PFIZER\BIONTECH	HYPOACUSIS	11	0.11%
PFIZER\BIONTECH	HYPOAESTHESIA	366	3.74%
PFIZER\BIONTECH	HYPOAESTHESIA EYE	6	0.06%
PFIZER\BIONTECH	HYPOAESTHESIA ORAL	162	1.65%
PFIZER\BIONTECH	HYPOCALCAEMIA	1	0.01%
PFIZER\BIONTECH	HYPOCHROMIC ANAEMIA	1	0.01%
PFIZER\BIONTECH	HYPOGEUSIA	6	0.06%
PFIZER\BIONTECH	HYPOGLYCAEMIA	5	0.05%
PFIZER\BIONTECH	HYPOKALAEMIA	4	0.04%
PFIZER\BIONTECH	HYPOKINESIA	1	0.01%
PFIZER\BIONTECH	HYPOMAGNESAEMIA	1	0.01%
PFIZER\BIONTECH	HYPOPNOEA	6	0.06%
PFIZER\BIONTECH	HYPOREFLEXIA	1	0.01%
PFIZER\BIONTECH	HYPORESPONSIVE TO STIMULI	3	0.03%
PFIZER\BIONTECH	HYPOSMIA	4	0.04%
PFIZER\BIONTECH	HYPOTENSION	35	0.36%
PFIZER\BIONTECH	HYPOTHERMIA	2	0.02%
PFIZER\BIONTECH	HYPOTONIA	6	0.06%
PFIZER\BIONTECH	HYPOXIA	11	0.11%
PFIZER\BIONTECH	HYSTEROSCOPY	1	0.01%
PFIZER\BIONTECH	IDIOPATHIC INTRACRANIAL HYPERTENSION	1	0.01%
PFIZER\BIONTECH	ILIAC VEIN OCCLUSION	1	0.01%
PFIZER\BIONTECH	ILLITERACY	1	0.01%
PFIZER\BIONTECH	ILLNESS	12	0.12%
PFIZER\BIONTECH	ILLUSION	1	0.01%
PFIZER\BIONTECH	IMAGING PROCEDURE	1	0.01%
PFIZER\BIONTECH	IMMATURE GRANULOCYTE COUNT INCREASED	1	0.01%
PFIZER\BIONTECH	IMMATURE GRANULOCYTE PERCENTAGE INCREASED	2	0.02%
PFIZER\BIONTECH	IMMEDIATE POST-INJECTION REACTION	150	1.53%
PFIZER\BIONTECH	IMMUNE THROMBOCYTOPENIA	5	0.05%

PFIZER\BIONTECH Vaccine Manufacturer	IMMUNISATION Symptoms	Events Reported	Percent (of 9,794)
PFIZER\BIONTECH	IMMUNISATION ANXIETY RELATED REACTION	1	0.01%
PFIZER\BIONTECH	IMMUNODEFICIENCY	1	0.01%
PFIZER\BIONTECH	IMMUNOGLOBULIN THERAPY	3	0.03%
PFIZER\BIONTECH	IMMUNOGLOBULINS NORMAL	1	0.01%
PFIZER\BIONTECH	IMMUNOLOGY TEST	1	0.01%
PFIZER\BIONTECH	IMPAIRED DRIVING ABILITY	10	0.10%
PFIZER\BIONTECH	IMPAIRED WORK ABILITY	114	1.16%
PFIZER\BIONTECH	INAPPROPRIATE SCHEDULE OF PRODUCT ADMINISTRATION	12	0.12%
PFIZER\BIONTECH	INCISIONAL DRAINAGE	1	0.01%
PFIZER\BIONTECH	INCOHERENT	3	0.03%
PFIZER\BIONTECH	INCOMPLETE COURSE OF VACCINATION	1	0.01%
PFIZER\BIONTECH	INCONTINENCE	4	0.04%
PFIZER\BIONTECH	INCORRECT DOSE ADMINISTERED	4	0.04%
PFIZER\BIONTECH	INCORRECT ROUTE OF PRODUCT ADMINISTRATION	10	0.10%
PFIZER\BIONTECH	INCREASED APPETITE	1	0.01%
PFIZER\BIONTECH	INCREASED UPPER AIRWAY SECRETION	5	0.05%
PFIZER\BIONTECH	INCREASED VISCOSITY OF UPPER RESPIRATORY SECRETION	1	0.01%
PFIZER\BIONTECH	INDURATION	9	0.09%
PFIZER\BIONTECH	INFLAMMATION	7	0.07%
PFIZER\BIONTECH	INFLAMMATORY MARKER INCREASED	1	0.01%
PFIZER\BIONTECH	INFLAMMATORY MARKER TEST	1	0.01%
PFIZER\BIONTECH	INFLUENZA	7	0.07%
PFIZER\BIONTECH	INFLUENZA A VIRUS TEST	1	0.01%
PFIZER\BIONTECH	INFLUENZA A VIRUS TEST NEGATIVE	15	0.15%
PFIZER\BIONTECH	INFLUENZA B VIRUS TEST	13	0.13%
PFIZER\BIONTECH	INFLUENZA LIKE ILLNESS	68	0.69%
PFIZER\BIONTECH	INFLUENZA VIRUS TEST	7	0.07%
PFIZER\BIONTECH	INFLUENZA VIRUS TEST NEGATIVE	34	0.35%
PFIZER\BIONTECH	INFLUENZA VIRUS TEST POSITIVE	2	0.02%
PFIZER\BIONTECH	INITIAL INSOMNIA	2	0.02%
PFIZER\BIONTECH	INJECTED LIMB MOBILITY DECREASED	47	0.48%
PFIZER\BIONTECH	INJECTION SITE BRUISING	13	0.13%
PFIZER\BIONTECH	INJECTION SITE CELLULITIS	4	0.04%
PFIZER\BIONTECH	INJECTION SITE COLDNESS	1	0.01%
PFIZER\BIONTECH	INJECTION SITE DISCOLOURATION	5	0.05%
PFIZER\BIONTECH	INJECTION SITE DISCOMFORT	8	0.08%
PFIZER\BIONTECH	INJECTION SITE ERYTHEMA	178	1.82%
PFIZER\BIONTECH	INJECTION SITE EXTRAVASATION	1	0.01%
PFIZER\BIONTECH	INJECTION SITE HAEMORRHAGE	11	0.11%
PFIZER\BIONTECH	INJECTION SITE HYPERSENSITIVITY	1	0.01%
PFIZER\BIONTECH	INJECTION SITE HYPOAESTHESIA	12	0.12%
PFIZER\BIONTECH	INJECTION SITE INDURATION	32	0.33%
PFIZER\BIONTECH	INJECTION SITE INFLAMMATION	4	0.04%
PFIZER\BIONTECH	INJECTION SITE IRRITATION	2	0.02%
PFIZER\BIONTECH	INJECTION SITE JOINT PAIN	6	0.06%
PFIZER\BIONTECH	INJECTION SITE LYMPHADENOPATHY	1	0.01%
PFIZER\BIONTECH	INJECTION SITE MASS	23	0.23%
PFIZER\BIONTECH	INJECTION SITE MUSCLE WEAKNESS	1	0.01%
PFIZER\BIONTECH	INJECTION SITE NERVE DAMAGE	1	0.01%
PFIZER\BIONTECH	INJECTION SITE NODULE	9	0.09%
PFIZER\BIONTECH	INJECTION SITE OEDEMA	7	0.07%
PFIZER\BIONTECH	INJECTION SITE PAIN	733	7.48%
PFIZER\BIONTECH	INJECTION SITE PARAESTHESIA	22	0.22%
PFIZER\BIONTECH	INJECTION SITE PRURITUS	67	0.68%
PFIZER\BIONTECH	INJECTION SITE RASH	26	0.27%
PFIZER\BIONTECH	INJECTION SITE REACTION	31	0.32%
PFIZER\BIONTECH	INJECTION SITE SCAB	1	0.01%
PFIZER\BIONTECH	INJECTION SITE STREAKING	2	0.02%
PFIZER\BIONTECH	INJECTION SITE SWELLING	163	1.66%
PFIZER\BIONTECH	INJECTION SITE URTICARIA	12	0.12%
PFIZER\BIONTECH	INJECTION SITE VESICLES	4	0.04%
PFIZER\BIONTECH	INJECTION SITE WARMTH	76	0.78%

PFIZER\BIONTECH Vaccine Manufacturer	INJURY Symptoms	Events Reported	Percent (of 9,794)
PFIZER\BIONTECH	INJURY ASSOCIATED WITH DEVICE	1	0.01%
PFIZER\BIONTECH	INNER EAR DISORDER	1	0.01%
PFIZER\BIONTECH	INSOMNIA	25	0.26%
PFIZER\BIONTECH	INTENSIVE CARE	41	0.42%
PFIZER\BIONTECH	INTERCEPTED PRODUCT PREPARATION ERROR	1	0.01%
PFIZER\BIONTECH	INTERNATIONAL NORMALISED RATIO	4	0.04%
PFIZER\BIONTECH	INTERNATIONAL NORMALISED RATIO DECREASED	1	0.01%
PFIZER\BIONTECH	INTERNATIONAL NORMALISED RATIO INCREASED	3	0.03%
PFIZER\BIONTECH	INTERNATIONAL NORMALISED RATIO NORMAL	8	0.08%
PFIZER\BIONTECH	INTERVERTEBRAL DISC PROTRUSION	1	0.01%
PFIZER\BIONTECH	INTESTINAL OBSTRUCTION	1	0.01%
PFIZER\BIONTECH	INTESTINAL RESECTION	1	0.01%
PFIZER\BIONTECH	INTRA-UTERINE CONTRACEPTIVE DEVICE REMOVAL	1	0.01%
PFIZER\BIONTECH	INTRACEREBRAL HAEMATOMA EVACUATION	1	0.01%
PFIZER\BIONTECH	INTRACRANIAL ANEURYSM	1	0.01%
PFIZER\BIONTECH	INTRACRANIAL MASS	1	0.01%
PFIZER\BIONTECH	INTRAOCULAR PRESSURE TEST	1	0.01%
PFIZER\BIONTECH	IODINE UPTAKE NORMAL	1	0.01%
PFIZER\BIONTECH	IRIDOCYCLITIS	1	0.01%
PFIZER\BIONTECH	IRREGULAR BREATHING	1	0.01%
PFIZER\BIONTECH	IRRITABILITY	4	0.04%
PFIZER\BIONTECH	ISCHAEMIC CARDIOMYOPATHY	1	0.01%
PFIZER\BIONTECH	ISCHAEMIC STROKE	3	0.03%
PFIZER\BIONTECH	JAUNDICE	4	0.04%
PFIZER\BIONTECH	JAW CLICKING	1	0.01%
PFIZER\BIONTECH	JAW DISORDER	2	0.02%
PFIZER\BIONTECH	JOINT DISLOCATION	1	0.01%
PFIZER\BIONTECH	JOINT LOCK	1	0.01%
PFIZER\BIONTECH	JOINT NOISE	1	0.01%
PFIZER\BIONTECH	JOINT RANGE OF MOTION DECREASED	9	0.09%
PFIZER\BIONTECH	JOINT STIFFNESS	14	0.14%
PFIZER\BIONTECH	JOINT SWELLING	25	0.26%
PFIZER\BIONTECH	LABORATORY TEST	79	0.81%
PFIZER\BIONTECH	LABORATORY TEST ABNORMAL	4	0.04%
PFIZER\BIONTECH	LABORATORY TEST NORMAL	52	0.53%
PFIZER\BIONTECH	LACK OF SPONTANEOUS SPEECH	1	0.01%
PFIZER\BIONTECH	LACRIMATION INCREASED	18	0.18%
PFIZER\BIONTECH	LACTATION DISORDER	1	0.01%
PFIZER\BIONTECH	LACTIC ACIDOSIS	1	0.01%
PFIZER\BIONTECH	LACUNAR INFARCTION	1	0.01%
PFIZER\BIONTECH	LACUNAR STROKE	1	0.01%
PFIZER\BIONTECH	LANGUAGE DISORDER	1	0.01%
PFIZER\BIONTECH	LAPAROSCOPIC SURGERY	4	0.04%
PFIZER\BIONTECH	LARGE INTESTINE PERFORATION	1	0.01%
PFIZER\BIONTECH	LARYNGEAL OEDEMA	1	0.01%
PFIZER\BIONTECH	LARYNGITIS	1	0.01%
PFIZER\BIONTECH	LEFT VENTRICULAR DYSFUNCTION	2	0.02%
PFIZER\BIONTECH	LEFT VENTRICULAR END-DIASTOLIC PRESSURE INCREASED	1	0.01%
PFIZER\BIONTECH	LEFT VENTRICULAR HYPERTROPHY	2	0.02%
PFIZER\BIONTECH	LEGIONELLA TEST	1	0.01%
PFIZER\BIONTECH	LETHARGY	38	0.39%
PFIZER\BIONTECH	LEUKAEMIA	1	0.01%
PFIZER\BIONTECH	LEUKOCYTOSIS	5	0.05%
PFIZER\BIONTECH	LIFE SUPPORT	2	0.02%
PFIZER\BIONTECH	LIMB DISCOMFORT	61	0.62%
PFIZER\BIONTECH	LIMB IMMOBILISATION	1	0.01%
PFIZER\BIONTECH	LIMB MASS	1	0.01%
PFIZER\BIONTECH	LIP BLISTER	6	0.06%
PFIZER\BIONTECH	LIP DRY	1	0.01%
PFIZER\BIONTECH	LIP ERYTHEMA	4	0.04%
PFIZER\BIONTECH	LIP HAEMORRHAGE	1	0.01%
PFIZER\BIONTECH	LIP OEDEMA	1	0.01%

PFIZER\BIONTECH Vaccine Manufacturer	LIP PAIN Symptoms	Events Reported	Percent (of 9,794)
PFIZER\BIONTECH	LIP PRURITUS	3	0.03%
PFIZER\BIONTECH	LIP SWELLING	16	0.16%
PFIZER\BIONTECH	LIPASE	101	1.03%
PFIZER\BIONTECH	LIPASE INCREASED	3	0.03%
PFIZER\BIONTECH	LIPIDS	2	0.02%
PFIZER\BIONTECH	LIVEDO RETICULARIS	7	0.07%
PFIZER\BIONTECH	LIVER FUNCTION TEST	10	0.10%
PFIZER\BIONTECH	LIVER FUNCTION TEST ABNORMAL	5	0.05%
PFIZER\BIONTECH	LIVER FUNCTION TEST INCREASED	2	0.02%
PFIZER\BIONTECH	LIVER FUNCTION TEST NORMAL	5	0.05%
PFIZER\BIONTECH	LIVER INJURY	1	0.01%
PFIZER\BIONTECH	LOCAL REACTION	9	0.09%
PFIZER\BIONTECH	LOCALISED OEDEMA	2	0.02%
PFIZER\BIONTECH	LOSS OF CONSCIOUSNESS	48	0.49%
PFIZER\BIONTECH	LOSS OF PERSONAL INDEPENDENCE IN DAILY ACTIVITIES	32	0.33%
PFIZER\BIONTECH	LOSS OF PROPRIOCEPTION	2	0.02%
PFIZER\BIONTECH	LOW DENSITY LIPOPROTEIN INCREASED	1	0.01%
PFIZER\BIONTECH	LOWER RESPIRATORY TRACT CONGESTION	2	0.02%
PFIZER\BIONTECH	LOWER RESPIRATORY TRACT INFECTION	2	0.02%
PFIZER\BIONTECH	LUMBAR PUNCTURE	6	0.06%
PFIZER\BIONTECH	LUMBAR PUNCTURE NORMAL	3	0.03%
PFIZER\BIONTECH	LUNG CONSOLIDATION	2	0.02%
PFIZER\BIONTECH	LUNG DISORDER	1	0.01%
PFIZER\BIONTECH	LUNG HYPERINFLATION	2	0.02%
PFIZER\BIONTECH	LUNG HYPOINFLATION	1	0.01%
PFIZER\BIONTECH	LUNG INFILTRATION	6	0.06%
PFIZER\BIONTECH	LUNG NEOPLASM MALIGNANT	1	0.01%
PFIZER\BIONTECH	LUNG OPACITY	3	0.03%
PFIZER\BIONTECH	LYMPH NODE PAIN	44	0.45%
PFIZER\BIONTECH	LYMPH NODE PALPABLE	3	0.03%
PFIZER\BIONTECH	LYMPHADENITIS	2	0.02%
PFIZER\BIONTECH	LYMPHADENOPATHY	166	1.69%
PFIZER\BIONTECH	LYMPHADENOPATHY MEDIASTINAL	1	0.01%
PFIZER\BIONTECH	LYMPHOCYTE COUNT	1	0.01%
PFIZER\BIONTECH	LYMPHOCYTE COUNT DECREASED	4	0.04%
PFIZER\BIONTECH	LYMPHOCYTE COUNT INCREASED	1	0.01%
PFIZER\BIONTECH	LYMPHOCYTE COUNT NORMAL	7	0.07%
PFIZER\BIONTECH	LYMPHOCYTE PERCENTAGE	3	0.03%
PFIZER\BIONTECH	LYMPHOCYTE PERCENTAGE DECREASED	3	0.03%
PFIZER\BIONTECH	LYMPHOCYTE PERCENTAGE INCREASED	2	0.02%
PFIZER\BIONTECH	LYMPHOEDEMA	5	0.05%
PFIZER\BIONTECH	MAGNETIC RESONANCE CHOLANGIOPANCREATOGRAPHY	1	0.01%
PFIZER\BIONTECH	MAGNETIC RESONANCE IMAGING	26	0.27%
PFIZER\BIONTECH	MAGNETIC RESONANCE IMAGING ABNORMAL	5	0.05%
PFIZER\BIONTECH	MAGNETIC RESONANCE IMAGING BRAIN	13	0.13%
PFIZER\BIONTECH	MAGNETIC RESONANCE IMAGING BRAIN ABNORMAL	11	0.11%
PFIZER\BIONTECH	MAGNETIC RESONANCE IMAGING BRAIN NORMAL	16	0.16%
PFIZER\BIONTECH	MAGNETIC RESONANCE IMAGING HEART	1	0.01%
PFIZER\BIONTECH	MAGNETIC RESONANCE IMAGING JOINT	1	0.01%
PFIZER\BIONTECH	MAGNETIC RESONANCE IMAGING NECK	2	0.02%
PFIZER\BIONTECH	MAGNETIC RESONANCE IMAGING NORMAL	8	0.08%
PFIZER\BIONTECH	MAGNETIC RESONANCE IMAGING SPINAL	3	0.03%
PFIZER\BIONTECH	MAGNETIC RESONANCE IMAGING SPINAL ABNORMAL	1	0.01%
PFIZER\BIONTECH	MAGNETIC RESONANCE IMAGING SPINAL NORMAL	3	0.03%
PFIZER\BIONTECH	MALAISE	346	3.53%
PFIZER\BIONTECH	MASS	4	0.04%
PFIZER\BIONTECH	MASTICATION DISORDER	1	0.01%
PFIZER\BIONTECH	MASTITIS	1	0.01%
PFIZER\BIONTECH	MATERNAL EXPOSURE DURING BREAST FEEDING	7	0.07%
PFIZER\BIONTECH	MAY-THURNER SYNDROME	2	0.02%
PFIZER\BIONTECH	MEAN CELL HAEMOGLOBIN CONCENTRATION DECREASED	3	0.03%
PFIZER\BIONTECH	MEAN CELL HAEMOGLOBIN CONCENTRATION NORMAL	8	0.08%

PFIZER\BIONTECH Vaccine Manufacturer	MEAN CELL HAEMOGLOBIN DECREASED Symptoms	Events Reported	Percent (of 9,794)
PFIZER\BIONTECH	MEAN CELL HAEMOGLOBIN DECREASED	1	0.01%
PFIZER\BIONTECH	MEAN CELL HAEMOGLOBIN INCREASED	2	0.02%
PFIZER\BIONTECH	MEAN CELL HAEMOGLOBIN NORMAL	8	0.08%
PFIZER\BIONTECH	MEAN CELL VOLUME ABNORMAL	1	0.01%
PFIZER\BIONTECH	MEAN CELL VOLUME DECREASED	1	0.01%
PFIZER\BIONTECH	MEAN CELL VOLUME INCREASED	3	0.03%
PFIZER\BIONTECH	MEAN CELL VOLUME NORMAL	7	0.07%
PFIZER\BIONTECH	MEAN PLATELET VOLUME DECREASED	1	0.01%
PFIZER\BIONTECH	MEAN PLATELET VOLUME INCREASED	2	0.02%
PFIZER\BIONTECH	MEAN PLATELET VOLUME NORMAL	6	0.06%
PFIZER\BIONTECH	MECHANICAL VENTILATION	9	0.09%
PFIZER\BIONTECH	MELAENA	1	0.01%
PFIZER\BIONTECH	MEMORY IMPAIRMENT	13	0.13%
PFIZER\BIONTECH	MENINGIOMA	1	0.01%
PFIZER\BIONTECH	MENINGITIS	1	0.01%
PFIZER\BIONTECH	MENINGITIS VIRAL	2	0.02%
PFIZER\BIONTECH	MENORRHAGIA	3	0.03%
PFIZER\BIONTECH	MENSTRUATION DELAYED	1	0.01%
PFIZER\BIONTECH	MENSTRUATION NORMAL	1	0.01%
PFIZER\BIONTECH	MENTAL IMPAIRMENT	6	0.06%
PFIZER\BIONTECH	MENTAL STATUS CHANGES	12	0.12%
PFIZER\BIONTECH	MESENTERIC VEIN THROMBOSIS	1	0.01%
PFIZER\BIONTECH	METABOLIC FUNCTION TEST	71	0.72%
PFIZER\BIONTECH	METABOLIC FUNCTION TEST ABNORMAL	3	0.03%
PFIZER\BIONTECH	METABOLIC FUNCTION TEST NORMAL	45	0.46%
PFIZER\BIONTECH	METAMORPHOPSIA	1	0.01%
PFIZER\BIONTECH	METAMYELOCYTE PERCENTAGE	1	0.01%
PFIZER\BIONTECH	METRORRHAGIA	3	0.03%
PFIZER\BIONTECH	MICROEMBOLISM	1	0.01%
PFIZER\BIONTECH	MICTURITION URGENCY	1	0.01%
PFIZER\BIONTECH	MIDDLE EAR EFFUSION	3	0.03%
PFIZER\BIONTECH	MIDDLE INSOMNIA	1	0.01%
PFIZER\BIONTECH	MIGRAINE	86	0.88%
PFIZER\BIONTECH	MIGRAINE WITH AURA	4	0.04%
PFIZER\BIONTECH	MIGRAINE WITHOUT AURA	1	0.01%
PFIZER\BIONTECH	MILIARIA	1	0.01%
PFIZER\BIONTECH	MIOSIS	1	0.01%
PFIZER\BIONTECH	MOANING	2	0.02%
PFIZER\BIONTECH	MOBILITY DECREASED	60	0.61%
PFIZER\BIONTECH	MONOCYTE COUNT	1	0.01%
PFIZER\BIONTECH	MONOCYTE COUNT DECREASED	1	0.01%
PFIZER\BIONTECH	MONOCYTE COUNT INCREASED	1	0.01%
PFIZER\BIONTECH	MONOCYTE COUNT NORMAL	7	0.07%
PFIZER\BIONTECH	MONOCYTE PERCENTAGE	6	0.06%
PFIZER\BIONTECH	MONOCYTE PERCENTAGE INCREASED	2	0.02%
PFIZER\BIONTECH	MONONUCLEOSIS HETEROPHILE TEST NEGATIVE	1	0.01%
PFIZER\BIONTECH	MONOPARESIS	1	0.01%
PFIZER\BIONTECH	MONOPLÉGIA	1	0.01%
PFIZER\BIONTECH	MOTION SICKNESS	4	0.04%
PFIZER\BIONTECH	MOTOR DYSFUNCTION	4	0.04%
PFIZER\BIONTECH	MOUTH BREATHING	1	0.01%
PFIZER\BIONTECH	MOUTH HAEMORRHAGE	1	0.01%
PFIZER\BIONTECH	MOUTH INJURY	1	0.01%
PFIZER\BIONTECH	MOUTH SWELLING	10	0.10%
PFIZER\BIONTECH	MOUTH ULCERATION	4	0.04%
PFIZER\BIONTECH	MOVEMENT DISORDER	2	0.02%
PFIZER\BIONTECH	MUCOSAL DISCOLOURATION	1	0.01%
PFIZER\BIONTECH	MUCOSAL DISORDER	2	0.02%
PFIZER\BIONTECH	MUCOSAL INFLAMMATION	1	0.01%
PFIZER\BIONTECH	MUCOUS STOOLS	1	0.01%
PFIZER\BIONTECH	MUSCLE CONTRACTIONS INVOLUNTARY	2	0.02%
PFIZER\BIONTECH	MUSCLE DISCOMFORT	2	0.02%
PFIZER\BIONTECH	MUSCLE DISORDER	1	0.01%

PFIZER\BIONTECH Vaccine Manufacturer	MUSCLE ENZYME INCREASED Symptoms	Events Reported	Percent (of 9,794)
PFIZER\BIONTECH	MUSCLE ENZYME INCREASED	1	0.01%
PFIZER\BIONTECH	MUSCLE FATIGUE	8	0.08%
PFIZER\BIONTECH	MUSCLE RIGIDITY	3	0.03%
PFIZER\BIONTECH	MUSCLE SPASMS	54	0.55%
PFIZER\BIONTECH	MUSCLE STRAIN	2	0.02%
PFIZER\BIONTECH	MUSCLE SWELLING	3	0.03%
PFIZER\BIONTECH	MUSCLE TIGHTNESS	42	0.43%
PFIZER\BIONTECH	MUSCLE TWITCHING	15	0.15%
PFIZER\BIONTECH	MUSCULAR WEAKNESS	80	0.82%
PFIZER\BIONTECH	MUSCULOSKELETAL CHEST PAIN	13	0.13%
PFIZER\BIONTECH	MUSCULOSKELETAL DISCOMFORT	8	0.08%
PFIZER\BIONTECH	MUSCULOSKELETAL DISORDER	5	0.05%
PFIZER\BIONTECH	MUSCULOSKELETAL PAIN	4	0.04%
PFIZER\BIONTECH	MUSCULOSKELETAL STIFFNESS	55	0.56%
PFIZER\BIONTECH	MYALGIA	540	5.51%
PFIZER\BIONTECH	MYCOBACTERIUM TUBERCULOSIS COMPLEX TEST	1	0.01%
PFIZER\BIONTECH	MYCOPLASMA TEST NEGATIVE	2	0.02%
PFIZER\BIONTECH	MYCOPLASMA TEST POSITIVE	1	0.01%
PFIZER\BIONTECH	MYDRIASIS	3	0.03%
PFIZER\BIONTECH	MYELITIS TRANSVERSE	1	0.01%
PFIZER\BIONTECH	MYELOCYTE PERCENTAGE	1	0.01%
PFIZER\BIONTECH	MYOCARDIAL INFARCTION	14	0.14%
PFIZER\BIONTECH	MYOCARDIAL NECROSIS MARKER	1	0.01%
PFIZER\BIONTECH	MYOCARDIAL NECROSIS MARKER INCREASED	2	0.02%
PFIZER\BIONTECH	MYOCARDIAL NECROSIS MARKER NORMAL	6	0.06%
PFIZER\BIONTECH	MYOCARDIAL STRAIN	1	0.01%
PFIZER\BIONTECH	MYOCARDITIS	3	0.03%
PFIZER\BIONTECH	MYOSITIS	1	0.01%
PFIZER\BIONTECH	N-TERMINAL PROHORMONE BRAIN NATRIURETIC PEPTIDE INCREASED	2	0.02%
PFIZER\BIONTECH	N-TERMINAL PROHORMONE BRAIN NATRIURETIC PEPTIDE NORMAL	1	0.01%
PFIZER\BIONTECH	NAIL BED DISORDER	1	0.01%
PFIZER\BIONTECH	NASAL CONGESTION	79	0.81%
PFIZER\BIONTECH	NASAL DISCHARGE DISCOLOURATION	1	0.01%
PFIZER\BIONTECH	NASAL DISCOMFORT	7	0.07%
PFIZER\BIONTECH	NASAL DRYNESS	2	0.02%
PFIZER\BIONTECH	NASAL INJURY	2	0.02%
PFIZER\BIONTECH	NASAL MUCOSAL DISCOLOURATION	1	0.01%
PFIZER\BIONTECH	NASAL PRURITUS	1	0.01%
PFIZER\BIONTECH	NASOENDOSCOPY	1	0.01%
PFIZER\BIONTECH	NASOPHARYNGITIS	19	0.19%
PFIZER\BIONTECH	NAUSEA	1,042	10.64%
PFIZER\BIONTECH	NECK PAIN	118	1.20%
PFIZER\BIONTECH	NEEDLE ISSUE	1	0.01%
PFIZER\BIONTECH	NEISSERIA TEST	1	0.01%
PFIZER\BIONTECH	NERVE BLOCK	1	0.01%
PFIZER\BIONTECH	NERVE COMPRESSION	1	0.01%
PFIZER\BIONTECH	NERVE CONDUCTION STUDIES ABNORMAL	1	0.01%
PFIZER\BIONTECH	NERVOUSNESS	30	0.31%
PFIZER\BIONTECH	NEURALGIA	12	0.12%
PFIZER\BIONTECH	NEURALGIC AMYOTROPHY	2	0.02%
PFIZER\BIONTECH	NEUROLOGICAL EXAMINATION	2	0.02%
PFIZER\BIONTECH	NEUROLOGICAL EXAMINATION ABNORMAL	5	0.05%
PFIZER\BIONTECH	NEUROLOGICAL EXAMINATION NORMAL	3	0.03%
PFIZER\BIONTECH	NEUROLOGICAL SYMPTOM	6	0.06%
PFIZER\BIONTECH	NEUROPATHY PERIPHERAL	11	0.11%
PFIZER\BIONTECH	NEUTROPHIL COUNT	1	0.01%
PFIZER\BIONTECH	NEUTROPHIL COUNT DECREASED	2	0.02%
PFIZER\BIONTECH	NEUTROPHIL COUNT INCREASED	6	0.06%
PFIZER\BIONTECH	NEUTROPHIL COUNT NORMAL	6	0.06%
PFIZER\BIONTECH	NEUTROPHIL FUNCTION TEST ABNORMAL	1	0.01%
PFIZER\BIONTECH	NEUTROPHIL PERCENTAGE	2	0.02%
PFIZER\BIONTECH	NEUTROPHIL PERCENTAGE DECREASED	3	0.03%

Vaccine Manufacturer	Symptoms	Events Reported	Percent (of 9,794)
PFIZER\BIONTECH	NEUTROPHIL PERCENTAGE INCREASED	5	0.05%
PFIZER\BIONTECH	NEUTROPHIL TOXIC GRANULATION PRESENT	1	0.01%
PFIZER\BIONTECH	NEUTROPHILIA	1	0.01%
PFIZER\BIONTECH	NIGHT SWEATS	32	0.33%
PFIZER\BIONTECH	NIGHTMARE	3	0.03%
PFIZER\BIONTECH	NIH STROKE SCALE ABNORMAL	1	0.01%
PFIZER\BIONTECH	NIPPLE PAIN	2	0.02%
PFIZER\BIONTECH	NIPPLE SWELLING	2	0.02%
PFIZER\BIONTECH	NITRITE URINE	1	0.01%
PFIZER\BIONTECH	NO ADVERSE EVENT	6	0.06%
PFIZER\BIONTECH	NODULAR RASH	1	0.01%
PFIZER\BIONTECH	NODULE	5	0.05%
PFIZER\BIONTECH	NON-TOBACCO USER	1	0.01%
PFIZER\BIONTECH	NONINFECTIVE ENCEPHALITIS	1	0.01%
PFIZER\BIONTECH	NOROVIRUS TEST	1	0.01%
PFIZER\BIONTECH	NYSTAGMUS	2	0.02%
PFIZER\BIONTECH	OBESITY	1	0.01%
PFIZER\BIONTECH	OBSTRUCTIVE AIRWAYS DISORDER	4	0.04%
PFIZER\BIONTECH	OCCULT BLOOD POSITIVE	1	0.01%
PFIZER\BIONTECH	OCCUPATIONAL EXPOSURE TO SARS-COV-2	15	0.15%
PFIZER\BIONTECH	OCULAR DISCOMFORT	11	0.11%
PFIZER\BIONTECH	OCULAR HYPERAEMIA	12	0.12%
PFIZER\BIONTECH	OCULAR ICTERUS	1	0.01%
PFIZER\BIONTECH	ODYNOPHAGIA	6	0.06%
PFIZER\BIONTECH	OEDEMA	5	0.05%
PFIZER\BIONTECH	OEDEMA MOUTH	2	0.02%
PFIZER\BIONTECH	OEDEMA PERIPHERAL	29	0.30%
PFIZER\BIONTECH	OESOPHAGEAL DISCOMFORT	1	0.01%
PFIZER\BIONTECH	OESOPHAGEAL DISORDER	1	0.01%
PFIZER\BIONTECH	OESOPHAGEAL PAIN	1	0.01%
PFIZER\BIONTECH	OESOPHAGEAL SPASM	1	0.01%
PFIZER\BIONTECH	OESOPHAGOGASTRODUODENOSCOPY	1	0.01%
PFIZER\BIONTECH	OMENECTOMY	1	0.01%
PFIZER\BIONTECH	OPHTHALMOLOGICAL EXAMINATION	1	0.01%
PFIZER\BIONTECH	OPHTHALMOLOGICAL EXAMINATION ABNORMAL	2	0.02%
PFIZER\BIONTECH	OPTIC NEURITIS	1	0.01%
PFIZER\BIONTECH	OPTICAL COHERENCE TOMOGRAPHY	1	0.01%
PFIZER\BIONTECH	ORAL BLOOD BLISTER	1	0.01%
PFIZER\BIONTECH	ORAL CONTUSION	1	0.01%
PFIZER\BIONTECH	ORAL DISCOMFORT	20	0.20%
PFIZER\BIONTECH	ORAL DISORDER	4	0.04%
PFIZER\BIONTECH	ORAL HERPES	13	0.13%
PFIZER\BIONTECH	ORAL MUCOSAL BLISTERING	4	0.04%
PFIZER\BIONTECH	ORAL MUCOSAL ERUPTION	2	0.02%
PFIZER\BIONTECH	ORAL MUCOSAL ERYTHEMA	2	0.02%
PFIZER\BIONTECH	ORAL PAIN	4	0.04%
PFIZER\BIONTECH	ORAL PRURITUS	23	0.23%
PFIZER\BIONTECH	ORAL VIRAL INFECTION	1	0.01%
PFIZER\BIONTECH	ORGANISING PNEUMONIA	1	0.01%
PFIZER\BIONTECH	OROPHARYNGEAL DISCOMFORT	34	0.35%
PFIZER\BIONTECH	OROPHARYNGEAL PAIN	211	2.15%
PFIZER\BIONTECH	ORTHOSTATIC HYPOTENSION	8	0.08%
PFIZER\BIONTECH	OSTEOARTHRITIS	1	0.01%
PFIZER\BIONTECH	OVERSENSING	1	0.01%
PFIZER\BIONTECH	OVERWEIGHT	1	0.01%
PFIZER\BIONTECH	OXYGEN SATURATION ABNORMAL	1	0.01%
PFIZER\BIONTECH	OXYGEN SATURATION DECREASED	26	0.27%
PFIZER\BIONTECH	OXYGEN SATURATION NORMAL	20	0.20%
PFIZER\BIONTECH	OXYGEN THERAPY	2	0.02%
PFIZER\BIONTECH	PAIN	995	10.16%
PFIZER\BIONTECH	PAIN IN EXTREMITY	628	6.41%
PFIZER\BIONTECH	PAIN IN JAW	27	0.28%

PFIZER\BIONTECH Vaccine Manufacturer	PAIN MANAGEMENT Symptoms	Events Reported	Percent (of 9,794)
PFIZER\BIONTECH	PAIN OF SKIN	17	0.17%
PFIZER\BIONTECH	PAINFUL RESPIRATION	17	0.17%
PFIZER\BIONTECH	PALATAL OEDEMA	1	0.01%
PFIZER\BIONTECH	PALATAL SWELLING	1	0.01%
PFIZER\BIONTECH	PALINDROMIC RHEUMATISM	1	0.01%
PFIZER\BIONTECH	PALLOR	61	0.62%
PFIZER\BIONTECH	PALMAR ERYTHEMA	1	0.01%
PFIZER\BIONTECH	PALPITATIONS	317	3.24%
PFIZER\BIONTECH	PANCREATITIS	2	0.02%
PFIZER\BIONTECH	PANCREATITIS ACUTE	3	0.03%
PFIZER\BIONTECH	PANCYTOPENIA	1	0.01%
PFIZER\BIONTECH	PANIC ATTACK	10	0.10%
PFIZER\BIONTECH	PANIC DISORDER	1	0.01%
PFIZER\BIONTECH	PANIC REACTION	9	0.09%
PFIZER\BIONTECH	PAPULE	1	0.01%
PFIZER\BIONTECH	PARAESTHESIA	529	5.40%
PFIZER\BIONTECH	PARAESTHESIA EAR	1	0.01%
PFIZER\BIONTECH	PARAESTHESIA ORAL	266	2.72%
PFIZER\BIONTECH	PARALYSIS	3	0.03%
PFIZER\BIONTECH	PARANASAL SINUS DISCOMFORT	10	0.10%
PFIZER\BIONTECH	PARANASAL SINUS HYPERSECRETION	4	0.04%
PFIZER\BIONTECH	PARKINSONISM	1	0.01%
PFIZER\BIONTECH	PAROSMIA	12	0.12%
PFIZER\BIONTECH	PATHOLOGY TEST	1	0.01%
PFIZER\BIONTECH	PCO2 DECREASED	1	0.01%
PFIZER\BIONTECH	PELVIC ABSCESS	1	0.01%
PFIZER\BIONTECH	PELVIC FLUID COLLECTION	1	0.01%
PFIZER\BIONTECH	PELVIC GIRDLE PAIN	1	0.01%
PFIZER\BIONTECH	PELVIC PAIN	2	0.02%
PFIZER\BIONTECH	PELVIC VENOUS THROMBOSIS	2	0.02%
PFIZER\BIONTECH	PEMPHIGOID	1	0.01%
PFIZER\BIONTECH	PENILE RASH	1	0.01%
PFIZER\BIONTECH	PERIARTHRITIS	1	0.01%
PFIZER\BIONTECH	PERICARDIAL EFFUSION	1	0.01%
PFIZER\BIONTECH	PERICARDITIS	4	0.04%
PFIZER\BIONTECH	PERIORBITAL DISCOMFORT	2	0.02%
PFIZER\BIONTECH	PERIORBITAL OEDEMA	7	0.07%
PFIZER\BIONTECH	PERIORBITAL PAIN	2	0.02%
PFIZER\BIONTECH	PERIORBITAL SWELLING	24	0.25%
PFIZER\BIONTECH	PERIPHERAL ARTERY STENT INSERTION	1	0.01%
PFIZER\BIONTECH	PERIPHERAL COLDNESS	49	0.50%
PFIZER\BIONTECH	PERIPHERAL SWELLING	99	1.01%
PFIZER\BIONTECH	PERNICIOUS ANAEMIA	1	0.01%
PFIZER\BIONTECH	PERONEAL NERVE PALSY	1	0.01%
PFIZER\BIONTECH	PETECHIAE	10	0.10%
PFIZER\BIONTECH	PHARYNGEAL ERYTHEMA	4	0.04%
PFIZER\BIONTECH	PHARYNGEAL HYPOAESTHESIA	18	0.18%
PFIZER\BIONTECH	PHARYNGEAL OEDEMA	1	0.01%
PFIZER\BIONTECH	PHARYNGEAL PARAESTHESIA	52	0.53%
PFIZER\BIONTECH	PHARYNGEAL SWELLING	100	1.02%
PFIZER\BIONTECH	PHARYNGITIS	2	0.02%
PFIZER\BIONTECH	PHOBIA	2	0.02%
PFIZER\BIONTECH	PHONOPHOBIA	1	0.01%
PFIZER\BIONTECH	PHOTOPHOBIA	23	0.23%
PFIZER\BIONTECH	PHOTOPSIA	2	0.02%
PFIZER\BIONTECH	PHOTOSENSITIVITY REACTION	5	0.05%
PFIZER\BIONTECH	PHYSICAL EXAMINATION NORMAL	2	0.02%
PFIZER\BIONTECH	PILOERECTION	4	0.04%
PFIZER\BIONTECH	PLASMAPHERESIS	1	0.01%
PFIZER\BIONTECH	PLATELET COUNT	1	0.01%
PFIZER\BIONTECH	PLATELET COUNT DECREASED	16	0.16%
PFIZER\BIONTECH	PLATELET COUNT INCREASED	1	0.01%

PFIZER\BIONTECH Vaccine Manufacturer	PLATELET COUNT NORMAL Symptoms	Events Reported	Percent (of 9,794)
PFIZER\BIONTECH	PLATELET TRANSFUSION	4	0.04%
PFIZER\BIONTECH	PLEURAL EFFUSION	3	0.03%
PFIZER\BIONTECH	PLEURISY	2	0.02%
PFIZER\BIONTECH	PLEURITIC PAIN	4	0.04%
PFIZER\BIONTECH	PNEUMONIA	16	0.16%
PFIZER\BIONTECH	PNEUMONIA ASPIRATION	2	0.02%
PFIZER\BIONTECH	PO2 DECREASED	1	0.01%
PFIZER\BIONTECH	POLLAKIURIA	4	0.04%
PFIZER\BIONTECH	POLYMERASE CHAIN REACTION	7	0.07%
PFIZER\BIONTECH	POLYMYALGIA RHEUMATICA	1	0.01%
PFIZER\BIONTECH	POLYNEUROPATHY	1	0.01%
PFIZER\BIONTECH	POLYURIA	1	0.01%
PFIZER\BIONTECH	POOR PERIPHERAL CIRCULATION	2	0.02%
PFIZER\BIONTECH	POOR QUALITY SLEEP	12	0.12%
PFIZER\BIONTECH	POST PROCEDURAL HAEMORRHAGE	2	0.02%
PFIZER\BIONTECH	POST VACCINATION SYNDROME	1	0.01%
PFIZER\BIONTECH	POSTICTAL STATE	2	0.02%
PFIZER\BIONTECH	POSTURAL ORTHOSTATIC TACHYCARDIA SYNDROME	1	0.01%
PFIZER\BIONTECH	POSTURE ABNORMAL	8	0.08%
PFIZER\BIONTECH	POSTURING	2	0.02%
PFIZER\BIONTECH	PREGNANCY TEST	4	0.04%
PFIZER\BIONTECH	PREGNANCY TEST NEGATIVE	7	0.07%
PFIZER\BIONTECH	PREGNANCY TEST URINE	1	0.01%
PFIZER\BIONTECH	PREMATURE BABY	1	0.01%
PFIZER\BIONTECH	PREMATURE DELIVERY	4	0.04%
PFIZER\BIONTECH	PREMATURE LABOUR	1	0.01%
PFIZER\BIONTECH	PREMATURE RUPTURE OF MEMBRANES	2	0.02%
PFIZER\BIONTECH	PREMATURE SEPARATION OF PLACENTA	1	0.01%
PFIZER\BIONTECH	PRESSURE OF SPEECH	1	0.01%
PFIZER\BIONTECH	PRESYNCOPE	63	0.64%
PFIZER\BIONTECH	PROCALCITONIN INCREASED	3	0.03%
PFIZER\BIONTECH	PROCALCITONIN NORMAL	1	0.01%
PFIZER\BIONTECH	PRODUCT ADMINISTERED AT INAPPROPRIATE SITE	13	0.13%
PFIZER\BIONTECH	PRODUCT ADMINISTRATION ERROR	1	0.01%
PFIZER\BIONTECH	PRODUCT DELIVERY MECHANISM ISSUE	1	0.01%
PFIZER\BIONTECH	PRODUCT DESIGN ISSUE	1	0.01%
PFIZER\BIONTECH	PRODUCT DISPENSING ERROR	1	0.01%
PFIZER\BIONTECH	PRODUCT DOSE OMISSION IN ERROR	1	0.01%
PFIZER\BIONTECH	PRODUCT PREPARATION ERROR	3	0.03%
PFIZER\BIONTECH	PRODUCT PREPARATION ISSUE	10	0.10%
PFIZER\BIONTECH	PRODUCT QUALITY ISSUE	1	0.01%
PFIZER\BIONTECH	PRODUCT STORAGE ERROR	1	0.01%
PFIZER\BIONTECH	PRODUCTIVE COUGH	13	0.13%
PFIZER\BIONTECH	PROHORMONE BRAIN NATRIURETIC PEPTIDE	1	0.01%
PFIZER\BIONTECH	PROSTATOMEGALY	1	0.01%
PFIZER\BIONTECH	PROTEIN C	1	0.01%
PFIZER\BIONTECH	PROTEIN S NORMAL	1	0.01%
PFIZER\BIONTECH	PROTEIN TOTAL	1	0.01%
PFIZER\BIONTECH	PROTEIN TOTAL INCREASED	1	0.01%
PFIZER\BIONTECH	PROTEIN TOTAL NORMAL	9	0.09%
PFIZER\BIONTECH	PROTHROMBIN TIME	7	0.07%
PFIZER\BIONTECH	PROTHROMBIN TIME NORMAL	2	0.02%
PFIZER\BIONTECH	PROTHROMBIN TIME PROLONGED	2	0.02%
PFIZER\BIONTECH	PRURITUS	465	4.75%
PFIZER\BIONTECH	PSORIATIC ARTHROPATHY	1	0.01%
PFIZER\BIONTECH	PSYCHOGENIC SEIZURE	2	0.02%
PFIZER\BIONTECH	PULMONARY CONGESTION	7	0.07%
PFIZER\BIONTECH	PULMONARY EMBOLISM	11	0.11%
PFIZER\BIONTECH	PULMONARY HILAR ENLARGEMENT	1	0.01%
PFIZER\BIONTECH	PULMONARY HYPERTENSION	1	0.01%
PFIZER\BIONTECH	PULMONARY IMAGING PROCEDURE ABNORMAL	1	0.01%
PFIZER\BIONTECH	PULMONARY INFARCTION	1	0.01%

PFIZER\BIONTECH Vaccine Manufacturer	PULMONARY OEDEMA Symptoms	Events Reported	Percent (of 9,794)
PFIZER\BIONTECH	PULMONARY PAIN	2	0.02%
PFIZER\BIONTECH	PULSE ABNORMAL	11	0.11%
PFIZER\BIONTECH	PULSE ABSENT	15	0.15%
PFIZER\BIONTECH	PULSELESS ELECTRICAL ACTIVITY	3	0.03%
PFIZER\BIONTECH	PUPIL FIXED	4	0.04%
PFIZER\BIONTECH	PUPILLARY REFLEX IMPAIRED	1	0.01%
PFIZER\BIONTECH	PURPURA	1	0.01%
PFIZER\BIONTECH	PUSTULE	4	0.04%
PFIZER\BIONTECH	PYREXIA	1,005	10.26%
PFIZER\BIONTECH	QUARANTINE	2	0.02%
PFIZER\BIONTECH	RADIAL PULSE ABNORMAL	1	0.01%
PFIZER\BIONTECH	RADICULITIS BRACHIAL	1	0.01%
PFIZER\BIONTECH	RADICULOPATHY	2	0.02%
PFIZER\BIONTECH	RALES	2	0.02%
PFIZER\BIONTECH	RASH	427	4.36%
PFIZER\BIONTECH	RASH ERYTHEMATOUS	83	0.85%
PFIZER\BIONTECH	RASH MACULAR	60	0.61%
PFIZER\BIONTECH	RASH MACULO-PAPULAR	11	0.11%
PFIZER\BIONTECH	RASH MORBILLIFORM	3	0.03%
PFIZER\BIONTECH	RASH PAPULAR	29	0.30%
PFIZER\BIONTECH	RASH PRURITIC	67	0.68%
PFIZER\BIONTECH	RASH PUSTULAR	4	0.04%
PFIZER\BIONTECH	RASH VESICULAR	9	0.09%
PFIZER\BIONTECH	RAYNAUD'S PHENOMENON	1	0.01%
PFIZER\BIONTECH	REACTION TO EXCIPIENT	1	0.01%
PFIZER\BIONTECH	REACTION TO PREVIOUS EXPOSURE TO ANY VACCINE	2	0.02%
PFIZER\BIONTECH	RECTAL HAEMORRHAGE	3	0.03%
PFIZER\BIONTECH	RED BLOOD CELL COUNT DECREASED	5	0.05%
PFIZER\BIONTECH	RED BLOOD CELL COUNT INCREASED	1	0.01%
PFIZER\BIONTECH	RED BLOOD CELL COUNT NORMAL	7	0.07%
PFIZER\BIONTECH	RED BLOOD CELL NUCLEATED MORPHOLOGY	1	0.01%
PFIZER\BIONTECH	RED BLOOD CELL NUCLEATED MORPHOLOGY PRESENT	1	0.01%
PFIZER\BIONTECH	RED BLOOD CELL SEDIMENTATION RATE	2	0.02%
PFIZER\BIONTECH	RED BLOOD CELL SEDIMENTATION RATE INCREASED	7	0.07%
PFIZER\BIONTECH	RED BLOOD CELL SEDIMENTATION RATE NORMAL	4	0.04%
PFIZER\BIONTECH	RED CELL DISTRIBUTION WIDTH DECREASED	1	0.01%
PFIZER\BIONTECH	RED CELL DISTRIBUTION WIDTH INCREASED	1	0.01%
PFIZER\BIONTECH	RED CELL DISTRIBUTION WIDTH NORMAL	7	0.07%
PFIZER\BIONTECH	REFUSAL OF TREATMENT BY PATIENT	2	0.02%
PFIZER\BIONTECH	REGURGITATION	1	0.01%
PFIZER\BIONTECH	RENAL DISORDER	1	0.01%
PFIZER\BIONTECH	RENAL FAILURE	1	0.01%
PFIZER\BIONTECH	RENAL PAIN	5	0.05%
PFIZER\BIONTECH	RESPIRATORY ACIDOSIS	1	0.01%
PFIZER\BIONTECH	RESPIRATORY ARREST	14	0.14%
PFIZER\BIONTECH	RESPIRATORY DISTRESS	6	0.06%
PFIZER\BIONTECH	RESPIRATORY FAILURE	5	0.05%
PFIZER\BIONTECH	RESPIRATORY RATE	1	0.01%
PFIZER\BIONTECH	RESPIRATORY RATE DECREASED	2	0.02%
PFIZER\BIONTECH	RESPIRATORY RATE INCREASED	13	0.13%
PFIZER\BIONTECH	RESPIRATORY SYMPTOM	4	0.04%
PFIZER\BIONTECH	RESPIRATORY SYNCYTIAL VIRUS TEST NEGATIVE	7	0.07%
PFIZER\BIONTECH	RESPIRATORY TRACT CONGESTION	86	0.88%
PFIZER\BIONTECH	RESPIRATORY TRACT INFECTION	1	0.01%
PFIZER\BIONTECH	RESPIRATORY TRACT IRRITATION	3	0.03%
PFIZER\BIONTECH	RESPIRATORY TRACT OEDEMA	1	0.01%
PFIZER\BIONTECH	RESPIRATORY VIRAL PANEL	10	0.10%
PFIZER\BIONTECH	RESTLESS LEGS SYNDROME	1	0.01%
PFIZER\BIONTECH	RESTLESSNESS	10	0.10%
PFIZER\BIONTECH	RESUSCITATION	15	0.15%
PFIZER\BIONTECH	RETCHING	30	0.31%
PFIZER\BIONTECH	RETINAL EXUDATES	1	0.01%

PFIZER\BIONTECH Vaccine Manufacturer	RETINOGRAM Symptoms	Events Reported	Percent (of 9,794)
PFIZER\BIONTECH	RHEUMATOID ARTHRITIS	2	0.02%
PFIZER\BIONTECH	RHEUMATOID FACTOR	1	0.01%
PFIZER\BIONTECH	RHINALGIA	1	0.01%
PFIZER\BIONTECH	RHINITIS	3	0.03%
PFIZER\BIONTECH	RHINORRHOEA	113	1.15%
PFIZER\BIONTECH	RHONCHI	1	0.01%
PFIZER\BIONTECH	RIGHT ATRIAL DILATATION	1	0.01%
PFIZER\BIONTECH	RIGHT VENTRICULAR DILATATION	1	0.01%
PFIZER\BIONTECH	RIGHT VENTRICULAR DYSFUNCTION	2	0.02%
PFIZER\BIONTECH	RIGHT VENTRICULAR EJECTION FRACTION DECREASED	1	0.01%
PFIZER\BIONTECH	RIGHT VENTRICULAR HYPERTROPHY	1	0.01%
PFIZER\BIONTECH	RIGHT VENTRICULAR SYSTOLIC PRESSURE DECREASED	1	0.01%
PFIZER\BIONTECH	ROSACEA	1	0.01%
PFIZER\BIONTECH	RUSSELL'S VIPER VENOM TIME NORMAL	1	0.01%
PFIZER\BIONTECH	SALIVA ALTERED	2	0.02%
PFIZER\BIONTECH	SALIVARY HYPERSECRETION	3	0.03%
PFIZER\BIONTECH	SARS-COV-2 ANTIBODY TEST	7	0.07%
PFIZER\BIONTECH	SARS-COV-2 ANTIBODY TEST NEGATIVE	4	0.04%
PFIZER\BIONTECH	SARS-COV-2 ANTIBODY TEST POSITIVE	2	0.02%
PFIZER\BIONTECH	SARS-COV-2 TEST	104	1.06%
PFIZER\BIONTECH	SARS-COV-2 TEST FALSE NEGATIVE	1	0.01%
PFIZER\BIONTECH	SARS-COV-2 TEST FALSE POSITIVE	1	0.01%
PFIZER\BIONTECH	SARS-COV-2 TEST NEGATIVE	257	2.62%
PFIZER\BIONTECH	SARS-COV-2 TEST POSITIVE	488	4.98%
PFIZER\BIONTECH	SCAB	1	0.01%
PFIZER\BIONTECH	SCALLOPED TONGUE	1	0.01%
PFIZER\BIONTECH	SCAN MYOCARDIAL PERFUSION	1	0.01%
PFIZER\BIONTECH	SCAN MYOCARDIAL PERFUSION NORMAL	1	0.01%
PFIZER\BIONTECH	SCAN WITH CONTRAST	6	0.06%
PFIZER\BIONTECH	SCAN WITH CONTRAST ABNORMAL	6	0.06%
PFIZER\BIONTECH	SCAN WITH CONTRAST NORMAL	6	0.06%
PFIZER\BIONTECH	SCAR	2	0.02%
PFIZER\BIONTECH	SCIATICA	2	0.02%
PFIZER\BIONTECH	SCLERAL DISORDER	1	0.01%
PFIZER\BIONTECH	SCLERITIS	1	0.01%
PFIZER\BIONTECH	SCRATCH	3	0.03%
PFIZER\BIONTECH	SCREAMING	1	0.01%
PFIZER\BIONTECH	SCROTAL DERMATITIS	1	0.01%
PFIZER\BIONTECH	SCROTAL PAIN	1	0.01%
PFIZER\BIONTECH	SEASONAL ALLERGY	1	0.01%
PFIZER\BIONTECH	SEBORRHOEA	1	0.01%
PFIZER\BIONTECH	SECRETION DISCHARGE	2	0.02%
PFIZER\BIONTECH	SEDATION	1	0.01%
PFIZER\BIONTECH	SEIZURE	19	0.19%
PFIZER\BIONTECH	SEIZURE LIKE PHENOMENA	6	0.06%
PFIZER\BIONTECH	SELF ESTEEM DECREASED	1	0.01%
PFIZER\BIONTECH	SENSATION OF FOREIGN BODY	60	0.61%
PFIZER\BIONTECH	SENSITIVE SKIN	7	0.07%
PFIZER\BIONTECH	SENSORY DISTURBANCE	16	0.16%
PFIZER\BIONTECH	SENSORY LOSS	10	0.10%
PFIZER\BIONTECH	SEPSIS	4	0.04%
PFIZER\BIONTECH	SEPTIC SCREEN	1	0.01%
PFIZER\BIONTECH	SEPTIC SHOCK	1	0.01%
PFIZER\BIONTECH	SERUM FERRITIN INCREASED	2	0.02%
PFIZER\BIONTECH	SERUM FERRITIN NORMAL	1	0.01%
PFIZER\BIONTECH	SERUM SICKNESS	3	0.03%
PFIZER\BIONTECH	SHIFT TO THE LEFT	2	0.02%
PFIZER\BIONTECH	SHOULDER INJURY RELATED TO VACCINE ADMINISTRATION	1	0.01%
PFIZER\BIONTECH	SIALOADENITIS	1	0.01%
PFIZER\BIONTECH	SIMILAR REACTION ON PREVIOUS EXPOSURE TO DRUG	1	0.01%
PFIZER\BIONTECH	SINONASAL OBSTRUCTION	1	0.01%
PFIZER\BIONTECH	SINUS ARRHYTHMIA	1	0.01%

PFIZER\BIONTECH Vaccine Manufacturer	SINUS BRADYCARDIA Symptoms	Events Reported	Percent (of 9,794)
PFIZER\BIONTECH	SINUS BRADYCARDIA	2	0.02%
PFIZER\BIONTECH	SINUS CONGESTION	10	0.10%
PFIZER\BIONTECH	SINUS DISORDER	4	0.04%
PFIZER\BIONTECH	SINUS HEADACHE	3	0.03%
PFIZER\BIONTECH	SINUS OPERATION	1	0.01%
PFIZER\BIONTECH	SINUS PAIN	1	0.01%
PFIZER\BIONTECH	SINUS TACHYCARDIA	28	0.29%
PFIZER\BIONTECH	SINUSITIS	2	0.02%
PFIZER\BIONTECH	SKIN BURNING SENSATION	14	0.14%
PFIZER\BIONTECH	SKIN CULTURE	1	0.01%
PFIZER\BIONTECH	SKIN DISCOLOURATION	25	0.26%
PFIZER\BIONTECH	SKIN EXFOLIATION	8	0.08%
PFIZER\BIONTECH	SKIN HAEMORRHAGE	1	0.01%
PFIZER\BIONTECH	SKIN LACERATION	4	0.04%
PFIZER\BIONTECH	SKIN LESION	5	0.05%
PFIZER\BIONTECH	SKIN REACTION	8	0.08%
PFIZER\BIONTECH	SKIN SENSITISATION	1	0.01%
PFIZER\BIONTECH	SKIN SWELLING	1	0.01%
PFIZER\BIONTECH	SKIN TIGHTNESS	5	0.05%
PFIZER\BIONTECH	SKIN ULCER	2	0.02%
PFIZER\BIONTECH	SKIN WARM	77	0.79%
PFIZER\BIONTECH	SLEEP APNOEA SYNDROME	1	0.01%
PFIZER\BIONTECH	SLEEP DISORDER	78	0.80%
PFIZER\BIONTECH	SLEEP TALKING	1	0.01%
PFIZER\BIONTECH	SLOW RESPONSE TO STIMULI	2	0.02%
PFIZER\BIONTECH	SLOW SPEECH	3	0.03%
PFIZER\BIONTECH	SLUGGISHNESS	10	0.10%
PFIZER\BIONTECH	SMALL FIBRE NEUROPATHY	1	0.01%
PFIZER\BIONTECH	SMALL INTESTINAL OBSTRUCTION	2	0.02%
PFIZER\BIONTECH	SNEEZING	24	0.25%
PFIZER\BIONTECH	SNORING	1	0.01%
PFIZER\BIONTECH	SOFT TISSUE SWELLING	1	0.01%
PFIZER\BIONTECH	SOMNOLENCE	36	0.37%
PFIZER\BIONTECH	SPECIALIST CONSULTATION	1	0.01%
PFIZER\BIONTECH	SPEECH DISORDER	32	0.33%
PFIZER\BIONTECH	SPINAL NERVE STIMULATOR IMPLANTATION	1	0.01%
PFIZER\BIONTECH	SPINAL OPERATION	1	0.01%
PFIZER\BIONTECH	SPINAL PAIN	10	0.10%
PFIZER\BIONTECH	SPINAL X-RAY NORMAL	1	0.01%
PFIZER\BIONTECH	SPUTUM ABNORMAL	1	0.01%
PFIZER\BIONTECH	SPUTUM CULTURE	1	0.01%
PFIZER\BIONTECH	STAPHYLOCOCCAL INFECTION	1	0.01%
PFIZER\BIONTECH	STAPHYLOCOCCUS TEST NEGATIVE	1	0.01%
PFIZER\BIONTECH	STARING	2	0.02%
PFIZER\BIONTECH	STATUS ASTHMATICUS	1	0.01%
PFIZER\BIONTECH	STATUS EPILEPTICUS	1	0.01%
PFIZER\BIONTECH	STENT PLACEMENT	2	0.02%
PFIZER\BIONTECH	STEVENS-JOHNSON SYNDROME	1	0.01%
PFIZER\BIONTECH	STILLBIRTH	2	0.02%
PFIZER\BIONTECH	STOMATITIS	7	0.07%
PFIZER\BIONTECH	STREPTOCOCCUS TEST	4	0.04%
PFIZER\BIONTECH	STREPTOCOCCUS TEST NEGATIVE	12	0.12%
PFIZER\BIONTECH	STREPTOCOCCUS TEST POSITIVE	2	0.02%
PFIZER\BIONTECH	STRESS	10	0.10%
PFIZER\BIONTECH	STRESS AT WORK	1	0.01%
PFIZER\BIONTECH	STRESS CARDIOMYOPATHY	2	0.02%
PFIZER\BIONTECH	STRESS ECHOCARDIOGRAM NORMAL	1	0.01%
PFIZER\BIONTECH	STRIDOR	13	0.13%
PFIZER\BIONTECH	SUBARACHNOID HAEMORRHAGE	1	0.01%
PFIZER\BIONTECH	SUBCUTANEOUS HAEMATOMA	1	0.01%
PFIZER\BIONTECH	SUBMAXILLARY GLAND ENLARGEMENT	1	0.01%
PFIZER\BIONTECH	SUDDEN CARDIAC DEATH	1	0.01%
PFIZER\BIONTECH	SUDDEN DEATH	2	0.02%

PFIZER\BIONTECH Vaccine Manufacturer	SUPRAVENTRICULAR EXTRASYSTOLES Symptoms	Events Reported	Percent (of 9,794)
PFIZER\BIONTECH	SUPRAVENTRICULAR TACHYCARDIA	12	0.12%
PFIZER\BIONTECH	SURGICAL PROCEDURE REPEATED	1	0.01%
PFIZER\BIONTECH	SUSPECTED COVID-19	2	0.02%
PFIZER\BIONTECH	SUTURE INSERTION	1	0.01%
PFIZER\BIONTECH	SWALLOW STUDY	1	0.01%
PFIZER\BIONTECH	SWELLING	83	0.85%
PFIZER\BIONTECH	SWELLING FACE	115	1.17%
PFIZER\BIONTECH	SWELLING OF EYELID	15	0.15%
PFIZER\BIONTECH	SWOLLEN TONGUE	93	0.95%
PFIZER\BIONTECH	SYNCOPE	84	0.86%
PFIZER\BIONTECH	SYRINGE ISSUE	8	0.08%
PFIZER\BIONTECH	SYSTEMIC INFLAMMATORY RESPONSE SYNDROME	1	0.01%
PFIZER\BIONTECH	SYSTEMIC LUPUS ERYTHEMATOSUS	1	0.01%
PFIZER\BIONTECH	SYSTEMIC SCLERODERMA	1	0.01%
PFIZER\BIONTECH	T-LYMPHOCYTE COUNT	1	0.01%
PFIZER\BIONTECH	TACHYCARDIA	295	3.01%
PFIZER\BIONTECH	TACHYPHRENIA	1	0.01%
PFIZER\BIONTECH	TACHYPNOEA	11	0.11%
PFIZER\BIONTECH	TASTE DISORDER	22	0.22%
PFIZER\BIONTECH	TEARFULNESS	4	0.04%
PFIZER\BIONTECH	TEMPERATURE INTOLERANCE	1	0.01%
PFIZER\BIONTECH	TENDERNESS	55	0.56%
PFIZER\BIONTECH	TENOSYNOVITIS	3	0.03%
PFIZER\BIONTECH	TENSION	1	0.01%
PFIZER\BIONTECH	TENSION HEADACHE	7	0.07%
PFIZER\BIONTECH	TERMINAL STATE	1	0.01%
PFIZER\BIONTECH	TESTICULAR PAIN	1	0.01%
PFIZER\BIONTECH	TESTICULAR SWELLING	2	0.02%
PFIZER\BIONTECH	TETANY	2	0.02%
PFIZER\BIONTECH	THALAMIC INFARCTION	1	0.01%
PFIZER\BIONTECH	THERAPEUTIC RESPONSE UNEXPECTED	1	0.01%
PFIZER\BIONTECH	THINKING ABNORMAL	2	0.02%
PFIZER\BIONTECH	THIRST	6	0.06%
PFIZER\BIONTECH	THROAT CLEARING	29	0.30%
PFIZER\BIONTECH	THROAT IRRITATION	207	2.11%
PFIZER\BIONTECH	THROAT TIGHTNESS	201	2.05%
PFIZER\BIONTECH	THROMBECTOMY	1	0.01%
PFIZER\BIONTECH	THROMBOCYTOPENIA	7	0.07%
PFIZER\BIONTECH	THROMBOLYSIS	1	0.01%
PFIZER\BIONTECH	THROMBOSIS	4	0.04%
PFIZER\BIONTECH	THROMBOTIC THROMBOCYTOPENIC PURPURA	2	0.02%
PFIZER\BIONTECH	THYROID FUNCTION TEST	3	0.03%
PFIZER\BIONTECH	THYROID FUNCTION TEST NORMAL	1	0.01%
PFIZER\BIONTECH	THYROXINE FREE	1	0.01%
PFIZER\BIONTECH	THYROXINE NORMAL	1	0.01%
PFIZER\BIONTECH	TIC	1	0.01%
PFIZER\BIONTECH	TILT TABLE TEST	1	0.01%
PFIZER\BIONTECH	TINNITUS	48	0.49%
PFIZER\BIONTECH	TONGUE BITING	1	0.01%
PFIZER\BIONTECH	TONGUE COATED	1	0.01%
PFIZER\BIONTECH	TONGUE DISCOMFORT	17	0.17%
PFIZER\BIONTECH	TONGUE DISORDER	11	0.11%
PFIZER\BIONTECH	TONGUE DRY	3	0.03%
PFIZER\BIONTECH	TONGUE ERUPTION	3	0.03%
PFIZER\BIONTECH	TONGUE ERYTHEMA	1	0.01%
PFIZER\BIONTECH	TONGUE MOVEMENT DISTURBANCE	3	0.03%
PFIZER\BIONTECH	TONGUE PRURITUS	20	0.20%
PFIZER\BIONTECH	TONGUE SPASM	1	0.01%
PFIZER\BIONTECH	TONGUE ULCERATION	1	0.01%
PFIZER\BIONTECH	TONIC CLONIC MOVEMENTS	1	0.01%
PFIZER\BIONTECH	TONSILLAR DISORDER	1	0.01%
PFIZER\BIONTECH	TONSILLAR HYPERTROPHY	3	0.03%

PFIZER\BIONTECH Vaccine Manufacturer	TONSILLAR INFLAMMATION Symptoms	Events Reported	Percent (of 9,794)
PFIZER\BIONTECH	TONSILLITIS	1	0.01%
PFIZER\BIONTECH	TOOTH FRACTURE	1	0.01%
PFIZER\BIONTECH	TOOTHACHE	3	0.03%
PFIZER\BIONTECH	TOXICOLOGIC TEST	1	0.01%
PFIZER\BIONTECH	TRACHEOMALACIA	1	0.01%
PFIZER\BIONTECH	TRANSAMINASES INCREASED	2	0.02%
PFIZER\BIONTECH	TRANSCUTANEOUS PACING	1	0.01%
PFIZER\BIONTECH	TRANSIENT GLOBAL AMNESIA	1	0.01%
PFIZER\BIONTECH	TRANSIENT ISCHAEMIC ATTACK	4	0.04%
PFIZER\BIONTECH	TRANSPLANT EVALUATION	1	0.01%
PFIZER\BIONTECH	TREATMENT NONCOMPLIANCE	1	0.01%
PFIZER\BIONTECH	TREMOR	155	1.58%
PFIZER\BIONTECH	TREPONEMA TEST	1	0.01%
PFIZER\BIONTECH	TREPONEMA TEST NEGATIVE	3	0.03%
PFIZER\BIONTECH	TRICHOGLOSSIA	1	0.01%
PFIZER\BIONTECH	TRICUSPID VALVE INCOMPETENCE	2	0.02%
PFIZER\BIONTECH	TRIGEMINAL NEURALGIA	3	0.03%
PFIZER\BIONTECH	TRISMUS	2	0.02%
PFIZER\BIONTECH	TROPONIN	24	0.25%
PFIZER\BIONTECH	TROPONIN I	2	0.02%
PFIZER\BIONTECH	TROPONIN I INCREASED	5	0.05%
PFIZER\BIONTECH	TROPONIN I NORMAL	3	0.03%
PFIZER\BIONTECH	TROPONIN INCREASED	14	0.14%
PFIZER\BIONTECH	TROPONIN NORMAL	25	0.26%
PFIZER\BIONTECH	TROPONIN T	1	0.01%
PFIZER\BIONTECH	TROPONIN T INCREASED	2	0.02%
PFIZER\BIONTECH	TROPONIN T NORMAL	1	0.01%
PFIZER\BIONTECH	TRYPTASE	9	0.09%
PFIZER\BIONTECH	TUNNEL VISION	9	0.09%
PFIZER\BIONTECH	TYPE IV HYPERSENSITIVITY REACTION	1	0.01%
PFIZER\BIONTECH	ULCER	1	0.01%
PFIZER\BIONTECH	ULTRASOUND ABDOMEN ABNORMAL	1	0.01%
PFIZER\BIONTECH	ULTRASOUND ABDOMEN NORMAL	1	0.01%
PFIZER\BIONTECH	ULTRASOUND ANTENATAL SCREEN ABNORMAL	1	0.01%
PFIZER\BIONTECH	ULTRASOUND ANTENATAL SCREEN NORMAL	1	0.01%
PFIZER\BIONTECH	ULTRASOUND BREAST ABNORMAL	1	0.01%
PFIZER\BIONTECH	ULTRASOUND DOPPLER	4	0.04%
PFIZER\BIONTECH	ULTRASOUND DOPPLER ABNORMAL	2	0.02%
PFIZER\BIONTECH	ULTRASOUND DOPPLER NORMAL	1	0.01%
PFIZER\BIONTECH	ULTRASOUND FOETAL	1	0.01%
PFIZER\BIONTECH	ULTRASOUND JOINT	1	0.01%
PFIZER\BIONTECH	ULTRASOUND PELVIS ABNORMAL	1	0.01%
PFIZER\BIONTECH	ULTRASOUND SCAN	2	0.02%
PFIZER\BIONTECH	ULTRASOUND SCAN ABNORMAL	7	0.07%
PFIZER\BIONTECH	ULTRASOUND SCAN NORMAL	1	0.01%
PFIZER\BIONTECH	UNDERDOSE	7	0.07%
PFIZER\BIONTECH	UNDIFFERENTIATED CONNECTIVE TISSUE DISEASE	1	0.01%
PFIZER\BIONTECH	UNEVALUABLE EVENT	106	1.08%
PFIZER\BIONTECH	UNRESPONSIVE TO STIMULI	56	0.57%
PFIZER\BIONTECH	UPPER GASTROINTESTINAL HAEMORRHAGE	1	0.01%
PFIZER\BIONTECH	UPPER LIMB FRACTURE	1	0.01%
PFIZER\BIONTECH	UPPER RESPIRATORY TRACT CONGESTION	1	0.01%
PFIZER\BIONTECH	UPPER RESPIRATORY TRACT IRRITATION	1	0.01%
PFIZER\BIONTECH	UPPER-AIRWAY COUGH SYNDROME	9	0.09%
PFIZER\BIONTECH	URETHRITIS	1	0.01%
PFIZER\BIONTECH	URINARY ASSISTANCE DEVICE USER	1	0.01%
PFIZER\BIONTECH	URINARY INCONTINENCE	4	0.04%
PFIZER\BIONTECH	URINARY RETENTION	1	0.01%
PFIZER\BIONTECH	URINARY STONE ANALYSIS	1	0.01%
PFIZER\BIONTECH	URINARY TRACT INFECTION	7	0.07%
PFIZER\BIONTECH	URINE ANALYSIS	19	0.19%
PFIZER\BIONTECH	URINE ANALYSIS ABNORMAL	3	0.03%

PFIZER\BIONTECH Vaccine Manufacturer	URINE ANALYSIS NORMAL Symptoms	Events Reported	Percent (of 9,794)
PFIZER\BIONTECH	URINE ANALYSIS NORMAL	13	0.13%
PFIZER\BIONTECH	URINE LEUKOCYTE ESTERASE POSITIVE	1	0.01%
PFIZER\BIONTECH	URINE OUTPUT DECREASED	1	0.01%
PFIZER\BIONTECH	UROSEPSIS	1	0.01%
PFIZER\BIONTECH	URTICARIA	317	3.24%
PFIZER\BIONTECH	USE OF ACCESSORY RESPIRATORY MUSCLES	1	0.01%
PFIZER\BIONTECH	UTERINE HAEMORRHAGE	2	0.02%
PFIZER\BIONTECH	UVEITIS	1	0.01%
PFIZER\BIONTECH	VACCINATION COMPLICATION	9	0.09%
PFIZER\BIONTECH	VACCINATION SITE BRUISING	1	0.01%
PFIZER\BIONTECH	VACCINATION SITE ERYTHEMA	1	0.01%
PFIZER\BIONTECH	VACCINATION SITE HAEMORRHAGE	1	0.01%
PFIZER\BIONTECH	VACCINATION SITE INDURATION	1	0.01%
PFIZER\BIONTECH	VACCINATION SITE IRRITATION	1	0.01%
PFIZER\BIONTECH	VACCINATION SITE PAIN	13	0.13%
PFIZER\BIONTECH	VACCINATION SITE SWELLING	5	0.05%
PFIZER\BIONTECH	VACCINE POSITIVE RECHALLENGE	1	0.01%
PFIZER\BIONTECH	VAGINAL HAEMORRHAGE	4	0.04%
PFIZER\BIONTECH	VAGINAL INFECTION	1	0.01%
PFIZER\BIONTECH	VAGINAL ULCERATION	1	0.01%
PFIZER\BIONTECH	VASOCONSTRICTION	1	0.01%
PFIZER\BIONTECH	VASODILATATION	1	0.01%
PFIZER\BIONTECH	VENOGRAM	1	0.01%
PFIZER\BIONTECH	VENTRICULAR ARRHYTHMIA	1	0.01%
PFIZER\BIONTECH	VENTRICULAR EXTRASYSTOLES	14	0.14%
PFIZER\BIONTECH	VENTRICULAR FIBRILLATION	3	0.03%
PFIZER\BIONTECH	VENTRICULAR HYPOKINESIA	2	0.02%
PFIZER\BIONTECH	VENTRICULAR TACHYCARDIA	3	0.03%
PFIZER\BIONTECH	VERTIGO	70	0.71%
PFIZER\BIONTECH	VESTIBULAR NEURONITIS	1	0.01%
PFIZER\BIONTECH	VIRAL INFECTION	1	0.01%
PFIZER\BIONTECH	VIRAL RASH	1	0.01%
PFIZER\BIONTECH	VIRAL TEST	7	0.07%
PFIZER\BIONTECH	VIRAL TEST NEGATIVE	6	0.06%
PFIZER\BIONTECH	VIRAL TEST POSITIVE	4	0.04%
PFIZER\BIONTECH	VIRAL TITRE	1	0.01%
PFIZER\BIONTECH	VISION BLURRED	65	0.66%
PFIZER\BIONTECH	VISUAL FIELD DEFECT	4	0.04%
PFIZER\BIONTECH	VISUAL FIELD TESTS	1	0.01%
PFIZER\BIONTECH	VISUAL IMPAIRMENT	38	0.39%
PFIZER\BIONTECH	VISUAL TRACKING TEST ABNORMAL	1	0.01%
PFIZER\BIONTECH	VITAL FUNCTIONS ABNORMAL	3	0.03%
PFIZER\BIONTECH	VITAMIN B12 DECREASED	1	0.01%
PFIZER\BIONTECH	VITAMIN B12 NORMAL	2	0.02%
PFIZER\BIONTECH	VITAMIN D DECREASED	1	0.01%
PFIZER\BIONTECH	VITREOUS DETACHMENT	1	0.01%
PFIZER\BIONTECH	VITREOUS FLOATERS	3	0.03%
PFIZER\BIONTECH	VOCAL CORD DISORDER	3	0.03%
PFIZER\BIONTECH	VOMITING	302	3.08%
PFIZER\BIONTECH	VOMITING PROJECTILE	3	0.03%
PFIZER\BIONTECH	WEIGHT	1	0.01%
PFIZER\BIONTECH	WEIGHT BEARING DIFFICULTY	2	0.02%
PFIZER\BIONTECH	WEIGHT DECREASED	5	0.05%
PFIZER\BIONTECH	WEIGHT INCREASED	2	0.02%
PFIZER\BIONTECH	WHEELCHAIR USER	12	0.12%
PFIZER\BIONTECH	WHEEZING	55	0.56%
PFIZER\BIONTECH	WHITE BLOOD CELL COUNT DECREASED	3	0.03%
PFIZER\BIONTECH	WHITE BLOOD CELL COUNT INCREASED	26	0.27%
PFIZER\BIONTECH	WHITE BLOOD CELL COUNT NORMAL	14	0.14%
PFIZER\BIONTECH	WHITE BLOOD CELLS URINE POSITIVE	1	0.01%
PFIZER\BIONTECH	WHITE COAT HYPERTENSION	1	0.01%
PFIZER\BIONTECH	WITHDRAWAL OF LIFE SUPPORT	2	0.02%
PFIZER\BIONTECH	WOUND CLOSURE	1	0.01%

PFIZER\BIONTECH Vaccine Manufacturer	X-RAY Symptoms	Events Reported	Percent (of 9,794)
PFIZER\BIONTECH	X-RAY ABNORMAL	2	0.02%
PFIZER\BIONTECH	X-RAY LIMB	2	0.02%
PFIZER\BIONTECH	X-RAY NORMAL	3	0.03%
PFIZER\BIONTECH	YELLOW SKIN	1	0.01%
PFIZER\BIONTECH	Total	33,318	340.19%
UNKNOWN MANUFACTURER	ARTHRALGIA	1	0.01%
UNKNOWN MANUFACTURER	CARDIAC ARREST	1	0.01%
UNKNOWN MANUFACTURER	CONFUSIONAL STATE	1	0.01%
UNKNOWN MANUFACTURER	DEATH	1	0.01%
UNKNOWN MANUFACTURER	DECREASED APPETITE	1	0.01%
UNKNOWN MANUFACTURER	DIARRHOEA	1	0.01%
UNKNOWN MANUFACTURER	GAIT INABILITY	1	0.01%
UNKNOWN MANUFACTURER	HYPERHIDROSIS	1	0.01%
UNKNOWN MANUFACTURER	HYPOTENSION	1	0.01%
UNKNOWN MANUFACTURER	HYPOXIA	1	0.01%
UNKNOWN MANUFACTURER	RASH	1	0.01%
UNKNOWN MANUFACTURER	Total	11	0.11%
Total		43,617	445.34%

Note: Submitting a report to VAERS does not mean that healthcare personnel or the vaccine caused or contributed to the adverse event (possible side effect).

Notes:

Caveats: VAERS accepts reports of adverse events and reactions that occur following vaccination. Healthcare providers, vaccine manufacturers, and the public can submit reports to VAERS. While very important in monitoring vaccine safety, VAERS reports alone cannot be used to determine if a vaccine caused or contributed to an adverse event or illness. The reports may contain information that is incomplete, inaccurate, coincidental, or unverifiable. Most reports to VAERS are voluntary, which means they are subject to biases. This creates specific limitations on how the data can be used scientifically. Data from VAERS reports should always be interpreted with these limitations in mind.

The strengths of VAERS are that it is national in scope and can quickly provide an early warning of a safety problem with a vaccine. As part of CDC and FDA's multi-system approach to post-licensure vaccine safety monitoring, VAERS is designed to rapidly detect unusual or unexpected patterns of adverse events, also known as "safety signals." If a safety signal is found in VAERS, further studies can be done in safety systems such as the CDC's Vaccine Safety Datalink (VSD) or the Clinical Immunization Safety Assessment (CISA) project. These systems do not have the same limitations as VAERS, and can better assess health risks and possible connections between adverse events and a vaccine.

Key considerations and limitations of VAERS data:

- Vaccine providers are encouraged to report any clinically significant health problem following vaccination to VAERS, whether or not they believe the vaccine was the cause.
- Reports may include incomplete, inaccurate, coincidental and unverified information.
- The number of reports alone cannot be interpreted or used to reach conclusions about the existence, severity, frequency, or rates of problems associated with vaccines.
- VAERS data are limited to vaccine adverse event reports received between 1990 and the most recent date for which data are available.
- VAERS data do not represent all known safety information for a vaccine and should be interpreted in the context of other scientific information.

Some items may have more than 1 occurrence in any single event report, such as Symptoms, Vaccine Products, Manufacturers, and Event Categories. If data are grouped by any of these items, then the number in the Events Reported column may exceed the total number of unique events. If percentages are shown, then the associated percentage of total unique event reports will exceed 100% in such cases. For example, the number of Symptoms mentioned is likely to exceed the number of events reported, because many reports include more than 1 Symptom. When more than 1 Symptom occurs in a single report, then the percentage of Symptoms to unique events is more than 100%. [More information. \(/wonder/help/vaers.html#Suppress\)](/wonder/help/vaers.html#Suppress)

Data contains VAERS reports processed as of 01/22/2021. The VAERS data in WONDER are updated monthly, yet the VAERS system receives continuous updates including revisions and new reports for preceding time periods. [More information. \(/wonder/help/vaers.html#Reporting\)](/wonder/help/vaers.html#Reporting)

Help: See [The Vaccine Adverse Event Reporting System \(VAERS\) Documentation \(/wonder/help/vaers.html\)](/wonder/help/vaers.html) for more information.

Query Date: Feb 3, 2021 4:23:03 PM

Suggested Citation:

United States Department of Health and Human Services (DHHS), Public Health Service (PHS), Centers for Disease Control (CDC) / Food and Drug Administration (FDA), Vaccine Adverse Event Reporting System (VAERS) 1990 - Previous Friday, CDC WONDER On-line Database. Accessed at <http://wonder.cdc.gov/vaers.html> on Feb 3, 2021 4:23:03 PM

Query Criteria:

State / Territory: The United States/Territories/Unknown
Vaccine Products: COVID19 VACCINE (COVID19)
Group By: Vaccine Manufacturer; Symptoms
Show Totals: True
Show Zero Values: Disabled